

See Appendix H

FDEP Data exclusion Screens



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 4
SAM NUNN
ATLANTA FEDERAL CENTER
61 FORSYTH STREET
ATLANTA GEORGIA 30303-8960

DEC 21 2010

Ms. Mimi A. Drew
Secretary
Florida Department of Environmental Protection
3900 Commonwealth Boulevard M.S. 10
Tallahassee, Florida 32399-3000

Subject: Final Action on Florida's 2010 Group Four Update to the section 303(d) list for the State of Florida

Dear Ms. Drew:

The U.S. Environmental Protection Agency (EPA), Region 4, has completed its review of the Florida Department of Environmental Protection's (FDEP) Group Four Update to Florida's section 303(d) list, as approved in 1998 and updated on June 11, 2003. The Group Four Update, which was submitted on November 19, 2010, identifies water quality limited segments (WQLS) in the Group Four basin groups, pursuant to section 303(d) of the Clean Water Act (CWA). EPA has determined that Florida's Group Four 2010 Update substantially meets the intent of section 303(d) of the CWA and EPA's implementing regulations, and is partially approving that submission.

Specifically, EPA approves Florida's decision to include additional Group Four waters and associated pollutants on the section 303(d) list, as set out in Appendix B of the enclosed Decision Document. EPA's partial approval of Florida's submission is made with the understanding that the five waters identified in Appendix C of the Decision Document will be included on EPA's approved section 303(d) list for Group Four basins in Florida. The waters included in Appendix C will be given a low priority, without a specific date for Total Maximum Daily Load development, in order to allow FDEP time to more fully implement its watershed restoration program, except as otherwise set out by the consent decree in Florida Wildlife Federation, et al. v Carol Browner, et al., Civil Action No. 4:98CV356-WS (Northern District of Florida).


EPA conducted a thorough review of the Group Four Update. While our review concluded that FDEP's approach was successful for the vast majority of waterbody impairments, EPA has identified five additional segments which FDEP did not include on the Group Four Update. Three of these additions reflect the need to adequately demonstrate that anthropogenic sources do not cause or contribute to concentrations of lead which do not attain the water quality criterion in the identified segments. One addition reflects the need to adequately demonstrate good cause for delisting Wagner Creek (WBID 3288A) for dioxin in fish tissue. The fifth addition reflects the State's failure to list Parker Bayou (WBID 1141B) for mercury in fish tissue, a Group Three water which was inadvertently omitted from the section 303(d) list, and upon

which EPA deferred action in the May 13, 2010, partial approval of the Group Three Update.

Based on the above, EPA is therefore adding five WQLS to the section 303(d) list for the State of Florida. The water quality limited segments that EPA is adding are identified in Appendix C of the enclosed Decision Document. The complete section 303(d) list for Group Four basins in the State of Florida, as of the date of this action, is contained in the Appendices of the attached Decision Document. EPA will open a public comment period to receive comments concerning its decision to add waters and pollutants to the State's section 303(d) list.

The outcome of EPA's findings makes clear that the State of Florida conducted a very extensive effort in collecting water quality information and assessing state waters. As you know, the basis for any kind of water management activities begins and ends with the amount and quality of information collected. I would also like to recognize the extensive public participation process that FDEP conducted when developing the Group Four Update, including area specific stakeholder meetings throughout the Group Four basins and the consideration of data and information submitted by third parties. On a last note, FDEP has submitted, and EPA has acted on, updates to the 1998 section 303(d) list for all five basin groups. As we transition to future submissions of Florida's section 303(d) list, EPA would like to continue to work closely with your Department to successfully implement the CWA and achieve improvements in water quality.

Sincerely,

A handwritten signature in blue ink that reads "Gwendolyn Keyes Fleming". The signature is fluid and cursive, with the first name being the most prominent.

Gwendolyn Keyes Fleming
Regional Administrator

Enclosure

DECISION DOCUMENT
REGARDING FLORIDA
DEPARTMENT OF ENVIRONMENTAL
PROTECTION'S
SECTION 303(d) LIST AMENDMENTS
FOR BASIN GROUP 4

Prepared by the
Environmental Protection Agency, Region 4
Water Protection Division

December 21, 2010

Table of Contents

I	Executive Summary	4
II.	Statutory and Regulatory Background	7
	A. Identification of Water Quality Limited Segments (WQLSs) for Inclusion on the Section 303(d) List	7
	B. Consideration of Existing and Readily Available Water Quality-Related Data and Information	7
	C. Priority Ranking	8
III.	Analysis of the Florida Department of Environmental Protection’s Submission	8
	A. Florida’s 2010 Group 4 Update	9
	1. Florida’s Water Quality Standards and Section 303(d) List Development	9
	a. Florida’s numeric water quality criteria	10
	b. Florida’s narrative water quality criteria	10
	2. List Development Methodology and Data Assessment	11
	3. Public Participation Process	12
	4. Consideration of Existing and Readily Available Water Quality Related Data and Information	13
	B. Review of FDEP’s Identification of Waters (40 CFR 130.7(b)(6)(i - iv))	15
	1. Review of FDEP’s Data Guidelines	16
	a. Minimum Sample Size	17
	b. Age of Data	17
	2. Waterbodies Verified Impaired but no Pollutant causing Impairment Identified	18
	3. Aquatic life use support	19
	a. Exceedances of numeric water quality criteria	19
	b. Waterbodies not Listed due to Natural Conditions	21
	c. Impairments Indicated by Biological Information	23

d.	Impairments Indicated by Nutrient Information	23
4.	Primary and Secondary Recreational Use Support	25
5.	Fish and Shellfish Consumption Use Support	25
6.	Drinking Water Use Support and Protection of Human Health	26
C.	Section 303(d) List of Impaired Waters (40 CFR 130.7(b)(4))	27
1.	FDEP's Addition of Water Quality Limited Segments	27
2.	FDEP's Delisting of Water Quality Limited Segments	27
3.	Other Pollution Control Requirements	28
4.	EPA Identified Waters	28
5.	Priority Ranking and Targeting	29
IV.	Final Recommendation on Florida's 2010 Section 303(d) List Submittal	30
Appendix A	2003 EPA-approved section 303(d) list for the State of Florida	
Appendix B	Group 3 Water Quality Limited Segments added by FDEP to the Florida section 303(d) list	
Appendix C	Group 3 Water Quality Limited Segments added by EPA to the Florida section 303(d) list	
Appendix D	Group 3 Water Quality Limited Segments removed by FDEP from the Florida section 303(d) list	
Appendix E	FDEP Resegmentation Crosswalk Table submitted to EPA November 19, 2010	
Appendix F	FDEP's Rotating Basin Approach	
Appendix G	Assessing Ambient Data for Naturally Variable Parameters Against Numeric Water Quality Criteria	
Appendix H	FDEP Data Exclusion Screens	

I Executive Summary

On November 19, 2010, the Florida Department of Environmental Protection (FDEP) submitted its 2010 Group 4 update to the state's previously approved section 303(d) list to the Environmental Protection Agency (EPA) for review. This section 303(d) list update submission is referred to in this document as the 2010 Group 4 Update. Florida's 2010 Group 4 submittal is an update, for waterbodies in Group 4 basins, to the state's previously approved section 303(d) list.¹ Following its review of Florida's 2010 Group 4 Update, EPA is approving that list in part and is adding waters to the state's section 303(d) list. This document summarizes EPA's review and the basis for the Agency's decision.

Section 303(d)(1) of the Clean Water Act (CWA or Act) directs states to identify those waters within their jurisdictions for which effluent limitations required by sections 301(b)(1)(A) and (B) of the Act are not stringent enough to implement any applicable water quality standard (referred to as water quality limited segments, as defined in 40 C.F.R. § 130.7), and to establish a priority ranking for such waters, taking into account the severity of the pollution and the uses to be made of such waters. The section 303(d) listing requirement applies to water quality limited segments impaired by pollutant loadings from both point and/or nonpoint sources. After a state submits its section 303(d) list to EPA, the Agency is required to approve or disapprove that list.

FDEP assessed waters for the 2010 Group 4 Update pursuant to its approved water quality standards, including the water quality standards contained in the Impaired Waters Rule, commonly referred to as the IWR. Through the Florida Watershed Restoration Act, the state legislature directed the Florida Department of Environmental Protection (FDEP) to develop and adopt by rule a methodology to identify waters that do not meet the State's approved water quality standards and, therefore, are required to be included on section 303(d) lists. See Identification of Impaired Surface Waters, Chapter 62-303, Florida Administrative Code (F.A.C.). EPA determined certain provisions of the IWR to be new or revised water quality standards² and approved those standards on February 19, 2008.³ EPA views other IWR provisions as part of FDEP's section 303(d) listing methodologies. Consistent with EPA's implementing regulations and guidance, EPA considered these methodologies, to the extent that they reflect a reasonable

¹ On September 2, 2009, EPA took action on Florida's update to the section 303(d) list for Group One, Two and Five basins. Complete listings of the changes to Florida's previously approved section 303(d) list for Group One, Two and Five basins as a result of that update are set out in EPA's Amended Decision Document Regarding Florida Department of Environmental Protection's Section 303(d) List Amendments for Basin Groups One, Two and Five. On May 13, 2010, EPA took action on Florida's update to the section 303(d) list for Group Three basins. Complete listings of the changes to Florida's previously approved section 303(d) list for Group Three basins as a result of that update are set out in EPA's Decision Document Regarding Florida Department of Environmental Protection's Section 303(d) List Amendments for Basin Group Three.

² Determination Upon Review of Amended Florida Administrative Code Chapter 62-3-3, Identification of Impaired Waters. United States Environmental Protection Agency, February 19, 2008 (2008 IWR Determination).

³ Letter from James D. Giattina to Michael W. Sole. February 19, 2008 (2008 IWR Approval Letter).

interpretation of Florida's water quality standards and sound science, when it reviewed FDEP's section 303(d) list submittals.

Waters that are not attaining Florida's water quality standards are identified by FDEP as water quality limited segments and submitted to EPA as an update to Florida's then-current section 303(d) list. The water quality standards and listing methodologies contained in the IWR establish specific protocols and thresholds for assessing waterbodies, in addition to data sufficiency and data quality requirements. The IWR contains procedures for assessing both aquatic life use support and human health use support. FDEP conducts these assessments based on Florida's rotating basin approach. Florida waters are divided into five basin groups, with each group representing approximately 20% of state watersheds. Each year, FDEP assesses waterbodies within one group of basins. Lists based on those basin assessments constitute updates to the state's then-current section 303(d) list. All five basin groups are assessed within a five year period. All waters which were included in Florida's approved 1998 section 303(d) list will remain on Florida's section 303(d) list, unless FDEP removes a waterbody and EPA approves that removal.

FDEP submitted a 2002 update to EPA for review, assessing Group One waterbodies. EPA's decision partially approving that update and partially disapproving and adding waters to Florida's section 303(d) list was challenged in court. While that litigation, and related litigation challenging the IWR, were pending, FDEP developed basin group assessment reports but did not submit section 303(d) lists to EPA. On September 3, 2009, EPA approved in part and added waters to FDEP's Update for Group One, Two and Five basins; on May 13, 2010, EPA approved in part and added waters to FDEP's Update for Group Three basins. On November 19, 2010, FDEP submitted its Group 4 update to EPA for review.

FDEP's updated list submittal includes, among other things:

- Additional waterbodies in Group 4 which FDEP determined to be water quality limited segments.
- Group 4 waterbodies included on Florida's previously approved 1998 section 303(d) list which were determined not to need TMDLs and were, therefore, removed from Florida's section 303(d) list as submitted to EPA.

EPA reviewed FDEP's submittal to determine whether the 2010 Group 4 Update appropriately assessed waters based on Florida's water quality standards, including those provisions of the IWR which have themselves been determined to be water quality standards and approved by EPA pursuant to Section 303(c) of the CWA. EPA further considered whether those provisions of the IWR which it determined to be listing methodologies reasonably identified water quality limited segments, considering the state's water quality standards. Where EPA was unsure whether the methodology was a reasonable method for identifying water quality limited segments, the Region conducted further waterbody and data analysis.

The Agency reviewed FDEP's waterbody assessments for all designated uses, based on Florida's water quality standards. EPA concluded that FDEP was largely successful in assessing the Group 4 waterbodies for attainment of designated uses and water quality criteria, including aquatic life use support and water quality criteria for most naturally variable indicator pollutants, aquatic life use support for water quality criteria with a toxic effect, aquatic life use support and narrative water quality criteria for nutrient impairments, fish consumption use support, and use support for those pollutants with water quality criteria expressed as an annual average.

FDEP has an extensive monitoring network and data collection effort. Without the database compiled by FDEP, which contains millions of data points for Group 4 waterbodies, much of the analysis conducted by the State and EPA would not have been possible.

Following EPA's decision to approve Florida's 2010 Group 4 Update, the current section 303(d) list for Group 4 basins in the State of Florida contains:

	Approved 2003 Updated section 303(d) list	(Appendix A)
(+)	Approved Group 4 FDEP additions	(Appendix B)
(+)	Group 4 EPA additions	(Appendix C)
(+)	Group 3 EPA addition (action on deferral)	(Appendix C)
(-)	Approved FDEP Group 4 delistings	(Appendix D)

The statutory and regulatory requirements relevant to section 303(d) lists, and EPA's review of Florida's compliance with each requirement, are described in detail below.

II. Statutory and Regulatory Background

A. Identification of Water Quality Limited Segments (WQLSs) for Inclusion on the Section 303(d) List

Section 303(d)(1) of the Clean Water Act directs states to identify those waters within their jurisdictions for which effluent limitations required by section 301(b)(1)(A) and (B) are not stringent enough to implement any applicable water quality standard, and to establish a priority ranking for such waters, taking into account the severity of the pollution and the uses to be made of such waters. The section 303(d) listing requirement applies to waters impaired by point and/or nonpoint sources, pursuant to EPA's long-standing interpretation of Section 303(d).

EPA regulations at 40 CFR 131.7(b)(1) provide that:

[e]ach State shall identify those water quality-limited segments still requiring TMDLs within its boundaries for which: (i) Technology-based effluent limitations required by sections 301(b), 306, 307, or other sections of the Act; (ii) More stringent effluent limitations (including prohibitions) required by either State or local authority preserved by section 510 of the Act, or Federal authority (law, regulation, or treaty); and (iii) Other pollution control requirements (e.g., best management practices) required by local, State, or Federal authority are not stringent enough to implement any water quality standards applicable to such waters.

EPA regulations at 40 CFR 130.2(j) define water quality limited segment as:

[a]ny segment where it is known that water quality does not meet applicable water quality standards, and/or is not expected to meet applicable water quality standards, even after the application of the technology-based effluent limitations required by sections 301(b) and 306 of the Act.

“Water quality limited segment” may also be referred to as “WQLS,” “impaired waterbodies,” or “impairments” in this document.

B. Consideration of Existing and Readily Available Water Quality-Related Data and Information

In developing section 303(d) lists, states are required to assemble and evaluate all existing and readily available water quality-related data and information, including, at a minimum, considering existing and readily available data and information about the following categories of waters: (1) waters identified as partially meeting or not meeting designated uses, or as threatened, in the state's most recent section 305(b) report; (2) waters for which dilution calculations or predictive modeling indicate nonattainment of applicable standards; (3) waters for which water quality problems have been reported by

governmental agencies, members of the public, or academic institutions; and (4) waters identified as impaired or threatened in any section 319 nonpoint assessment submitted to EPA. See 40 CFR 130.7(b)(5). In addition to these minimum categories, states are required to consider any other water quality-related data and information that is existing and readily available. EPA's 1991 Guidance for Water Quality-Based Decisions describes categories of water quality-related data and information that may be existing and readily available. See Appendix C of Guidance for Water Quality-Based Decisions: The TMDL Process, EPA Office of Water, 1991 (EPA's 1991 Guidance). While states are required to evaluate all existing and readily available water quality-related data and information, states may reasonably decide to rely or not rely on particular data or information in determining whether to list particular waters.

In addition to requiring states to assemble and evaluate all existing and readily available water quality-related data and information, EPA regulations require states to include, as part of their submissions to EPA, documentation to support decisions to list or not list waters. See 40 CFR 130.7(b)(6). Such documentation includes, at a minimum, the following information: (1) a description of the methodology used to develop the list, (2) a description of the data and information used to identify waters, (3) a rationale for any decision to not use any existing and readily available data and information, and (4) any other reasonable information requested by the Region.

C. Priority Ranking

EPA regulations also codify and interpret the requirement in Section 303(d)(1)(A) of the Act that states establish a priority ranking for listed waters. The regulations require states to prioritize waters on their section 303(d) lists for TMDL development and to identify those WQLSs targeted for TMDL development in the next two years. See 40 CFR 130.7(b)(4). In prioritizing and targeting waters, states must, at a minimum, take into account the severity of the pollution and the uses to be made of such waters. See Section 303(d)(1)(A). As long as these factors are taken into account, the Act provides that states establish priorities. States may consider other factors relevant to prioritizing waters for TMDL development, including immediate programmatic needs; vulnerability of particular waters as aquatic habitats; recreational, economic, and aesthetic importance of particular waters; degree of public interest and support; and state or national policies and priorities. See 57 FR 33040, 33045 (July 24, 1992) and EPA's 1991 Guidance at 4.

III. Analysis of the Florida Department of Environmental Protection's Submission

In reviewing FDEP's 2010 Group 4 Update, EPA first reviewed the listing methodology used by the State to develop the list update in light of Florida's approved water quality standards. EPA then reviewed the list of waters. This section describes FDEP's listing methodology and outlines EPA's evaluation of both that methodology and the list of water quality limited segments included in the 2010 Group 4 Update. Where EPA was unsure whether the listing methodology identified all water quality limited segments for a given designated use or water quality criteria, EPA reviewed water quality

data and information to determine whether any waterbodies should be added to the section 303(d) list.

A. Florida's 2010 Group 4 Update

FDEP submitted its section 303(d) lists updates for Group 4 to EPA for review on November 19, 2010, including newly listed waterbodies and waterbodies proposed for delisting within Group 4. All other waterbodies included on Florida's approved 2003 section 303(d) list which were not delisted remain on the section 303(d) list. Details of Florida's listing approach and EPA's review of the list are described below.

1. Florida's Water Quality Standards and Section 303(d) List Development

Section 303(d) of the Clean Water Act requires each State to identify and prioritize those waters where technology-based controls are inadequate to implement water quality standards:

Each State shall identify those waters within its boundaries for which the effluent limitations required by section 1311(b)(1)(A) and section 1311(b)(1)(B) of this title are not stringent enough to implement any water quality standards applicable to such waters.

33 U.S.C. § 1313(d)(1)(A); see also 40 C.F.R. 130.7(b) (EPA's section 303(d) listing regulations).

EPA's regulations expressly provide that "[f]or purposes of listing waters under 40 C.F.R. 130.7(b), the term 'water quality standard applicable to such waters' and 'applicable water quality standards' refer to those water quality standards established under section 303(a) of the Act, including numeric criteria, narrative criteria, water body uses, and antidegradation requirements." 40 C.F.R. 130.7(b)(3). EPA's review of state section 303(d) lists ensures that those lists identify water quality limited segments consistent with existing state standards.

Water quality criteria can be expressed either as narrative or numeric criteria. Numeric criteria typically establish either a maximum level or a range of levels of a pollutant which can be present in the waterbody while still attaining water quality standards. Narrative criteria typically describe a condition (i.e. no imbalance of flora or fauna) which must be met for the waterbody to meet water quality standards. Determining whether a waterbody is meeting water quality standards for a narrative criterion generally involves the identification of reference points against which the waterbody can be evaluated. In the context of listing, EPA considers a state's interpretation of its water quality standards, including how narrative criteria should be interpreted, when that interpretation is consistent with the underlying narrative criterion and is a reasonable translation of that criterion.

a. Florida’s numeric water quality criteria

The primary numeric water quality criteria in Florida are detailed in the Table under 62-302.530 FAC (Table: Surface Water Quality Criteria). These criteria are expressed in a number of different ways that will be discussed in more detail below.

b. Florida’s narrative water quality criteria

The primary narrative water quality criteria in Florida are set out below, with a summary of EPA’s review of FDEP’s methodology for these narrative criteria.

- Criteria: 62-302.530(47) FAC (Nuisance Species): Substances in concentrations which result in the dominance of nuisance species: none shall be present.

To implement this narrative standard, FDEP relies on Florida’s water quality criterion for biological integrity. That criterion, set out in Rule 62-302.530(11) FAC, provides that biological integrity is to be measured by percent reduction of the Shannon Weaver Diversity Index. Florida’s water quality standards also allow the biological integrity to be assessed through BioRecons, Stream Condition Indices, and the benthic macroinvertebrate component of the Lake Condition Index.⁴ Use of these biological condition tools to assess Florida’s narrative criteria for nuisance species is consistent with the state’s water quality standards.

- Criteria: 62-302.530(47)(b) FAC (Nutrients): In no case shall nutrient concentrations of a body of water be altered so as to cause an imbalance in natural populations of aquatic flora or fauna.

Florida’s water quality standards contain provisions which translate Florida’s narrative nutrient standard for assessment purposes,⁵ establishing thresholds of nutrient impairment which are “one-sided” in nature. That is, the thresholds represent upper boundary conditions above which a water body is not meeting its applicable water quality standards (unless demonstrated otherwise) and is identified as impaired. In other words, TSI or chlorophyll-a values are used to demonstrate that there is an “imbalance” in flora and fauna such that the narrative nutrient criterion is not attained. Waters below the IWR thresholds, however, are not considered “in attainment” of the narrative criterion. Rather,

⁴ The IWR contains provisions that supplement Rule 62-302.530(11) by identifying additional biological condition indices, and methods for applying those indices, for use in water quality assessment. See Rules 62-303.200 (1), (2), (8) and (22); 62-303.330(2), (3)(a), and (3)(b); 62-303.430(1), (2), and (3); and 62-303.720(2)(b). EPA determined that these provisions constituted new or revised standards and approved those provisions as standards in February 2008. See 2008 IWR Determination, pp 26-32 and 2008 IWR Approval Letter.

⁵ The IWR contains provisions that translate Rule 62-302.530(47)(b) when assessing water quality. See Rules 62, 303.200(6), (11), (12) and (25); 62-303.350(2)(c), (3); 62-303.351(2); 62-303.352; 62-303.353; 62-303.450(1); and 62-303.720(2)(j). EPA determined that these translation provisions constituted new or revised standards and approved those provisions as standards in February 2008. See 2008 IWR Determination, pp 33-42 and 2008 IWR Approval Letter.

waters with TSI or chlorophyll-a values below the threshold of impairment will continue to be considered “unassessed” until FDEP adopts and EPA approves numeric criteria for nutrients or FDEP develops other methodologies that can be used to determine that an imbalance of flora and fauna does not exist in a water body.

FDEP has reasonably applied its water quality standards to assess waterbodies for attainment of the narrative nutrient standard.

2. List Development Methodology and Data Assessment

The Florida Watershed Restoration Act sets out, among other things, FDEP’s authority to establish methodologies for identifying water quality limited segments and developing section 303(d) lists. FDEP uses a watershed management approach to assess state waters, managing the state’s water resources on the basis of hydrologic units, as the framework for implementing the Watershed Restoration Act. Florida’s watershed management program also adopted a rotating basin approach to address water quality issues, which allows the state to achieve maximum effectiveness from limited monitoring and assessment resources by concentrating specific functional activities in specific basins according to an established, multi-year schedule. Florida’s basin planning process divides 52 water basins into five basin groups, with each group representing approximately 20% of state waters. The process rotates through those basin groups over an established five-year cycle. Information about Florida’s basin planning process, the functions occurring during each year of the rotating basin cycle, and the basins included in each basin group are set out in more detail in Appendix F. Consistent with its rotating basin approach, FDEP will update its section 303(d) list and 305(b) report annually and submit an annual section 303(d) list update to EPA for review.⁶

FDEP’s 2010 Group 4 Update addresses waterbodies in the Group 4 watersheds. The Update was developed in accordance with EPA’s Guidance for 2006 Assessment, Listing and Reporting Requirements Pursuant to Sections 303(d), 305(b) and 314 of the Clean Water Act (Integrated Report Guidance), issued on July 29, 2005 and last updated on May 5, 2009. That guidance recommends that states submit Integrated Reports to satisfy CWA requirements for both section 305(b) water quality reports and section 303(d) lists of impaired waters. EPA’s guidance advocates the use of a five category approach for classifying the water quality standard attainment status for each waterbody segment. Florida uses several subcategories, in addition to the categories included in EPA’s guidance.

Category 1 Data are available to assess whether all beneficial uses are being met and they are being met. (No waterbodies were included in this category.)

⁶ FDEP submitted its first update to the state’s section 303(d) list under the rotating basin approach in 2002. That assessment report covered Group One basins. EPA’s decision regarding that update was challenged in federal court. That litigation was concluded in 2008. Litigation challenging the IWR was also concluded in 2008. EPA determined that certain provisions of the IWR, as amended in 2007, constituted new or revised water quality standards and approved those standards pursuant to section 303(c) of the CWA in February 2008. FDEP developed state assessment reports while the litigation was pending, but did not submit section 303(d) list updates to EPA for review.

- Category 2** Data are available to assess whether some beneficial uses are being met, while insufficient data are available to assess whether all beneficial uses are being met.
- Category 3a** No data are available to assess whether beneficial uses are being met.
- Category 3b** Some data are available, but they are insufficient to assess whether beneficial uses are being met.
- Category 3c** Enough data are available to meet the requirements for the Planning List in Rule 62-303 and the water body is potentially impaired for one or more designated uses.
- Category 4a** One or more designated uses are impaired and the TMDL is complete.
- Category 4b** One or more designated uses are impaired but no TMDL will be developed because a proposed pollution control measure provides reasonable assurance that the designated uses will be restored in the future.
- Category 4c** Impaired for one or more criteria or designated use but does not require a TMDL because the impairment is not caused by a pollutant.
- Category 4d** No causative pollutant has been identified for impairment. Waterbody impairments identified in this category will be submitted to EPA for inclusion on the section 303(d) list.
- Category 4e** Impaired but recently completed or ongoing restoration activities are underway to restore the designated uses of the waterbody. All requirements for placing the waterbody in Category 4b have not been finalized or approved by FDEP. Because FDEP recognizes the ongoing implementation of restoration activities with the goal of restoring water quality, a TMDL is not scheduled at this time. Waterbody impairments identified in this category will be submitted to EPA for inclusion on the section 303(d) list.
- Category 5** Enough data are available to meet the requirements for the Verified List in Rule 62-303. These waters are impaired, are included on the state's section 303(d) list, and will have TMDLs developed to restore them.

3. Public Participation Process

The Florida Department of Environmental Protection (FDEP) notified the public about opportunities to participate in the development of the Group 4 section 303(d) list update. The State used notices in the Florida Administrative Weekly (FAW), email and regular mail notifications to over 1000 interested parties; and notices published in several newspapers statewide to notify the public of the list development activities.

The notifications included a brief description of the list at issue and the applicable regulations; a state website address where interested parties could obtain the draft list; a contact name, e-mail address, regular mailing address, and phone number where interested parties could obtain supporting information and information about planned public meetings; the times and locations for public meetings; procedures for submitting written comments; and the timetable in which a decision would be made on the list. FDEP also posted the draft section 303(d) list on its website along with information regarding the public participation opportunities.

FDEP held public meetings across the State. Department staff provided background information about the TMDL program, the section 303(d) list, and how waters were assessed for impairment. Attendees were provided an opportunity to make verbal comments and were requested to: (a) comment on the appropriateness of the listing for individual water segments; (b) provide more recent information about the listed waters, including water quality and bioassessment data; (c) provide “other information” such as information on the useability of older data, background conditions, evidence of algal blooms or site specific studies about nutrient impairment in area waters; and (d) provide information about planned pollution control mechanisms. Attendees were also notified that written comments would be accepted.

The updates to Florida’s section 303(d) list which comprise the 2010 Group 4 Update include updates developed during two basin cycles. The first update for Group 4 basins was adopted by Secretarial Order on May 3, 2006; the second update was adopted by Secretarial Order on November 2, 2010. Interested parties were notified about the adopted lists by e-mail, by publication of notices in the FAW, by notices in several newspapers statewide, and by issuance of Department press releases. Each Order notified interested parties of their right to challenge the order within 21 days or file an appeal within 30 days of receiving the notice.

EPA has reviewed Florida’s public participation process and has concluded that the State provided adequate public notice and opportunity for the public to comment on its decision regarding the section 303(d) list in compliance with federal requirements.

4. Consideration of Existing and Readily Available Water Quality Related Data and Information

Florida identified WQLSs in the 2010 Group 4 Update based on assessment and consideration of all existing and readily available water quality-related information and data. The information and data included physical, chemical, and biological data; shellfish reclassification information; fish consumption information; and beach closure information. The information and data were collected from the following sources:

- EPA’s STorage and RETrieval (STORET) database
- U.S. Geologic Survey
- U.S. Army Corps of Engineers
- Statewide Biological Database
- Florida Department of Agriculture and Consumer Services

Florida Department of Health
Florida Game & Freshwater Fish Commission
Florida Marine Research Institute
FDEP Tallahassee
FDEP Northeast District
FDEP Northwest District
FDEP Central District
FDEP South District
FDEP Southeast District
FDEP Charlotte Harbor Aquatic/Buffer Preserves
FDEP Estero Bay Aquatic Preserve
Alachua County
Broward County
Choctaw Indian Tribe
Collier County
Dade County
East County
Lee County
Leon County
Hillsborough County
Lake County
Manatee County
McGlynn Labs
Orange County
Palm Beach County
Pinellas County
Polk County
Sarasota County
Seminole County
St. Johns County
Volusia County
City of Cape Coral
City of Jacksonville
City of Lakeland
City of Maitland
City of Naples
City of Orlando
City of Port St. Joe
City of Sanibel
City of Tampa
City of West Palm Beach
Northwest Florida Water Management District
St. Johns River Water Management District
Suwannee River Water Management District
South Florida Water Management District
Southwest Florida Water Management District

Apalachicola National Estuarine Research Reserve
Avon Park Air Force Reserve
Bay Watch
Bream Fisherman Association
Charlotte Harbor National Estuary Program
Choctawhatchee Basin Alliance
Conservancy of Southwest Florida
Emerald Coast Utility Authority
Environmental Research & Design, Inc
FDEP Rookery Bay National Estuarine Preserve
Georgia Department of Natural Resources
Gulf Power Company
Loxahatchee River District
Palm Coast Community Service Corporation
Peace River Manasota Regional Water Authority
Pensacola Bay Study (Gulf Breeze)
Phosphate Council
Reedy Creek Improvement District
Sanibel Captiva Conservation Foundation
The Nature Conservancy of the Florida Keys

Once all of the data and information was collected, FDEP screened the data to remove any data that would not be appropriate for assessing water quality for the purpose of identifying water quality limited segments. FDEP provided EPA a description of data excluded from use under this assessment and the basis for that exclusion in their November 19, 2010, submittal. Data were excluded for reasons including: data were reported with negative values, data were reported with values less than the detection limit, data were identified by data providers as of suspect quality, and mercury data were not collected and analyzed using clean techniques. Examples of FDEP's data exclusion screens are set out in Appendix H.

EPA has determined that FDEP's screening of data to remove data of suspect quality is a reasonable scientific approach for considering data when making decisions regarding the identification of water quality limited segments. In each case, it was reasonable to conclude that the sample result does not provide information that can be used to determine whether a waterbody meets water quality standards and the value reported cannot be relied upon as evidence of impairment.

B. Review of FDEP's Identification of Waters (40 CFR 130.7(b)(6)(i - iv))

Consistent with EPA regulations and guidance, EPA considered Florida's listing methodology to the extent that it reflects a reasonable interpretation of Florida's water quality standards and sound science.⁷ In reviewing Florida's submittal, EPA first

⁷ In this document, the terms "IWR methodology," "listing methodology," or "methodology" are used to refer to those portions of the IWR which EPA determined were not water quality standards but were listing methodologies. EPA considers that methodology in reviewing Florida's 303(d) lists. The adequacy of the

reviewed the methodologies set out in the IWR and used by FDEP to develop the list update in light of Florida's approved water quality standards, and then reviewed the actual list of waters. This section describes FDEP's listing methodology and outlines EPA's evaluation of both that methodology and the actual list of impaired waterbodies included on the 2010 Group 4 Update. In cases where EPA could not determine if the Florida's listing methodology identified all impaired waterbodies for a given designated use or water quality criteria, EPA conducted a review of water quality data to determine whether any waterbodies should be added to the section 303(d) list.

The listing methodologies set out in the IWR and used by FDEP are compared against Florida's approved water quality standards as found in Chapter 62-302, FAC and those provisions of Chapter 62-303 which EPA determined were water quality standards. Information on monitoring procedures was obtained from the FDEP documents: "Elements of Florida's Water Monitoring and Assessment Program (March 19, 2009) and "Standard Operating Procedures for Field Activities (DEP-SOP-001/01 (March 31, 2008)).

1. Review of FDEP's Data Guidelines

Federal regulations provide that each state "shall assemble and evaluate all existing and readily available water quality-related data and information to develop the list required by 130.7(b)(1) and 130.7(b)(2)." See 40 CFR 130.7(b)(5). The listing methodology set out in the IWR also provides for FDEP to "assemble and evaluate" data to prepare the State's section 303(d) list and generally provides for assessment when that data meets certain temporal and spatial guidelines set out in the rule. The IWR methodology contains guidelines for the collection, evaluation, and use of data for assessing water quality and impairments to designated uses. See Rules 62-303.320 and 62-303.420, FAC.

If water quality data was available for a waterbody, but that data did not meet the data sufficiency provisions contained in the IWR methodology, the methodology provides that FDEP may still consider whether the water should be listed on Florida's section 303(d) list (Category 5) where (1) there are less than twenty samples, but there are five or more samples that do not meet an applicable water quality criterion based on at least five temporally independent samples or (2) scientifically credible and compelling information provides overwhelming evidence of impairment. See Rule 62-303.420(7), FAC. FDEP might also include the water on either the list of waters with insufficient data for assessment (Category 3b) or the list of waters that are potentially impaired, also known as the "planning list" (Category 3c).

In its review of FDEP's 2002 Update to the state's approved section 303(d) list, EPA considered whether the IWR methodology overly restricted data analysis and, therefore, led to FDEP not identifying water quality limited segments during its assessment. EPA reviewed a random sample of waterbodies listed in Category 3b of

list, however, is measured only against EPA-approved state water quality standards, relevant provisions of the CWA, and EPA's implementing regulations.

Florida's Integrated Report. The random sample was selected to give the Region a 95% confidence that FDEP did not overlook impaired waterbodies when it determined that there was insufficient data to assess waterbodies for listing purposes. Based on that review, EPA determined that the listing methodology used by FDEP in its assessment process did not result in the failure to identify any water quality limited segments.⁸

EPA believes that its 2003 review of the adequacy of FDEP's listing methodology continues to be applicable to FDEP's current listing methodology. Although the 2007 amendments to the IWR included amendments to FDEP's listing methodology, those amendments resulted in increased flexibility which allowed FDEP to consider more data and to make decisions, where appropriate, based on smaller data sets than allowed under the original IWR.⁹

a. Minimum Sample Size

FDEP's listing methodology generally provides for a minimum of 20 samples to be assessed before a water can be listed as impaired in Category 5 of the state's section 303(d) list. Rule 62-303.420(2), FAC. In its 2003 review of FDEP's 2002 Update to the state's approved section 303(d) list, EPA determined that use of the minimum sample size could result in FDEP failing to identify impaired waters.

The 2007 amendments to the IWR, however, revised this provision of the methodology. See Rule 62-303.420(7). Rule 62-303.420(7) addresses the two most significant concerns EPA identified associated with the IWR methodology's minimum sample size provisions. First, this provision allows listing where data demonstrates sufficient exceedances of a criterion, even though the full 20 samples have not yet been collected. For example, the binomial statistical method discussed below specifies 5 exceedances out of 20 samples to verify that a waterbody is impaired. Where a waterbody has 7 exceedances out of 10 samples, however, Rule 62-303.420(7)(a) provides that there is no need to collect an additional 10 samples to pass the IWR exceedance threshold. Second, Rule 62-303.420(7)(b) allows listing of waters based on limited data, without satisfying the methodology's exceedance threshold, in appropriate circumstances. Thus, FDEP's listing methodology doesn't categorically exclude data sets that don't meet a certain sample size but rather allows flexibility for further assessment in appropriate circumstances.

b. Age of Data

In its review of FDEP's 2002 Update, EPA considered the data cutoff in FDEP's methodology, which provided for FDEP to use only data collected within 7.5 years of that update. EPA's regulations require states to "assemble and evaluate all existing and readily available water quality-related data and information to develop [their impaired

⁸ See Appendix C. Decision Document Regarding Department Of Environmental Protection's §303(d) List Amendment Submitted On October 1, 2002 And Subsequently Amended On May 12, 2003. United States Environmental Protection Agency, Region 4. June 11, 2003.

⁹ See, for example, Rule 62-303.420(7)(a), which addresses assessment of data sets containing less than the minimum sample size of 20.

waters lists].” 40 CFR § 130.7(b)(5). EPA found FDEP’s data cutoff reasonable, and found it an appropriate basis to not use existing and readily available data and information, as provided in 40 CFR § 130.7(b)(6)(iii). In *Sierra Club et al. v. Leavitt*, 488 F.3d 904 (11th Cir. 2007), the Eleventh Circuit Court of Appeals disagreed. The Court found that while 40 CFR § 130.7(b)(6)(iii) may allow a state to make a case for not using certain existing or readily available information, that regulation does not allow a state to avoid evaluating all such existing or readily available information. Bright line cutoffs which result in a state not considering data beyond a certain age result in the state not fulfilling the requirement in 40 CFR § 130.7(b)(5) to consider all existing or readily available information.

For the assessments included in the 2010 Group 4 Update, FDEP used a process developed during the assessment of Basin Groups One, Two and Five for including and considering data collected and analyzed outside of data periods established in the IWR methodology. This Period of Record (POR) assessment is an assessment of all data available for a particular waterbody. Since FDEP considers the most recent data as most representative of current conditions, if there is sufficient data within the 7.5 years preceding assessment, FDEP will make a listing decision based on that most recent data. However, if data collected with the preceding 7.5 years is not sufficient to make a listing decision, FDEP will consider data older than that period in addition to more recent data.

FDEP independently evaluates older data, considering the age and quality of the data, the magnitude of exceedances, the amount of old data relative to newer data, the source of the data, the documentation of the data, and any other information that would inform the Department regarding the quality of the data collectors and the laboratory used to analyze the samples. FDEP does not require additional data quality confirmation for data produced by the FDEP Central Laboratory or contained in Modern STORET and produced by a NELAC certified laboratory, although the other factors listed above will still be considered. Beginning with the 2009 Group Two assessments, where older data indicates a waterbody may be impaired, FDEP will also ask the public, during the comment period on draft lists, for information about whether the older data remains representative of waterbody conditions.

FDEP’s listing methodology doesn’t categorically exclude older data sets but rather allows the state to use older data for assessment in appropriate circumstances. EPA considers FDEP’s methodology for review of older data to be consistent with Florida’s approved water quality standard for nutrients and with EPA’s regulations.

2. Waterbodies Verified Impaired but no Pollutant causing Impairment Identified

Most of the waters that EPA added to FDEP’s section 303(d) list in 2003 were waters which FDEP had verified as impaired but where the state had not been able to identify the pollutant causing the impairment. The IWR methodology provides that such waters are not included in Category 5 of Florida’s Integrated Report. Since 2003, however, FDEP has included a new category in its report, Category 4d. A water will be placed in Category 4d when it has been identified as impaired by FDEP but the causative

pollutant has not been identified. Category 4d is included as part of the section 303(d) list submitted to EPA for review, although a TMDL will not be scheduled for Category 4d waters until FDEP identifies the pollutant causing the impairment.

3. Aquatic life use support

In reviewing FDEP's assessment of waterbodies with data and information associated with numeric water quality criteria, EPA considered a number of factors. EPA considered documentation submitted by the State which explained the State's review process and provided additional information, where necessary, to explain the State's assessment decisions. EPA's conclusions related to several specific issues are set out below.

EPA separated its review of FDEP's assessment of Aquatic Life Use Support into 4 categories of impairments, those due to exceedances of numeric criteria, toxic pollutants, biological assessments, and nutrient impairments.

a. Exceedances of numeric water quality criteria

Some of Florida's numeric water quality criteria are expressed in the Table of Surface Water Criteria as not to be exceeded at any time. Standards expressed in this manner pose several challenges in assessing attainment, especially for naturally variable parameters. In terms of assessing waters to create a list of water-quality limited segments, it is reasonable to not treat every single sample as representing the true ambient condition of the water segment. Florida's Legislature recognized that sampling introduces variability into the testing process -- some due to natural variability and some associated with sample collection and analysis. Thus, a single sample does not determine whether a waterbody fails to meet water quality standards.

The Florida legislature recognized that sampling introduces variability into the assessment process:

It is the intent of the Legislature that water quality standards be reasonably established and applied to take into account the variability occurring in nature. The [FDEP] shall recognize the statistical variability inherent in sampling and testing procedures that are used to express water quality standards. The [FDEP] shall also recognize that some deviations from water quality standards occur as the result of natural background conditions. The [FDEP] shall not consider deviations from water quality standards to be violations when the discharger can demonstrate that the deviations would occur in the absence of any human-induced discharges or alterations to the water body. Section 403.021(11), Fla. Stat.

Because Florida does not have a monitoring program that continuously measures all points in its waterbodies, FDEP uses statistical sampling to estimate a waterbody's compliance with water quality standards. When assessing aquatic life use support, the

statistical sampling method set out in the IWR methodology is a test based on a binomial distribution. See Rule 62-303.420(2).

The binomial statistical test has two key components, a confidence value and a probability value. The confidence value represents the desired certainty that small sample sizes are truly representative of the entire population. The confidence value is also expressed as a percentage value. In the IWR methodology, the confidence value is 90%. The probability value represents the proportion of samples that do not meet applicable water quality criteria before the waterbody, itself, is determined to be impaired. In FDEP's listing methodology, the probability value is 10%.

EPA understands that the purpose of the 10% probability value is to exclude data that are likely to be unrepresentative of actual ambient water conditions. Unless the number of samples ostensibly showing exceedance of the relevant water quality criterion is 10% or more, then FDEP will not list the receiving waters as having exceeded the criterion. The 10% probability value reflects the fact that the universe of samples assessed by FDEP are likely to include many unreliable and thus unrepresentative measurements, which do not accurately reflect the condition of the ambient water. Therefore, the State's binomial statistical test specifies that 10% or more of such samples exceed criterion magnitude values before FDEP will determine the waterbody itself does not meet water quality standards.¹⁰

EPA considers FDEP's use of the binomial statistical test to be a reasonable way to assess data for section 303(d) list purposes, based in large part on the extensive database FDEP has developed on Florida waterbodies. In 2010, FDEP had some 26 million records in its database, making it impossible to do quality assurance on each data point. Rather than exclude all data of unknown quality, which is the majority of the currently available data and much of which is from third parties, FDEP developed an assessment methodology that allows consideration of as much data as possible related to as many waterbodies as possible.

EPA's evaluation is informed by the provision in FDEP's methodology which allows the state to consider overwhelming evidence of impairment in making assessment decisions. See Rule 62-303.420(7). This provision allows FDEP to consider data of known high quality and reliability, as well as data having other characteristics that make a credible and compelling case for non-attainment, and include waters on the section 303(d) list based on such data. This provision helps provide needed flexibility for considering all relevant information pursuant to the regulatory requirements of 40 C.F.R. Part 130 for preparing an appropriate and complete list of impaired waters.

Some of Florida's numeric water quality criteria are for naturally variable parameters. Naturally variable parameters are those that fluctuate in a waterbody due to non anthropogenic influences such as rainfall/flow, depth, time of day, salinity, etc. Naturally variable parameters include dissolved oxygen (DO), turbidity, fecal coliform,

¹⁰ For a more detailed explanation of EPA's 2008 decision regarding the IWR binomial statistical test, see the 2008 IWR Determination, Appendix A.

total coliform, conductivity, and alkalinity. As to naturally variable pollutants, even if EPA determined the probability value were an allowable rate of criteria exceedance, that allowable exceedance would be consistent with Florida's underlying water quality criteria for those naturally variable pollutants. As explained more fully in Appendix G, applying a 10% exceedance rate to naturally variable pollutants would be consistent with EPA's general recommendations for such pollutants and would represent a reasonable choice for attainment decisions. EPA believes that FDEP's methodology has correctly interpreted Florida's own statute and regulations to recognize natural and statistical variability when making determinations of impairment. In Sierra Club et al. v. Leavitt, 488 F.3d 904 (11th Cir. 2007), the Eleventh Circuit Court of Appeals agreed. The court found it was reasonable for Florida to interpret the regulatory phrase that criteria are "not to be exceeded at any time" in concert with legislation providing that FDEP was to take into account the variability occurring in nature when applying the State's water quality standards. Id. at 919.

FDEP's use of the binomial statistical test is a reasonable method for assessing aquatic life use support for Florida's numeric water quality criteria. EPA reviewed FDEP's Master List, which serves as Florida's Integrated Report and includes waters on the state's section 303(d) list as well as waters in other categories of the Integrated Report. EPA is approving FDEP's listing decisions based on review of data and information regarding numeric criteria as relates to aquatic life use support based on that statistical test.

b. Waterbodies not Listed due to Natural Conditions

Based on direction from the legislature as set out above, Florida's water quality standards address natural conditions, providing that "the Department shall not strive to abate natural conditions." Rule 62-302.300(15), FAC. The standards define natural background as "the condition of waters in the absence of man-induced alterations based on the best scientific information available to the Department." The establishment of natural background for an altered waterbody "may be based upon a similar unaltered waterbody or on historical pre-alteration data." Rule 62-302.200, FAC. Such similar, unaltered waterbodies are also referred to as "reference waters." Rule 62-303.200(18). Reference waters can be representative of natural background conditions even where there is evidence of limited human disturbance in the waterbody or watershed, "as long as the anthropogenic sources do not produce a significant measurable or predicted effect on the parameter of concern in the waterbody." Id.

FDEP did not list a number of waterbodies where it determined that concentrations of dissolved oxygen measured below the numeric criteria are not due to anthropogenic pollutants. The waterbodies affected by this decision can be placed into two categories, springs which originate from deep aquifer source water and blackwater streams which have extensive wetland dominated watersheds (marshes and swamps). Springs that originate from ground water from deep aquifers, such as the Floridan Aquifer, have been reported to be naturally low in dissolved oxygen content and do not contain higher levels of dissolved oxygen until adequate conditions for reaeration have occurred. Blackwater streams are characterized by warm water temperatures, low stream

gradient, extensive riparian swamps, and waters darkly stained from humic substances leached from their catchments. Because of the high content of naturally occurring organic matter and low dissolved oxygen in waters in the associated riparian wetlands, periods of low dissolved oxygen naturally occur in these stream segments that serve as outflows and drain the wetlands areas.

EPA reviewed information submitted by FDEP to demonstrate that dissolved oxygen levels in eight waterbodies represent natural background conditions in those waterbodies. EPA concluded that FDEP demonstrated that these waterbodies contain concentrations of dissolved oxygen that are below the water quality criterion generally applicable to Florida waterbodies due to natural conditions. Therefore, EPA is approving FDEP's decision that these waterbodies should not be included on the State's 303(d) list as reasonable, as documented in the State's final adopted lists.

FDEP did not list an additional 16 waterbodies because it determined that iron levels above the numeric criteria were not due to anthropogenic pollutants. The natural concentrations of elevated iron in surface waters are frequently associated with water color, organic content, and pH. Color is usually associated with humic substances, which originate from supporting tissues of woody plants, have a strong tendency to increase the solubility of iron. The solubility of iron in water can also be influenced by pH, which can control how iron is produced and precipitated. When pH is low, the soluble form of iron is measured in the water column. At higher pH, more $\text{Fe}(\text{OH})_3$ will be produced and less soluble iron will be present in the water column. Many blackwaters or tannin-stained surface waters are particularly prone to having elevated iron concentrations. Many of these surface waters also receive significant flow from groundwater, due to factors such as shallow water tables and/or the influence of man-made canals. Background concentrations of iron in groundwater in the vicinity of these waterbodies are often higher than the surface water standard for iron.

EPA reviewed information submitted by FDEP to demonstrate that iron levels in the 16 waterbodies described above represent natural background conditions in those waterbodies. EPA concluded that FDEP demonstrated that these waterbodies contain concentrations of iron that do not attain the water quality criterion generally applicable to Florida waterbodies due to natural background conditions. Therefore, EPA is approving FDEP's decision that these waterbodies should not be included on the State's section 303(d) list as reasonable.

FDEP did not list an additional three waterbodies because it determined that lead levels above the numeric criteria were not due to anthropogenic pollutants. EPA reviewed information submitted by FDEP to demonstrate that lead levels in the three waterbodies represent natural background conditions in those waterbodies. EPA concluded that the record submitted by FDEP was insufficient to support a determination that the lead concentrations in those waterbodies represent natural background conditions. EPA has identified those waterbodies in Appendix C. EPA is adding the identified waterbodies to the State's section 303(d) list.

c. Impairments Indicated by Biological Information

Florida's water quality criterion for biological integrity is set out in Rule 62-302.530(11), which provides that biological integrity is to be measured by percent reduction of the Shannon Weaver Diversity Index. These criteria apply to Class I, II, and III waters, and provide that "[t]he Index for benthic macroinvertebrates shall not be reduced to less than 75% of background level. . . ." Florida's water quality standards also allow biological integrity to be assessed through BioRecons, Stream Condition Indices, and the benthic macroinvertebrate component of the Lake Condition Index.¹¹

Based on its review of FDEP's assessment submittals, EPA has determined that FDEP appropriately assessed biological assessment data, in accordance with Florida's existing, EPA-approved water quality standards.

d. Impairments Indicated by Nutrient Information

Florida's water quality standard for nutrients is expressed as a narrative criteria, providing that "[i]n no case shall nutrient concentrations of a body of water be altered so as to cause an imbalance in natural populations of aquatic flora or fauna." 62-302.530(47)(b) FAC. Florida's water quality standards translate that narrative standard for assessment purposes.¹² The water quality standard provide for assessment of Florida's narrative criteria for nutrients as follows:

- Stream or stream segments shall be listed for nutrient impairment if the following biological imbalances are observed:
 - a) algal mats are present in sufficient quantities to pose a nuisance or hinder reproduction of a threatened or endangered species, or
 - b) annual mean chlorophyll a concentrations are greater than 20 ug/l or if data indicate annual mean chlorophyll a values have increased by more than 50% over historical values for at least two consecutive years.
- Lakes or lake segments will be listed for nutrients if:
 - a) for lakes with a mean color greater than 40 platinum cobalt units, the annual mean TSI for the lake exceeds 60, unless paleolimnological information indicates the lake was naturally greater than 60, or

¹¹ The biological assessment provisions in the IWR that EPA determined constituted new or revised water quality standards are Rules 62- 303.200 (1), (2), (8) and (22); 62-303.330(2), (3)(a), and (3)(b); 62-303.430(1), (2), and (3); and 62-303.720(2)(b). EPA approved those new or revised standards in February 2008.

¹² The narrative nutrient criteria translation provisions in the IWR that EPA determined constituted new or revised water quality standards are Rules 62, 303.200(6), (11), (12) and (25); 62-303.350(2)(c), (3); 62-303.351(2); 62-303.352; 62-303.353; 62-303.450(1); and 62-303.720(2)(j). EPA approved those standards in February 2008.

- b) for lakes with a mean color less than or equal to 40 platinum cobalt units, the annual mean TSI for the lake exceeds 40, unless paleolimnological information indicates the lake was naturally greater than 40, or
 - c) for any lake, data indicate that annual mean TSIs have increased over the assessment period, as indicated by a positive slope in the means plotted versus time, or the annual mean TSI has increased by more than 10 units over historical values.
- Estuaries or estuary segments shall be included on the planning list for nutrients if their annual mean chlorophyll a for any year is greater than 11 ug/l or if data indicate annual mean chlorophyll a values have increased by more than 50% over historical values for at least two consecutive years.

The thresholds of nutrient impairment established in the water quality standard are “one-sided” in nature. That is, the thresholds represent upper boundary conditions above which a water is not meeting its applicable designated uses and is identified as impaired, unless there is a site specific showing otherwise. While the standard only identifies “impairment thresholds” (upper boundary conditions for TSI and chlorophyll-a above which a water body is considered impaired), and does not identify “attainment thresholds,” it also provides for case-by-case assessment of water bodies that fall below the impairment threshold. Rule 62-303.450(1), FAC, provides for the development of site-specific thresholds that better represent the levels at which nutrient impairments occur. In addition, FDEP’s listing methodology provides for other information, aside from the thresholds, to be used to determine if an imbalance in flora or fauna exists. See Rule 62-303.350(1), FAC.

Florida’s water quality standards also outline the conditions under which a water body may be de-listed from the state’s section 303(d) list. Rule 62-303.720(2)(j), FAC, provides that, for waters listed based on nutrient impairment, “the water shall be de-listed if it does not meet the listing thresholds in Rule 62-303.450, FAC, for three consecutive years.” In these instances, the basis for removing the water from the list is that newer data express significant uncertainty as to whether the waters are impaired.

Typically, data used to assess waters is compared to numeric criteria as opposed to one-sided impairment thresholds. In such cases, a delisting decision is made where data show that pollutant concentrations are below the numeric criteria and the condition that was the basis for listing no longer exists. Similarly, in the case of one-sided impairment thresholds, FDEP makes a delisting decision where data show that pollutant concentrations are below the impairment thresholds and, therefore, the condition that was the basis for the listing no longer exists. Because the threshold is one-sided, however, the water is considered “unassessed” rather than “unimpaired.”

Since FDEP’s listing methodology is consistent with Florida’s approved water quality standard for nutrients and with EPA’s regulations, EPA is approving FDEP’s listing decisions for nutrients based on that methodology.

4. Primary and Secondary Recreational Use Support

FDEP applies two tests for determining whether a waterbody's recreational use is impaired. First, FDEP looks at swimming advisories. Waterbodies which include a swimming area for which a local health department or county government has issued closures, advisories, or warnings based on bacteriological data are listed as impaired when those advisories apply for a total of 21 days or more during a calendar year.¹³ However, the methodology provides that closures, advisories, or warnings based on red tides, rip tides, sewer line breaks, sharks, medical wastes, hurricanes, or other factors not related to chronic discharges of pollutants are not included in the assessment. For waterbodies considered during this listing cycle, no beach closures, advisories, or warnings based on these circumstances occurred. Therefore exclusion of this type of advisory from the analysis did not factor into the assessment for section 303(d) listing and it was unnecessary for EPA to review this provision further as it had no effect on the list.

FDEP's methodology considers ambient bacteria data in assessing the State's water quality standard for fecal coliform. For Class III: Recreation use, the bacteria criteria, set out at Rule 62-302.530(6), are as follows:

For fecal coliform: Most probable number (MPN) or membrane filter (MF) per 100 ml shall not exceed a monthly average of 200, nor exceed 400 in 10% of the samples, nor exceed 800 on any one day.

Monthly averages for fecal coliform shall be expressed as geometric means based on a minimum of 10 samples taken over a 30 day period.

The methodology provides that FDEP use the binomial statistical test in evaluating ambient water data for assessment of the water quality criteria for bacteriological quality, with the exception that paragraph 62-303.320(4)(a), FAC, does not apply and samples collected on different days within any four day period will be assessed as daily samples.

For the reasons set out in the section addressing assessment of aquatic life use support above, EPA has determined that use of the binomial statistical test is a reasonable method for FDEP to assess ambient water data for fecal coliform. EPA is approving FDEP's listing decisions for bacteria related to recreational use based on that methodology.

5. Fish and Shellfish Consumption Use Support

EPA reviewed FDEP's methodology for assessing fish and shellfish consumption use support (Class II). The methodology provides for FDEP to make listing decisions

¹³ EPA determined that provisions in the IWR further characterized the recreational designated use, set out in Rule 62-302.400, FAC, by quantifying the unacceptable loss of use from closures, advisories, and warnings at 21 days. See 2008 IWR Determination, pp 42-43. The associated criteria for those designated uses did not change.

based on bacteriological data, fish consumption advisories, and Shellfish Evaluation and Assessment (SEAS) Program status as it relates to fish and shellfish use support. See 62-303.470.

The listing methodology provides for use of the binomial statistical test in evaluating ambient water data for assessment of the water quality criteria for bacteriological quality, with the exception that paragraph 62-303.320(4)(a), FAC, does not apply and samples collected on different days within any four day period will be assessed as daily samples. The methodology further provides that waters will be identified as impaired where a sampling location has a median fecal coliform MPN value that exceeds 14 counts per 100 ml for the verified period being assessed.

The listing methodology provides that FDEP reviews data used by DOH as the basis for fish consumption advisories to determine if the data are appropriate to use for listing decisions. The methodology also provides FDEP the ability to use fish consumption advisories and other scientifically credible and compelling information indicating that applicable human health-based water quality criteria are not being met as a basis for listing decisions. Finally, the methodology provides that SEAS status will be used in listing decisions consistent with Florida's underlying uses and criteria.

EPA agrees that Florida's listing methodology provides for FDEP to make listing decisions based on bacteriological data and shellfish harvesting classification information and in a manner consistent with the state's currently applicable water quality standards and EPA regulations. EPA believes that use of the binomial statistical test is a reasonable method for FDEP to assess ambient water data for fish and shellfish consumption use support. EPA is approving FDEP's listing decisions for fish and shellfish use support based on that methodology.

6. Drinking Water Use Support and Protection of Human Health

Assessment of drinking water use support can be broken down into the evaluation of three types of criteria: bacteriological criteria, criteria expressed as a maximum concentration, and criteria expressed as an annual average.

The FDEP listing methodology provides for listing waters on the section 303(d) list if they exceed human health-based criteria expressed as annual averages, or those expressed as maximums or single-sample bacteriological criteria. FDEP is to use the binomial statistical test in evaluating data in relation to maximum or single-sample bacteriological water quality criteria, with the exception that paragraph 62-303.320(4)(a), FAC, does not apply and samples collected on different days within any four day period will be assessed as daily samples.

EPA considers that the methodology provides for FDEP to make listing decisions based on bacteriological data in a manner consistent with the state's currently applicable water quality standards and EPA regulations. EPA believes that use of the binomial statistical test is a reasonable method for FDEP to assess ambient water data for drinking water use support and protection of human health. EPA is approving FDEP's listing

decisions for drinking water and protection of human health use support based on that methodology.

C. Section 303(d) List of Impaired Waters (40 CFR 130.7(b)(4))

FDEP submitted its 2010 Group 4 section 303(d) list submittal as an update which amends the State's previously approved section 303(d) list for Group 4 basins. Following EPA's decision to partially approve and partially disapprove Florida's 2010 Group 4 submission, the current section 303(d) list for Group 4 basins in the State of Florida includes all waters on the 2003 EPA-approved section 303(d) list, as amended by EPA's September 2, 2009, action on Florida's 2009 Group 1 update, as well as approved Group 4 FDEP additions, and EPA Group 3 and Group 4 additions to that list, minus EPA approved Group 4 FDEP delistings from that list.¹⁴

	Approved 2003 section 303(d) list	(Appendix A)
(+)	Approved Group 4 FDEP additions	(Appendix B)
(+)	EPA Group 4 additions	(Appendix C)
(+)	EPA Group 3 addition (action on deferral)	(Appendix C)
(-)	Approved Group 4 FDEP delistings	(Appendix D)

1. FDEP's Addition of Water Quality Limited Segments

FDEP identified additional water quality limited segments in the Group 4 basins, consistent with section 303(d) list and EPA's implementing regulations. EPA is approving the addition of those water quality limited segments to Florida's section 303(d) list. The newly listed waterbodies are identified in Appendix B.

EPA found that FDEP provided insufficient justification for not including three WQLS on the 303(d) list. EPA is adding these waterbodies to the 303(d) list, as identified in Appendix C.

2. FDEP's Delisting of Water Quality Limited Segments

FDEP has not included certain water quality limited segments on the 2010 Group 4 Update which had been included on the state's previously approved section 303(d) list. As provided in 40 CFR 130.7(b)(6)(iv), EPA requested that the State demonstrate good cause for not including these waters.

¹⁴ On September 2, 2009, EPA took action on Florida's update to the section 303(d) list for Group 1, 2, and 5 basins. On May 13, 2010, EPA took action on Florida's update to the section 303(d) list for Group 3 basins. Complete listings of the changes to Florida's previously approved section 303(d) list for Group 1, 2, 3, and 5 basins as a result of those updates are set out in EPA's Decision Documents associated with each of those actions.

Waterbody specific information on the waterbodies that had been included on the state's previously approved section 303(d) list but were not included on the 2010 Group 4 Update, the good cause justification submitted by FDEP, and EPA's conclusions are included in Appendix D. For one waterbody where EPA determined FDEP has not demonstrated good cause, EPA is adding the identified waterbody to the State's section 303(d) list. This water quality limited segment is set out in Appendix C.

3. Other Pollution Control Requirements

EPA's regulations provide that TMDLs are not required for waterbodies where "[o]ther pollution control requirements (e.g., best management practices) required by local, State, or Federal authority are [] stringent enough to implement any water quality standards [WQS] applicable to such waters." 40 C.F.R. § 130.7(b)(1)(iii).

Consistent with this regulation, EPA's 2008 Integrated Water Quality Monitoring and Assessment Report Guidance suggests that waters may be listed in Category 4b of a state's Integrated Report, rather than Category 5 (waterbodies that still require TMDLs), where other pollution control requirements required by local, state, or federal authority are stringent enough to implement any water quality standard applicable to such waters. Demonstrations that waters should be placed in Category 4b should address the following six elements:

1. Identification of segment and statement of problem causing the impairment;
2. Description of pollution controls and how they will achieve water quality standards;
3. An estimate or projection of the time when WQS will be met;
4. Schedule for implementing pollution controls;
5. Monitoring plan to track effectiveness of pollution controls; and
6. Commitment to revise pollution controls, as necessary.

FDEP's submittal for the 2010 Group 4 update did not include any waters in Category 4b.

4. EPA Identified Waters

Based on its review and analysis of FDEP's Group 4 Update listing decisions as set out above, EPA has decided to add waters to Florida's section 303(d) list. The four additional water quality limited segments identified by EPA are set out in Appendix C.

On May 13, 2010, EPA took action on Florida's update to the section 303(d) list for Group 3 basins. At that time, EPA deferred action on the State's failure to list Parker Bayou (WBID 1141B) for mercury in fish tissue.¹⁵ The waterbody was omitted from the

¹⁵ Letter from James D. Giattina to Michael W. Sole. May 13, 2010 (Final Action on Florida's 2010 Group Three Update to the Section 303(d) List for the State of Florida).

section 303(d) list and FDEP intended to add Parker Bayou to the list during the list adoption of the Group 4 basins. During the list adoption of the Group 4 basins, Parker Bayou was inadvertently omitted from the list. EPA has decided to add this waterbody to Florida's section 303(d) list. This additional water quality limited segment is set out in Appendix C.

5. Priority Ranking and Targeting

Section 303(d)(1)(A) of the Clean Water Act requires states to “establish a priority ranking for [impaired waters], taking into account the severity of the pollution and the uses to be made of such waters.” EPA’s implementing regulations require states to include in their impaired waters list a priority ranking for all listed water quality limited segments as well as an identification of waters targeted for TMDL development within the next two years. 40 C.F.R. § 130.7(b)(4).

Pursuant to the listing methodology set out in the IWR, FDEP prioritized water quality limited segments for TMDL development according to the severity of the impairment and the designated uses of the segment, taking into account the most serious water quality problems, most valuable and threatened resources, and risk to human health and aquatic life. Waterbodies included on the section 303(d) list were prioritized as high, medium, or low priority. See Rule 62-303.500.

Waters were designated high priority if the impairment poses a threat to potable water supplies or to human health. Waters listed due to fish consumption advisories for mercury were among those designated high priority. FDEP notes its intent to address mercury through a statewide TMDL which is scheduled to be completed in 2012.

Waters impaired for fecal coliform that do not pose a threat to human health were designated as low priority.

All other water quality limited segments were designated medium priority and were prioritized based on the following factors:

1. The presence of Outstanding Florida Waters;
2. The presence of water segments that fail to meet more than one designated use or exceed more than one applicable water quality criterion;
3. The presence of water segments that exceed an applicable water quality criterion or alternative threshold with a greater than twenty-five percent exceedance frequency with a minimum of a 90 percent confidence level; or
4. The administrative needs of the TMDL program, including meeting a TMDL development schedule agreed to with EPA, basin priorities related to following the Department’s watershed management approach, and the number of administratively continued permits in the basin.

Appendix B shows the priority and projected year for TMDL development for each waterbody included on the section 303(d) list. Waters with high priority were generally scheduled for TMDL development by FDEP within the next five years,

medium priority waters will be addressed within five to ten years as resources allow, and low priority waters will be addressed within the next ten years. All water quality limited segments identified by EPA in Appendix C have been given low priority and are currently unscheduled for TMDL development, unless they are subject to the Consent Decree schedule described below.

TMDL development will also follow the schedule set out in the Consent Decree in Florida Wildlife Federation, et al. v. Browner, Civil Action No. 4: 98CV356-WS (Northern District of Fla.). All waterbodies on the 1998 list that were not delisted are scheduled for TMDL development according to this Consent Decree.

Upon review, EPA has determined that FDEP's priority ranking of impaired waters and targeting of those waters for TMDL development are consistent with the requirements of the CWA and EPA's implementing regulations.

IV. Final Recommendation on Florida's 2010 Section 303(d) List Submittal

After careful review of the final section 303(d) list submittal package, the Water Protection Division recommends that EPA Region 4:

- A. approve the State of Florida's Group 4 additions to the 2003 section 303(d) list, as identified in Appendix B;
- B. disapprove specific failures to identify water quality limited segments as identified in Appendix C;
- C. approve the State of Florida's Group 4 delisting requests from the 2003 section 303(d) list, as identified in Appendix D;
- D. disapprove one specific delisting request in Appendix D, as identified in Appendix C;
- E. add the water quality limited segments and the specific delisting disapproved by EPA, as identified in Appendix C, to the Florida section 303(d) list.

EPA's approval of Florida's section 303(d) list extends to all waterbodies on the list with the exception of those waters that are within Indian Country, as defined in 18 U.S.C. section 1151. EPA is taking no action to approve or disapprove the State's list with respect to those waters at this time. EPA, or eligible Indian Tribes, as appropriate, will retain responsibilities under Section 303(d) for those waters.

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
ALAFIA RIVER	POLEY CREEK	1583	Coliforms, Nutrients, Turbidity		Low	Group 2	2008
ALAFIA RIVER	BUCKHORN SPRING	1635	Nutrients		Low	Group 2	2008
ALAFIA RIVER	THIRTYMILE CREEK	1639	Dissolved Oxygen, Coliforms, Nutrients		High	Group 2	2003
ALAFIA RIVER	SOUTH PRONG ALAFIA RIVER	1653	Coliforms, Nutrients		Low	Group 2	2008
ALAFIA RIVER	BELL CREEK (Alafia River)	1660	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 2	2008
ALAFIA RIVER	OWENS BRANCH	1675	Coliforms, Nutrients		Low	Group 2	2008
ALAFIA RIVER	TURKEY CREEK ABOVE LITTLE ALAFIA RIVER	1578B	Coliforms, Nutrients, Turbidity		Low	Group 2	2008
ALAFIA RIVER	ENGLISH CREEK	1592C	Coliforms, Nutrients		Low	Group 2	2008
ALAFIA RIVER	NORTH PRONG ALAFIA RIVER	1621E	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 2	2008
ALAFIA RIVER	ALAFIA RIVER ABOVE HILLSBOROUGH BAY	1621G	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 2	2008
APALACHICOLA BAY	APALACHICOLA BAY	1274	Coliforms, Nutrients		High	Group 2	2003
APALACHICOLA BAY	APALACHICOLA BAY	1274B	Coliforms, Nutrients		High	Group 2	2003
APALACHICOLA RIVER	NORTH MOSQUITO CREEK	384	Biology	Listing based on biological sampling.	Low	Group 2	2008
APALACHICOLA RIVER	FLAT CREEK	487	Coliforms, Nutrients, Turbidity, Total Suspended Solids		Low	Group 2	2008
APALACHICOLA RIVER	SWEETWATER CREEK	728	Coliforms, Dissolved Oxygen		Low	Group 2	2008
APALACHICOLA RIVER	LITTLE GULLY CREEK	1039	Coliforms, Dissolved Oxygen, Turbidity		Low	Group 2	2008
APALACHICOLA RIVER	GREGORY MILL CREEK	1135	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids		Low	Group 2	2008
APALACHICOLA RIVER	CYPRESS CREEK (Double Bayou)	1262	Biology	Listing based on biological sampling.	Low	Group 2	2008
APALACHICOLA RIVER	HORSESHOE CREEK	1272	Coliforms, Dissolved Oxygen		Low	Group 2	2008
APALACHICOLA RIVER	HUCKLEBERRY CREEK	1286	Nutrients, Coliforms		High	Group 2	2003
APALACHICOLA RIVER	EQUILOXIC CREEK	1109A	Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory).		Low	Group 2	2008 & 2011 (mercury)
APALACHICOLA RIVER	APALACHICOLA RIVER-Scipio Creek	375A	Coliforms		High	Group 2	2003
APALACHICOLA RIVER	APALACHICOLA RIVER	375B	Coliforms		High	Group 2	2003
APALACHICOLA RIVER	APALACHICOLA RIVER	375D	Turbidity		High	Group 2	2003
APALACHICOLA RIVER	APALACHICOLA RIVER	375E	Coliforms		High	Group 2	2003
APALACHICOLA RIVER	GLEN JULIA SPRING	393Z	Coliforms, Nutrients		Low	Group 2	2008
AUCILLA RIVER	AUCILLA RIVER	3310	Dissolved Oxygen		Low	Group 1	
BLACKWATER RIVER	BIG COLDWATER CREEK	18	Coliforms, Total Suspended Solids		Low	Group 4	2001 (coliforms), 2011
BLACKWATER RIVER	BIG JUNIPER CREEK	19	Coliforms, Turbidity		Low	Group 4	2001 (coliforms), 2011
BLACKWATER RIVER	MARE CREEK	88	Dissolved Oxygen, Turbidity		Low	Group 4	2011
BLACKWATER RIVER	MANNING CREEK	127	Coliforms, Turbidity, Total Suspended Solids		Low	Group 4	2001 (coliforms), 2011
BLACKWATER RIVER	BUCKET BRANCH	356		Listing based on NPS survey.	Low	Group 4	2011
BLACKWATER RIVER	WEST FORK (Big Coldwater Creek-West Fork)	11A	Coliforms, Nutrients		Low	Group 4	2001 (coliforms), 2011
BLACKWATER RIVER	EAST FORK (Big Coldwater Creek-East Fork)	18A	Coliforms, Total Suspended Solids		Low	Group 4	2001 (coliforms), 2011
BLACKWATER RIVER	BLACKWATER RIVER	24A	Total Suspended Solids, Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2001 (coliforms), 2011
BLACKWATER RIVER	BLACKWATER RIVER	24B		Listing based on NPS survey.	Low	Group 4	2011

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
BLACKWATER RIVER	BLACKWATER RIVER	24D	Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2001 (coliforms), 2011
CALOOSAHATCHEE RIVER	EAST CALOOSAHATCHEE	3237A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		Low	Group 3	2009
CALOOSAHATCHEE RIVER	LAKE HICPOCHEE	3237C	Nutrients		High	Group 3	2004
CALOOSAHATCHEE RIVER	NINEMILE CANAL	3237D	Nutrients, Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms		High	Group 3	2004
CALOOSAHATCHEE RIVER	YELLOW FEVER CREEK	3240E	Dissolved Oxygen		Low	Group 3	2009
CALOOSAHATCHEE RIVER	DAUGHTREY CREEK (East Branch Cocohatchee River & Popash Creek)	3240F	Nutrients, Dissolved Oxygen		High	Group 3	2004
CALOOSAHATCHEE RIVER	TROUT CREEK	3240G	Dissolved Oxygen, Coliforms, Biochemical Oxygen Demand		Low	Group 3	2009
CALOOSAHATCHEE RIVER	MANUEL BRANCH	3240I	Dissolved Oxygen, Nutrients		Low	Group 3	2009
CALOOSAHATCHEE RIVER	BILLY CREEK	3240J	Dissolved Oxygen, Nutrients		High	Group 3	2004
CHARLOTTE HARBOR	NORTH PRONG ALLIGATOR CREEK	2071	Dissolved Oxygen, Coliforms, Turbidity		Low	Group 2	2009
CHARLOTTE HARBOR	MATLACHA PASS	2065F	Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 2	2004, 2011 (mercury)
CHATTAHOOCHEE RIVER	LAKE SEMINOLE	60	Dissolved Oxygen, Nutrients		High	Group 2	2003
CHATTAHOOCHEE RIVER	THOMPSON POND	272	Coliforms, Nutrients		High	Group 2	2003
CHIPOLA RIVER	MUDDY BRANCH	175	Dissolved Oxygen, Coliforms, Nutrients		High	Group 2	2003
CHIPOLA RIVER	OTTER CREEK	819	Coliform, Nutrients		Low	Group 2	2008
CHIPOLA RIVER	CHIPOLA RIVER (Dead Lakes)	51A	Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory)		High	Group 2	2003, 2011 (mercury)
CHIPOLA RIVER	CHIPOLA RIVER	51B	Nutrients		High	Group 2	2003
CHOCTAWHATCHEE BAY	LAFAYETTE CREEK	646	Coliforms		Low	Group 3	2009
CHOCTAWHATCHEE BAY	BOGGY BAYOU	692	Dissolved Oxygen		Low	Group 3	2009
CHOCTAWHATCHEE BAY	JOES BAYOU	906	Nutrients		Low	Group 3	2009
CHOCTAWHATCHEE BAY	INDIAN BAYOU (Old Pass Lagoon)	917	Dissolved Oxygen, Nutrients		Low	Group 3	2009
CHOCTAWHATCHEE BAY	CHOCTAWHATCHEE BAY AB C	778B	Coliforms		High	Group 3	2004
CHOCTAWHATCHEE BAY	CHOCTAWHATCHEE BAY AB C	778C	Biochemical Oxygen Demand, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2009, 2011 (mercury)
CHOCTAWHATCHEE BAY	CHOCTAWHATCHEE BAY AB C	778D	Dissolved Oxygen, Nutrients		High	Group 3	2004
CHOCTAWHATCHEE RIVER	CHOCTAWHATCHEE RIVER	49	Coliforms, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2001 (coliforms), 2009, 2011 (mercury)
CHOCTAWHATCHEE RIVER	ALLIGATOR CREEK	123	Coliforms, Biological Oxygen Demand, Dissolved Oxygen, Nutrients, Turbidity		Low	Group 3	2001 (coliforms), 2009
CHOCTAWHATCHEE RIVER	FISH BRANCH (Minnow Creek)	130	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 3	2001 (coliforms), 2009
CHOCTAWHATCHEE RIVER	SIKES CREEK	142	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 3	2001 (coliforms), 2009
CHOCTAWHATCHEE RIVER	CAMP BRANCH	251	Coliforms, Nutrients, Turbidity		Low	Group 3	2001 (coliforms), 2009
CHOCTAWHATCHEE RIVER	BRUCE CREEK	343	Coliforms, Turbidity		Low	Group 3	2001 (coliforms), 2009
CHOCTAWHATCHEE RIVER	CHOCTAWHATCHEE RIVER	49E	Coliforms, Turbidity, Total Suspended Solids		High	Group 3	2004
CHOCTAWHATCHEE RIVER	CHOCTAWHATCHEE RIVER	49F	Coliforms, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2001 (coliforms), 2009, 2011 (mercury)
CRYSTAL RIVER TO ST. PETE	PITHLACHASCOTEE RIVER	1409	Dissolved Oxygen, Coliforms		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	ANCLOTE RIVER	1440	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
CRYSTAL RIVER TO ST. PETE	SOUTH BRANCH (South Branch Anclote River)	1456	Dissolved Oxygen, Coliforms, Nutrients		High	Group 5	2006
CRYSTAL RIVER TO ST. PETE	HOLLIN CREEK	1475	Dissolved Oxygen, Nutrients		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	KLOSTERMAN BAYOU RUN (Innisbrook Canal)	1508	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients		High	Group 5	2006
CRYSTAL RIVER TO ST. PETE	HEALTH SPRING	1512	Nutrients		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	SUTHERLAND BAYOU	1527	Dissolved Oxygen, Nutrients		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	DIRECT RUNOFF TO GULF (Clearwater Harbor)	1528	Dissolved Oxygen, Nutrients		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	DIRECT RUNOFF TO GULF (Minnow Creek)	1535	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	CURLEW CREEK	1538	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	CEDAR CREEK	1556	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	STEVENSON CREEK	1567	Dissolved Oxygen, Coliforms, Nutrients		High	Group 5	2006
CRYSTAL RIVER TO ST. PETE	LAKE SEMINOLE	1618	Coliforms, Nutrients		High	Group 5	2006
CRYSTAL RIVER TO ST. PETE	MCKAY CREEK	1633	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	SOUTH CROSS CANAL (Cross Bayou Canal South)	1641		Listing based on NPS survey.	High	Group 5	2006
CRYSTAL RIVER TO ST. PETE	PINELLAS PARK DITCH	1662	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	CLAM BAYOU DRAIN	1716	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	CRYSTAL RIVER	1341I	Nutrients		High	Group 5	2006
CRYSTAL RIVER TO ST. PETE	CRYSTAL RIVER BAY	1345A	Biology	Listing based on biological sampling.	High	Group 5	2006
CRYSTAL RIVER TO ST. PETE	SPRING BAYOU	1440A	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 5	2011
CRYSTAL RIVER TO ST. PETE	ST JOE CREEK	1668A	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 5	2006
CRYSTAL RIVER TO ST. PETE	BONN CREEK (& Joe Creek & Cross Bayou Canal)	1668B	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		High	Group 5	2006
EAST COAST, MIDDLE	ADDISON CANAL	3028		Listed for NPS assessment.	High	Group 5	2006
EAST COAST, MIDDLE	HORSE CREEK	3081	Dissolved Oxygen		Low	Group 5	2011
EAST COAST, MIDDLE	EAU GALLIE RIVER	3082	Coliforms, Iron, Nutrients		High	Group 5	2002 (nutrients), 2006
EAST COAST, MIDDLE	CRANE CREEK	3085	Dissolved Oxygen, Coliforms, Nutrients		High	Group 5	2002 (nutrients), 2006
EAST COAST, MIDDLE	DRAINED FARMLAND (C1, C69, C10)	3090	Dissolved Oxygen, Nutrients, Iron, Lead, Cadmium		Low	Group 5	2011
EAST COAST, MIDDLE	TURKEY CREEK	3098	Dissolved Oxygen, Nutrients		High	Group 5	2003 (nutrients), 2006
EAST COAST, MIDDLE	GOAT CREEK	3107	Dissolved Oxygen, Nutrients		Low	Group 5	2011
EAST COAST, MIDDLE	MOSQUITO LAGOON	2924B	Coliforms		Low	Group 5	2011
EAST COAST, MIDDLE	INDIAN RIVER ABOVE SEBASTIAN INLET	2963A	Dissolved Oxygen, Silver, Lead, Cadmium, Selenium, Thallium, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2003 (nutrients), 2006, 2011 (mercury)
EAST COAST, MIDDLE	INDIAN RIVER ABOVE MELBOURNE CAUSEWAY	2963B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2003 (nutrients), 2006, 2011 (mercury)
EAST COAST, MIDDLE	INDIAN RIVER ABOVE MELBOURNE CAUSEWAY	2963C	Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2003 (nutrients), 2006, 2011 (mercury)
EAST COAST, MIDDLE	INDIAN RIVER ABOVE 520 CAUSEWAY	2963D	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2003 (nutrients), 2006, 2011 (mercury)
EAST COAST, MIDDLE	INDIAN R. AB NASA CSWY	2963E	Dissolved Oxygen		Low	Group 5	2011
EAST COAST, MIDDLE	INDIAN RIVER ABOVE M. BREWER	2963F	Iron, Lead		Low	Group 5	2011

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
EAST COAST, MIDDLE	NEWFOUND HARBOR	3044A	Dissolved Oxygen, Nutrients		Low	Group 5	2011
EAST COAST, MIDDLE	SYKES CREEK/BARGE CAN.	3044B	Dissolved Oxygen, Nutrients		Low	Group 5	2011
EAST COAST, MIDDLE	BANANA RIVER BELOW MATHERS	3057A	Dissolved Oxygen, Nutrients		High	Group 5	2003 (nutrients), 2006
EAST COAST, MIDDLE	BANANA RIVER ABOVE 520 CAUSEWAY	3057B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2003 (nutrients), 2006, 2011 (mercury)
EAST COAST, MIDDLE	BANANA RIVER ABOVE BARGE CANAL	3057C	Dissolved Oxygen		Low	Group 5	2011
EAST COAST, MIDDLE	CRANE CREEK	3085A	Iron, Nutrients		High	Group 5	2002 (nutrients), 2006
EAST COAST, UPPER	GUANA RIVER	2320	Dissolved Oxygen, Coliforms		Low	Group 5	2011
EAST COAST, UPPER	CRACKER BRANCH (Pellicer Creek)	2553	Dissolved Oxygen, Coliforms, Iron		Low	Group 5	2011
EAST COAST, UPPER	TOMOKA RIVER	2634	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead		Low	Group 5	2011
EAST COAST, UPPER	UNNAMED DITCH (B-19 Canal)	2666	Dissolved Oxygen, Nutrients		Low	Group 5	2011
EAST COAST, UPPER	ROSE BAY	2672	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 5	2011
EAST COAST, UPPER	SPRUCE CREEK	2674	Dissolved Oxygen, Nutrients, Coliforms, Iron		High	Group 5	2006
EAST COAST, UPPER	HALIFAX RIVER	2363A	Nutrients, Coliforms		Low	Group 5	2011
EAST COAST, UPPER	HALIFAX RIVER	2363B	Nutrients, Iron, Lead, Copper		Low	Group 5	2011
EAST COAST, UPPER	PALM COAST	2363D	Dissolved Oxygen, Coliforms, Nutrients, Thallium, Silver, Lead, Cadmium, Selenium		Low	Group 5	2011
EAST COAST, UPPER	MATANZAS RIVER	2363I	Coliforms, Nutrients		Low	Group 5	2011
EAST COAST, UPPER	PELLICER CREEK	2580B	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead		Low	Group 5	2011
EAST COAST, UPPER	TOMOKA RIVER	2634A	Nutrients, Iron, Lead		Low	Group 5	2011
EAST COAST, UPPER	SPRUCE CREEK	2674A	Dissolved Oxygen, Nutrients, Iron		High	Group 5	2006
ECONFINA-FENHOLLOWAY	ECONFINA RIVER	3402	Cadmium		Low	Group 1	2002
ECONFINA-FENHOLLOWAY	ROCKY CREEK	3489	Turbidity, Coliforms (fecal & total)		Low	Group 1	2002
ECONFINA-FENHOLLOWAY	STEINHATCHEE RIVER	3573	Dissolved Oxygen		Low	Group 1	
ECONFINA-FENHOLLOWAY	CALIFORNIA (ROCKY) CREEK	3577	Dissolved Oxygen		Low	Group 1	
ECONFINA-FENHOLLOWAY	BEVINS (BOGGY) CREEK	3603	Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms (fecal & total)		Low	Group 1	2002
ECONFINA-FENHOLLOWAY	FENHOLLOWAY AT MOUTH	3473A	Dissolved Oxygen, Coliforms (total), Nutrients, Biochemical Oxygen Demand, Dioxin (Based on Fish Consumption Advisory)		High	Group 1	2002
ECONFINA-FENHOLLOWAY	FENHOLLOWAY BELOW PULP	3473B	Dissolved Oxygen, Nutrients, Un-ionized Ammonia, Biochemical Oxygen Demand, Conductivity, Mercury (Based on Fish Consumption Advisory)		High/Medium	Group 1	2002, 2007 (conductivity), 2011 (mercury)
ECONFINA-FENHOLLOWAY	FENHOLLOWAY ABOVE PULP	3473C	Dissolved Oxygen		High	Group 1	2002
ECONFINA-FENHOLLOWAY	STEINHATCHEE RIVER	3573B	Dissolved Oxygen		Low	Group 1	2002
ECONFINA-FENHOLLOWAY	STEINHATCHEE RIVER	3573C	Dissolved Oxygen		Low	Group 1	
ESCAMBIA RIVER	PINE BARREN CREEK	5	Coliforms, Turbidity		Low	Group 4	2011
ESCAMBIA RIVER	CANOE CREEK	7	Coliforms		Low	Group 4	2011
ESCAMBIA RIVER	BIG ESCAMBIA CREEK	10	Coliforms, Total Suspended Solids, Turbidity		Low	Group 4	2011
ESCAMBIA RIVER	BRAY MILL CREEK	36	Nutrients		Low	Group 4	2011
ESCAMBIA RIVER	LITTLE PINE BARREN CREEK	87	Coliforms, Turbidity		Low	Group 4	2011
ESCAMBIA RIVER	ESCAMBIA RIVER	10C	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2011
ESCAMBIA RIVER	ESCAMBIA RIVER	10D	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2011

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
ESCAMBIA RIVER	ESCAMBIA RIVER	10E	Coliforms, Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2011
ESCAMBIA RIVER	ESCAMBIA RIVER	10F	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2011
EVERGLADES-WEST COAST	EVERGLADES NATIONAL PARK - SHARK SLOUGH	3289	Dissolved Oxygen, Iron, Mercury (Based on Fish Consumption Advisory), Nutrients		Low	Group 1	2007, 2011 (mercury)
EVERGLADES-WEST COAST	SOUTHWEST GULF 5	8065	Bacteria (shellfish)		Medium	Group 1	2007
EVERGLADES-WEST COAST	IMPERIAL RIVER (marine)	3258E1	Copper		Medium	Group 1	2007
EVERGLADES-WEST COAST	HENDRY CREEK (fresh)	3258B	Nutrients, Dissolved Oxygen		Medium/Low	Group 1	2007
EVERGLADES-WEST COAST	HENDRY CREEK (marine)	3258B1	Dissolved Oxygen, Nutrients (chla), Coliforms (fecal)		Medium	Group 1	2007
EVERGLADES-WEST COAST	ESTERO BAY DRAINAGE (Mullock Creek)	3258C	Dissolved Oxygen, Nutrients (chla)		Medium	Group 1	2007
EVERGLADES-WEST COAST	ESTERO RIVER (fresh)	3258D	Dissolved Oxygen		Low	Group 1	
EVERGLADES-WEST COAST	ESTERO RIVER (marine)	3258D1	Dissolved Oxygen, Nutrients (chla), Copper		Medium	Group 1	2007
EVERGLADES-WEST COAST	IMPERIAL RIVER (fresh)	3258E	Dissolved Oxygen, Nutrients (chla), Coliforms (fecal)		Low	Group 1	2007
EVERGLADES-WEST COAST	TENMILE CANAL	3258G	Dissolved Oxygen		Low	Group 1	
EVERGLADES-WEST COAST	SPRING CREEK (fresh)	3258H	Dissolved Oxygen		Low	Group 1	2007
EVERGLADES-WEST COAST	SPRING CREEK (marine)	3258H1	Dissolved Oxygen, Nutrients (chla), Copper		Medium	Group 1	2007
EVERGLADES-WEST COAST	COCOHATCHEE RIVER	3259A	Dissolved Oxygen, Coliforms (fecal & total), Biochemical Oxygen Demand		Low	Group 1	2007
EVERGLADES-WEST COAST	COCOHATCHEE RIVER CANAL	3259B	Dissolved Oxygen, Iron		Medium	Group 1	2007
EVERGLADES-WEST COAST	GORDON RIVER	3259C	Dissolved Oxygen, Biochemical Oxygen Demand, Coliforms (fecal & total)		Low	Group 1	2007
EVERGLADES-WEST COAST	GORDON RIVER CANAL	3259D	Dissolved Oxygen		Medium	Group 1	2007
EVERGLADES-WEST COAST	HENDERSON CREEK CANAL	3259E	Dissolved Oxygen		Medium	Group 1	2007
EVERGLADES-WEST COAST	GOLDEN GATE CANAL	3259F	Dissolved Oxygen		Low	Group 1	
EVERGLADES-WEST COAST	NAPLES BAY	3259G	Nutrients		Low	Group 1	2007
EVERGLADES-WEST COAST	HENDERSON CREEK CANAL	3259H	Dissolved Oxygen		Low	Group 1	
EVERGLADES-WEST COAST	BLACKWATER RIVER	3259L	Dissolved Oxygen		Medium	Group 1	2007
EVERGLADES-WEST COAST	RUNOFF TO GULF	3259M	Fecal Coliform		Low	Group 1	
EVERGLADES-WEST COAST	LAKE TRAFFORD	3259W	Nutrients		Low	Group 1	2007
EVERGLADES-WEST COAST	TAMIAMI CANAL	3261B	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory), Cadmium		Low	Group 1	2007, 2011 (mercury)
EVERGLADES-WEST COAST	BARRON RIVER CANAL (North)	3261C	Dissolved Oxygen		Low	Group 1	
EVERGLADES-WEST COAST	EVERGLADES NATIONAL PARK - L-67 CULVERT US41	3289J	Dissolved Oxygen, Iron		Low	Group 1	2007
EVERGLADES-WEST COAST	EVERGLADES NATIONAL PARK - TAYLOR SLOUGH	3289K	Dissolved Oxygen, Iron		Low	Group 1	2007
FISHEATING CREEK	HARNEY POND CANAL	3204	Dissolved Oxygen, Lead, Nutrients		Low	Group 4	2010
FISHEATING CREEK	INDIAN PRAIRIE CANAL	3206	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005
FLORIDA KEYS	FLORIDA KEYS		Nutrients		Low	Group 5	2011
GULF COAST	FLORIDA GULF COAST	8999	Mercury (Based on Fish Consumption Advisory)	Includes WBIDs 8025, 8026, 8049, 8060, 8061, 8062, 8063, 8064, and 8065	Low	Group 1	2011
HILLSBOROUGH RIVER	CYPRESS CREEK	1402	Dissolved Oxygen, Coliforms, Nutrients		High	Group 2	2003
HILLSBOROUGH RIVER	NEW RIVER	1442	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 2	2003
HILLSBOROUGH RIVER	TROUT CREEK	1455	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 2	2008

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
HILLSBOROUGH RIVER	BIG DITCH	1469	Coliforms, Nutrients, Turbidity		Low	Group 2	2008
HILLSBOROUGH RIVER	BLACKWATER CREEK	1482	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		High	Group 2	2003
HILLSBOROUGH RIVER	CHANNELIZED STREAM (Pemberton Creek)	1483	Nutrients, Coliforms		Low	Group 2	2008
HILLSBOROUGH RIVER	TWO HOLE BRANCH	1489	Nutrients, Turbidity, Biochemical Oxygen Demand, Coliforms		Low	Group 2	2008
HILLSBOROUGH RIVER	COW HOUSE CREEK	1534	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 2	2003
HILLSBOROUGH RIVER	PEMBERTON CREEK	1542	Dissolved Oxygen, Nutrients		Low	Group 2	2008
HILLSBOROUGH RIVER	LAKE HUNTER	1543	Nutrients		High	Group 2	2003
HILLSBOROUGH RIVER	SPARKMAN BRANCH	1561	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 2	2003
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	1443A	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		Low	Group 2	2008, 2011 (mercury)
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	1443B	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 2	2003, 2011 (mercury)
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	1443D	Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 2	2003, 2011 (mercury)
HILLSBOROUGH RIVER	HILLSBOROUGH RIVER	1443E	Nutrients, Mercury (Based on Fish Consumption Advisory), Coliforms		High	Group 2	2003, 2011 (mercury)
HILLSBOROUGH RIVER	CRYSTAL SPRINGS	1462A	Dissolved Oxygen, Nutrients		High	Group 2	2003
HILLSBOROUGH RIVER	ITCHEPACKASASSA CREEK	1495B	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		High	Group 2	2003
HILLSBOROUGH RIVER	FLINT CREEK	1522A	Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity, Biochemical Oxygen Demand		High	Group 2	2003
HILLSBOROUGH RIVER	LAKE THONOTOSASSA	1522B	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Lead, Nutrients		High	Group 2	1998 (nutrients), 2003
HILLSBOROUGH RIVER	BAKER CREEK	1522C	Dissolved Oxygen, Coliforms, Lead, Nutrients, Turbidity		High	Group 2	2003
HILLSBOROUGH RIVER	MILL CREEK	1542A	Dissolved Oxygen, Coliforms, Nutrients, Un-ionized Ammonia, Lead		Low	Group 2	2008
INDIAN RIVER, SOUTH	NORTH PRONG SEBASTIAN RIVER	3128	Dissolved Oxygen, Copper, Nutrients, Turbidity, Total Suspended Solids		High	Group 5	2002 (nutrients), 2006
INDIAN RIVER, SOUTH	C-54 CANAL	3135	Dissolved Oxygen, Nutrients		High	Group 5	2002 (nutrients), 2006
INDIAN RIVER, SOUTH	FELSMERE CANAL	3136	Dissolved Oxygen, Nutrients, Total Suspended Solids		High	Group 5	2002 (nutrients), 2006
INDIAN RIVER, SOUTH	BELCHER CANAL/TAYLOR CREEK	3163	Dissolved Oxygen, Nutrients		High	Group 5	2002 (nutrients), 2006
INDIAN RIVER, SOUTH	SEBASTIAN RIVER ABOVE INDIAN RIVER	3129A	Dissolved Oxygen, Nutrients		High	Group 5	2002 (nutrients), 2006
INDIAN RIVER, SOUTH	SEBASTIAN RIVER	3129B	Dissolved Oxygen, Iron		High	Group 5	2006
INDIAN RIVER, SOUTH	SOUTH INDIAN RIVER	5003C	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2002 (nutrients), 2006, 2011 (mercury)
INDIAN RIVER, SOUTH	SOUTH INDIAN RIVER	5003D	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2002 (nutrients), 2006, 2011 (mercury)
KISSIMMEE RIVER	HORSESHOE CREEK	1436	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005
KISSIMMEE RIVER	EAST LAKE TOHOPEKALIGA	3172	Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2011
KISSIMMEE RIVER	LAKE CENTER	3174	Dissolved Oxygen, Nutrients		Low	Group 4	2010
KISSIMMEE RIVER	CANOE CREEK	3181	Turbidity		Low	Group 4	2010
KISSIMMEE RIVER	LAKE MARIAN	3184	Nutrients		Low	Group 4	2010
KISSIMMEE RIVER	S-65D	3188	Dissolved Oxygen, Nutrients		High	Group 4	2005
KISSIMMEE RIVER	KISSIMMEE RIVER	3209	Dissolved Oxygen, Nutrients		High	Group 4	2005

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
KISSIMMEE RIVER	DEAD RIVER	1472C	Nutrients, Turbidity		High	Group 4	2005
KISSIMMEE RIVER	KISSIMMEE RIVER	3156A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		Low	Group 4	2010
KISSIMMEE RIVER	LAKE HOLDEN	3168H	Nutrients, Un-ionized Ammonia		Low	Group 4	2010
KISSIMMEE RIVER	SHINGLE CREEK	3169A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		Low	Group 4	2010
KISSIMMEE RIVER	REEDY CREEK	3170A	Nutrients, Turbidity		High	Group 4	2005
KISSIMMEE RIVER	REEDY CREEK	3170C	Dissolved Oxygen, Nutrients, Turbidity, Coliforms		High	Group 4	2005
KISSIMMEE RIVER	BONNET CREEK	3170D	Nutrients, Turbidity		High	Group 4	2005
KISSIMMEE RIVER	LAKE TOHOPEKALIGA NORTH	3173A	Un-ionized Ammonia, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
KISSIMMEE RIVER	LAKE TOHOPEKALIGA SOUTH	3173C	Un-ionized Ammonia, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
KISSIMMEE RIVER	LAKE CYPRESS	3180A	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
KISSIMMEE RIVER	LAKE KISSIMMEE NORTH	3183A	Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
KISSIMMEE RIVER	LAKE KISSIMMEE MID	3183B	Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
KISSIMMEE RIVER	LAKE KISSIMMEE SOUTH	3183E	Dissolved Oxygen, Lead, Cadmium, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
KISSIMMEE RIVER	KISSIMMEE RIVER	3186B	Dissolved Oxygen, Biochemical Oxygen Demand		High	Group 4	2005
KISSIMMEE RIVER	BLANKET BAY SLOUGH	3186C	Dissolved Oxygen, Nutrients		Low	Group 4	2010
KISSIMMEE RIVER	EIGHTMILE SLOUGH (Ice Cream Slough)	3186D	Dissolved Oxygen		Low	Group 4	2010
KISSIMMEE RIVER	CHANDLER SLOUGH	3188A	Dissolved Oxygen, Nutrients		High	Group 4	2005
KISSIMMEE RIVER	OAK CREEK	3192C	Nutrients, Dissolved Oxygen, Coliforms		High	Group 4	2005
LAKE OKEECHOBEE	TURKEY SLOUGH	3199A	Dissolved Oxygen		Low	Group 1	
LAKE OKEECHOBEE	L-63 CANAL	3203C	Dissolved Oxygen		Low	Group 1	
LAKE OKEECHOBEE	POPASH SLOUGH	3205C	Dissolved Oxygen		Low	Group 1	
LAKE OKEECHOBEE	LAKE OKEECHOBEE	3212B	Coliforms (fecal & total)		High	Group 1	2002
LAKE OKEECHOBEE	LAKE OKEECHOBEE	3212D	Iron		High	Group 1	2002
LAKE OKEECHOBEE	LAKE OKEECHOBEE	3212E	Iron		High	Group 1	2002
LAKE OKEECHOBEE	LAKE OKEECHOBEE	3212G	Iron		High	Group 1	2002
LAKE OKEECHOBEE	LETTUCE CREEK	3213A	Dissolved Oxygen, Nutrients (chla)		High	Group 1	2002
LAKE OKEECHOBEE	S-135 (Henry Creek)	3213B	Dissolved Oxygen, Nutrients (chla), Coliforms (fecal & total)		High	Group 1	2002
LAKE OKEECHOBEE	S-135	3213C	Dissolved Oxygen, Nutrients (chla)		High	Group 1	2002
LAKE OKEECHOBEE	MYRTLE SLOUGH	3213D	Dissolved Oxygen, Nutrients (chla), Coliforms (fecal & total)		High	Group 1	2002
LITTLE MANATEE RIVER	SOUTH FORK LITTLE MANATEE RIVER	1790	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 2	2008
LITTLE MANATEE RIVER	LITTLE MANATEE RIVER	1742A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 2	2008
MANATEE RIVER	GAMBLE CREEK	1819	Dissolved Oxygen, Coliforms, Turbidity, Nutrients		High	Group 2	2003
MANATEE RIVER	GILLY CREEK	1840	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 2	2008
MANATEE RIVER	MILL CREEK	1872	Coliforms		High	Group 2	2003
MANATEE RIVER	GAP CREEK	1899	Coliforms		High	Group 2	2003
MANATEE RIVER	WILLIAMS CREEK	1901	Coliforms		High	Group 2	2003
MANATEE RIVER	UNNAMED STREAM (Nonsense Creek)	1913	Dissolved Oxygen, Coliforms, Total Suspended Solids		Low	Group 2	2008
MANATEE RIVER	BRADEN RIVER ABOVE WARD LAKE	1914	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		Low	Group 2	2008
MANATEE RIVER	RATTLESNAKE SLOUGH	1923	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 2	2008

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
MANATEE RIVER	CEDAR CREEK	1926	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		Low	Group 2	2008
MANATEE RIVER	WARES CREEK	1848C	Biochemical Oxygen Demand, Coliforms		High	Group 2	2003
MYAKKA RIVER	OWEN CREEK	1933	Dissolved Oxygen, Coliforms, Turbidity, Nutrients, Total Suspended Solids		High	Group 3	2001
MYAKKA RIVER	MUD LAKE SLOUGH	1958	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 3	2001
MYAKKA RIVER	BIG SLOUGH CANAL	1976	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 3	2001
MYAKKA RIVER	DEER PRAIRIE SLOUGH	2014	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		Low	Group 3	2001
MYAKKA RIVER	UNNAMED CREEK	2038	Nutrients		High	Group 3	2001
MYAKKA RIVER	MYAKKA RIVER	1981B	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		Low	Group 3	2001
MYAKKA RIVER	UPPER LAKE MYAKKA	1981C	Biology	Listing based on biological sampling.	Low	Group 3	2001
MYAKKA RIVER	MYAKKA RIVER	1991C	Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2001, 2011 (mercury)
NASSAU RIVER	PLUMMER CREEK	2130	Nutrients, Turbidity, Dissolved Oxygen, Coliforms		High	Group 4	2005
NASSAU RIVER	SOUTH AMELIA RIVER	2149	Nutrients		Low	Group 4	2010
NASSAU RIVER	ALLIGATOR CREEK	2153	Dissolved Oxygen, Nutrients		High	Group 4	2005
NASSAU RIVER	LITTLE MILL CREEK	2157	Turbidity, Coliforms, Nutrients		Low	Group 4	2010
NASSAU RIVER	MILLS CREEK	2120A	Nutrients, Coliforms		High	Group 4	2005
NASSAU RIVER	NASSAU RIVER	2148B	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Coliforms		High	Group 4	2005
NEW RIVER	WHISKEY GEORGE CREEK	1236	Dissolved Oxygen, Coliforms		Low	Group 2	2008
NEW RIVER	CROOKED RIVER	1251	Dissolved Oxygen, Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 2	2008, 2011 (mercury)
OCHLOCKONEE RIVER	LITTLE RIVER	424	Coliforms (fecal & total), Nutrients		Low	Group 1	2007
OCHLOCKONEE RIVER	SWAMP CREEK	427	Coliforms (fecal & total), Nutrients, Turbidity, Total Suspended Solids		Low	Group 1	2007
OCHLOCKONEE RIVER	LAKE IAMONIA OUTLET	442	Coliforms (fecal & total), Dissolved Oxygen		High	Group 1	2002
OCHLOCKONEE RIVER	JUNIPER CREEK	682	Coliforms (fecal & total), Nutrients, Turbidity		Low	Group 1	2007
OCHLOCKONEE RIVER	HARBINWOOD ESTATES DN	746	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 1	2002
OCHLOCKONEE RIVER	MEGGINNIS ARM RUN	809	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Dissolved Oxygen		Low	Group 1	2007
OCHLOCKONEE RIVER	MOORE LAKE	889	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
OCHLOCKONEE RIVER	BLACK CREEK	1024	Coliforms (fecal & total)		Low	Group 1	2007
OCHLOCKONEE RIVER	DIRECT RUNOFF TO BAY	1176	Coliforms (fecal)		Low	Group 1	
OCHLOCKONEE RIVER	DICKERSON BAY	1223	Coliforms (fecal)		Low	Group 1	
OCHLOCKONEE RIVER	DIRECT RUNOFF TO GULF	1239	Coliforms (fecal)		Low	Group 1	
OCHLOCKONEE RIVER	CHAIRES CREEK	1255	Coliforms (fecal)		Low	Group 1	
OCHLOCKONEE RIVER	TELOGIA CREEK	1300	Coliforms (fecal & total)		Medium	Group 1	2007
OCHLOCKONEE RIVER	OCHLOCKONEE BAY GULF	8025	Coliforms (fecal)		Low	Group 1	
OCHLOCKONEE RIVER	OCHLOCKONEE BAY	1248A	Coliforms (fecal)		Low	Group 1	
OCHLOCKONEE RIVER	OCHLOCKONEE BAY	1248B	Coliforms (fecal)		Low	Group 1	
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	1297A	Coliforms (fecal), Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	1297B	Coliforms (fecal & total), Nutrients, Turbidity		Low	Group 1	2007
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	1297E	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
OCHLOCKONEE RIVER	OCHLOCKONEE RIVER	1297F	Coliforms (fecal & total), Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2007, 2011 (mercury)
OCHLOCKONEE RIVER	TALLAVANA LAKE	540A	Nutrients (TSI)		Medium	Group 1	2007
OCHLOCKONEE RIVER	LAKE JACKSON	582B	Dissolved Oxygen, Nutrients (TSI)		Medium	Group 1	2007
OCHLOCKONEE RIVER	MASHES ISLAND	8025B	Bacteria (beach advisory)		High	Group 1	2007
OKLAWAHA RIVER	BIG CREEK REACH	1406	Dissolved Oxygen		Low	Group 1	
OKLAWAHA RIVER	HATCHET CREEK	2688	Coliforms (fecal & total), Iron, Dissolved Oxygen		Low	Group 1	2002
OKLAWAHA RIVER	LITTLE HATCHET CREEK	2695	Dissolved Oxygen		Medium	Group 1	2007
OKLAWAHA RIVER	HOGTOWN CREEK	2698	Coliforms (fecal & total), Nutrients, Dissolved Oxygen		Low/ Medium	Group 1	2002, 2007 (DO)
OKLAWAHA RIVER	NEWNANS LAKE OUTLET	2705	Nutrients (TSI)		Medium	Group 1	2007
OKLAWAHA RIVER	SWEETWATER BRANCH	2711	Coliforms (fecal & total), Nutrients		Low	Group 1	2002
OKLAWAHA RIVER	KANAPAHA LAKE	2717	Nutrients		High	Group 1	2002
OKLAWAHA RIVER	DEEP CREEK RODMAN RESERVOIR	2730	Dissolved Oxygen		Low	Group 1	
OKLAWAHA RIVER	WAUBERG (not WALBERG) LAKE OUTLET	2741	Nutrients (TSI)		High	Group 1	2002
OKLAWAHA RIVER	ORANGE LAKE REACH	2749	Dissolved Oxygen		Low	Group 1	
OKLAWAHA RIVER	CROSS CREEK	2754	Dissolved Oxygen, Nutrients (chla), Total Suspended Solids, Biochemical Oxygen Demand		High	Group 1	2002
OKLAWAHA RIVER	DAISY CREEK	2769	Dissolved Oxygen, Nutrients, Turbidity, Coliforms (fecal & total), Iron		High	Group 1	2002
OKLAWAHA RIVER	SILVER RIVER	2772	Dissolved Oxygen		Low	Group 1	
OKLAWAHA RIVER	LAKE WEIR OUTLET	2790	Nutrients (TSI)		Medium	Group 1	2007
OKLAWAHA RIVER	LAKE YALE CANAL (Yale-Griffin Canal)	2807	Dissolved Oxygen, Lead, Nutrients (TSI)		Low/ Medium	Group 1	2002, 2007 (nutrients)
OKLAWAHA RIVER	NONCONTRIBUTING AREA	2809	Nutrients, Turbidity		Low	Group 1	2002
OKLAWAHA RIVER	IRRIGATED FARM (Knight Farm)	2811	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 1	2002
OKLAWAHA RIVER	HELENA RUN	2832	Dissolved Oxygen, Nutrients (chla)		Low	Group 1	2002
OKLAWAHA RIVER	PALATLAKAHA RIVER	2839	Dissolved Oxygen, Nutrients (chla)		Low/ Medium	Group 1	2002 (DO), 2007
OKLAWAHA RIVER	APOPKA MARSH	2856	Dissolved Oxygen, Nutrients, Turbidity, Un-ionized Ammonia		High	Group 1	2002
OKLAWAHA RIVER	BLACK LAKE OUTLET	2875	Un-ionized Ammonia		Low	Group 1	
OKLAWAHA RIVER	LITTLE CREEK	2883	Dissolved Oxygen		Low	Group 1	
OKLAWAHA RIVER	NEWNANS LAKE	2705B	Nutrients (TSI), Un-ionized Ammonia		High	Group 1	2002
OKLAWAHA RIVER	REDWATER LAKE	2713B	Nutrients (TSI)		Medium	Group 1	2007
OKLAWAHA RIVER	TUMBLING CREEK	2718A	Dissolved Oxygen, Coliforms (fecal & total), Biochemical Oxygen Demand		Low	Group 1	2002
OKLAWAHA RIVER	BEVENS CREEK (Tumbling Creek South)	2718C	Nutrients (chla)		Medium	Group 1	2007
OKLAWAHA RIVER	ALACHUA SINK	2720A	Nutrients (TSI)		High	Group 1	2002
OKLAWAHA RIVER	LOCHLOOSA LAKE	2738A	Nutrients (TSI & historic chla)		High	Group 1	2002
OKLAWAHA RIVER	OKLAWAHA RIVER ABOVE ST JOHNS RIVER	2740A	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2002, 2011 (mercury)
OKLAWAHA RIVER	LAKE OCKLAWAHA	2740B	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
OKLAWAHA RIVER	OKLAWAHA RIVER ABOVE LAKE OCKLAWAHA	2740C	Dissolved Oxygen, Nutrients, Lead, Cadmium, Selenium, Silver, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2002, 2011 (mercury)
OKLAWAHA RIVER	OKLAWAHA RIVER ABOVE DAISY CREEK	2740D	Dissolved Oxygen, Coliforms (fecal & total), Nutrients (chla), Biochemical Oxygen Demand, Iron, Mercury (Based on Fish Consumption Advisory)		Low/ Medium	Group 1	2002, 2007 (iron), 2011 (mercury)
OKLAWAHA RIVER	OKLAWAHA RIVER/SUNNYHILL	2740F	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		Low	Group 1	2002

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
OKLAWAHA RIVER	ORANGE LAKE	2749A	Dissolved Oxygen, Nutrients (TSI), Lead		Low	Group 1	2002
OKLAWAHA RIVER	LAKE BRYANT	2782C	Nutrients (TSI)		Medium	Group 1	2007
OKLAWAHA RIVER	LAKE WEIR	2790A	Nutrients (TSI), Copper		Medium	Group 1	2007
OKLAWAHA RIVER	LAKE YALE	2807A	Nutrients (TSI)		Medium	Group 1	2007
OKLAWAHA RIVER	LAKE GRIFFIN	2814A	Nutrients (TSI & historic chla), Un-ionized Ammonia		High	Group 1	2003
OKLAWAHA RIVER	HAYNES CREEK REACH	2817A	Dissolved Oxygen, Coliforms (fecal & total), Nutrients (chla), Biochemical Oxygen Demand		Low	Group 1	2002
OKLAWAHA RIVER	LAKE EUSTIS	2817B	Nutrients (TSI), Lead, Un-ionized Ammonia		Low	Group 1	2002
OKLAWAHA RIVER	DEAD RIVER	2817C	Nutrients (chla)		Medium	Group 1	2007
OKLAWAHA RIVER	TROUT LAKE	2819A	Nutrients (TSI)		Low	Group 1	2002
OKLAWAHA RIVER	LAKE LORRAINE	2829A	Nutrients (TSI)		Medium	Group 1	2007
OKLAWAHA RIVER	EXTENSION DITCH (Dora Canal)	2831A	Dissolved Oxygen, Nutrients (chla)		Low	Group 1	2002
OKLAWAHA RIVER	LAKE DORA	2831B	Nutrients (TSI), Silver, Un-ionized Ammonia		High	Group 1	2003
OKLAWAHA RIVER	LAKE DENHAM	2832A	Nutrients (TSI)		Medium	Group 1	2007
OKLAWAHA RIVER	LAKE BEAUCLAIR	2834C	Nutrients (TSI)		High	Group 1	2003
OKLAWAHA RIVER	LAKE APOPKA OUTLET	2835A	Dissolved Oxygen, Nutrients (chla), Biochemical Oxygen Demand		High	Group 1	2002
OKLAWAHA RIVER	GOURD NECK SPRING	2835C	Nutrients (chla)		High	Group 1	2002
OKLAWAHA RIVER	LAKE APOPKA	2835D	Nutrients (TSI), Pesticides (fish tissue)		High/ Medium	Group 1	2002 (nutrients), 2007
OKLAWAHA RIVER	LAKE CARLTON	2837B	Nutrients (TSI), Dissolved Oxygen, Un-ionized Ammonia		High	Group 1	2002
OKLAWAHA RIVER	LAKE HARRIS	2838A	Nutrients (TSI), Lead, Selenium		Low	Group 1	2002
OKLAWAHA RIVER	LITTLE LAKE HARRIS	2838B	Nutrients (TSI), Un-ionized Ammonia		High	Group 1	2002
OKLAWAHA RIVER	BLUE SPRINGS	2838C	Nutrients, Cadmium		Low	Group 1	2002
OKLAWAHA RIVER	HOLIDAY SPRINGS	2838D	Nutrients		Low	Group 1	2002
OKLAWAHA RIVER	LAKE WILSON	2839C	Dissolved Oxygen		Low	Group 1	
OKLAWAHA RIVER	LAKE SUSAN	2839Y	Dissolved Oxygen		Low	Group 1	
PEACE RIVER	SADDLE CREEK	1497	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004
PEACE RIVER	LAKE LENA	1501	Nutrients		High	Group 3	2004
PEACE RIVER	LAKE LULU OUTLET	1521	Dissolved Oxygen, Nutrients		High	Group 3	2004
PEACE RIVER	PEACE CREEK DRAIN CANAL	1539	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004, 2011 (mercury)
PEACE RIVER	WAHNETA FARMS DRAIN CANAL	1580	Dissolved Oxygen, Coliforms, Nutrients, Turbidity		High	Group 3	2004
PEACE RIVER	PEACE CREEK TRIBUTARY CANAL	1613	Dissolved Oxygen, Coliforms, Nutrients, Turbidity		High	Group 3	2004
PEACE RIVER	LAKE EFFIE OUTLET	1617	Nutrients		High	Group 3	2004
PEACE RIVER	WEST WALES DRAINAGE CANAL	1626	Dissolved Oxygen, Nutrients, Turbidity		High	Group 3	2004
PEACE RIVER	WHIDDEN CREEK	1751	Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen		High	Group 3	2004
PEACE RIVER	LITTLE CHARLIE CREEK	1774	Coliforms, Nutrients		Low	Group 3	2008
PEACE RIVER	THOMPSON BRANCH	1844	Coliforms, Nutrients		Low	Group 3	2008
PEACE RIVER	ALLIGATOR BRANCH	1871	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004
PEACE RIVER	LIMESTONE CREEK	1921	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		High	Group 3	2004
PEACE RIVER	BRANDY BRANCH	1939	Nutrients		High	Group 3	2004
PEACE RIVER	BEAR BRANCH	1948	Dissolved Oxygen, Nutrients		Low	Group 3	2008
PEACE RIVER	PRAIRIE CREEK	1962	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 3	2008

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
PEACE RIVER	MYRTLE SLOUGH	1995	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		Low	Group 3	2008
PEACE RIVER	HAWTHORNE CREEK	1997	Coliforms, Nutrients		Low	Group 3	2008
PEACE RIVER	MYRTLE SLOUGH	2054	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		Low	Group 3	2008
PEACE RIVER	LAKE SMART	1488A	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		High	Group 3	2004
PEACE RIVER	LAKE HAINES	1488C	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004
PEACE RIVER	LAKE ALFRED	1488D	Dissolved Oxygen, Nutrients		Low	Group 3	2008
PEACE RIVER	CRYSTAL LAKE	1497A	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		Low	Group 3	2008
PEACE RIVER	LAKE PARKER	1497B	Nutrients		High	Group 3	2004
PEACE RIVER	LAKE TENOROC	1497C	Dissolved Oxygen		Low	Group 3	2008
PEACE RIVER	LAKE BONNY	1497E	Nutrients		High	Group 3	2004
PEACE RIVER	LAKE LENA RUN	1501A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 3	2004
PEACE RIVER	LAKE ARIANNA	1501B	Nutrients		Low	Group 3	2008
PEACE RIVER	LAKE ELOISE	1521B	Nutrients		High	Group 3	2004
PEACE RIVER	LAKE LULU RUN	1521C		Listing based on NPS survey.	High	Group 3	2004
PEACE RIVER	LAKE SHIPP	1521D	Dissolved Oxygen, Nutrients		High	Group 3	2004
PEACE RIVER	LAKE MAY	1521E	Nutrients		High	Group 3	2004
PEACE RIVER	LAKE HOWARD	1521F	Nutrients		High	Group 3	2004
PEACE RIVER	LAKE MIRROR	1521G	Nutrients		High	Group 3	2004
PEACE RIVER	LAKE CANNON	1521H	Dissolved Oxygen, Coliforms, Nutrients		High	Group 3	2004
PEACE RIVER	LAKE JESSIE	1521K	Nutrients		High	Group 3	2004
PEACE RIVER	BANANA LAKE CANAL	1549A	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 3	2004
PEACE RIVER	BANANA LAKE	1549B	Dissolved Oxygen, Un-ionized Ammonia, Fluoride, Nutrients		High	Group 3	2004
PEACE RIVER	PEACE RIVER ABOVE JOSHUA CREEK	1623C	Dissolved Oxygen, Nutrients, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004, 2011 (mercury)
PEACE RIVER	PEACE RIVER ABOVE CHARLIE CREEK	1623D	Coliforms, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004, 2011 (mercury)
PEACE RIVER	PEACE RIVER ABOVE OAK CREEK	1623E	Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004, 2011 (mercury)
PEACE RIVER	PEACE RIVER ABOVE PAYNE CREEK	1623H	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004, 2011 (mercury)
PEACE RIVER	PEACE RIVER ABOVE BOWLEGS CREEK	1623J	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2004, 2011 (mercury)
PEACE RIVER	SADDLE CREEK BELOW LAKE HANCOCK	1623K	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids		High	Group 3	2004
PEACE RIVER	LAKE HANCOCK	1623L	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		High	Group 3	2004
PEACE RIVER	PAYNE CREEK	1757A	Dissolved Oxygen, Nutrients		Low	Group 3	2008
PEACE RIVER	PAYNE CREEK	1757B	Coliforms, Nutrients		Low	Group 3	2008
PEACE RIVER	HORSE CREEK ABOVE PEACE RIVER	1787A	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 3	2008
PEACE RIVER	C WILL OUTFALL AT CONV	1939A	Dissolved Oxygen, Nutrients		High	Group 3	2004
PEACE RIVER	PEACE RIVER LOWER ESTUARY	2056A	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008, 2011 (mercury)
PEACE RIVER	PEACE RIVER MID ESTUARY	2056B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008, 2011 (mercury)

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
PENSACOLA BAY	PACE MILL CREEK (Escambia River)	420	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 4	2011
PENSACOLA BAY	JUDGES BAYOU	493	Dissolved Oxygen, Nutrients		Low	Group 4	2011
PENSACOLA BAY	MULATTO BAYOU	539	Coliforms, Dissolved Oxygen, Nutrients		Low	Group 4	2011
PENSACOLA BAY	DIRECT RUNOFF TO BAY (Escambia Bay, Mulatto Bayou, Indian Bayou)	639		Listing based on NPS survey.	High	Group 4	2006
PENSACOLA BAY	INDIAN BAYOU	649	Coliforms, Dissolved Oxygen		Low	Group 4	2011
PENSACOLA BAY	DIRECT RUNOFF TO BAY (Mulatto Bayou, Escambia Bay)	666		Listing based on NPS survey.	High	Group 4	2006
PENSACOLA BAY	CARPENTER CREEK	676	Coliforms		Low	Group 4	2011
PENSACOLA BAY	TROUT BAYOU	694	Coliforms, Dissolved Oxygen		Low	Group 4	2011
PENSACOLA BAY	EAST RIVER BAY	701	Coliforms, Turbidity		Low	Group 4	2011
PENSACOLA BAY	TEXAR BAYOU	738	Coliforms		Low	Group 4	2011
PENSACOLA BAY	BAYOU GRANDE	740	Coliforms, Dissolved Oxygen		High	Group 4	2006
PENSACOLA BAY	BAYOU CHICO	846	Coliforms, Dissolved Oxygen, Nutrients		High	Group 4	2006
PENSACOLA BAY	BAYOU GARCON	987	Dissolved Oxygen, Color		High	Group 4	2006
PENSACOLA BAY	ESCAMBIA BAY	548A	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity		High	Group 4	2006
PENSACOLA BAY	ESCAMBIA BAY (S)	548B	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity		High	Group 4	2006
PENSACOLA BAY	PENSACOLA BAY	548C	Coliforms		High	Group 4	2006
PENSACOLA BAY	PENSACOLA BAY	548E	Copper, Lead, Biological Oxygen Demand, Nutrients, Turbidity, Total Suspended Solids		High	Group 4	2006
PENSACOLA BAY	JONES CREEK	846A	Coliforms, Dissolved Oxygen, Nutrients, Turbidity		Low	Group 4	2011
PENSACOLA BAY	JACKSON CREEK	846B	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity		Low	Group 4	2011
PERDIDO BAY	ELEVENMILE CREEK	489	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Dissolved Oxygen, Coliforms, Un-ionized Ammonia		High	Group 5	2006
PERDIDO BAY	EIGHTMILE CREEK	624	Coliforms, Turbidity		Low	Group 5	2011
PERDIDO BAY	MARCUS CREEK	697	Coliforms		Low	Group 5	2011
PERDIDO BAY	UNNAMED BRANCH (Marcus Creek - East Arm)	725	Coliforms		Low	Group 5	2011
PERDIDO BAY	DIRECT RUNOFF TO BAY (Tee Lake/Perdido Bay)	784		Listing based on non-point source qualitative assessment.	Low	Group 5	2011
PERDIDO BAY	PERDIDO BAY	797	Dissolved Oxygen, Nutrients		Low	Group 5	2011
PERDIDO BAY	UNNAMED STREAM (Weekly Bayou Creek)	935	Dissolved Oxygen		Low	Group 5	2011
PERDIDO BAY	DIRECT RUNOFF TO BAY (Big Lagoon)	991	Dissolved Oxygen		Low	Group 5	2011
PERDIDO RIVER	BRUSHY CREEK	4	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		Low	Group 5	2011
PERDIDO RIVER	JACKS BRANCH	291	Coliforms, Dissolved Oxygen, Turbidity		Low	Group 5	2011
PERDIDO RIVER	PERDIDO RIVER	462A	Coliforms, Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
PERDIDO RIVER	PERDIDO RIVER	462B	Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
PERDIDO RIVER	PERDIDO RIVER	462C	Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
SANTA FE RIVER	NEW RIVER	3506	Dissolved Oxygen, Coliforms (fecal)		Low	Group 1	2007
SANTA FE RIVER	ALLIGATOR LAKE OUTLET	3516	Dissolved Oxygen, Nutrients (TSI)		Low	Group 1	2007
SANTA FE RIVER	PRICE CREEK	3517	Dissolved Oxygen		Low	Group 1	
SANTA FE RIVER	CANNON CREEK	3520	Coliforms (fecal)		Medium	Group 1	2007

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
SANTA FE RIVER	LAKE BUTLER	3566	Nutrients (TSI)		Low	Group 1	
SANTA FE RIVER	FIVEMILE CREEK	3578	Dissolved Oxygen, Coliforms (fecal & total), Nutrients		Low	Group 1	2007
SANTA FE RIVER	PARENERS BRANCH	3626	Coliforms (fecal & total)		Medium	Group 1	2007
SANTA FE RIVER	ROCKY CREEK	3641	Dissolved Oxygen, Coliforms (fecal & total), Nutrients, Biochemical Oxygen Demand		Low	Group 1	2007
SANTA FE RIVER	COW CREEK	3649	Dissolved Oxygen		Low	Group 1	
SANTA FE RIVER	BLUE CREEK	3682	Coliforms (fecal)		Low	Group 1	
SANTA FE RIVER	OLUSTEE CREEK	3504A	Dissolved Oxygen		Low	Group 1	
SANTA FE RIVER	ALLIGATOR LAKE	3516A	Dissolved Oxygen, Nutrients (TSI)		Low	Group 1	2007
SANTA FE RIVER	ICHETUCKNEE SPRING	3519Z	Dissolved Oxygen, Nutrients		Low	Group 1	2007
SANTA FE RIVER	LAKE ROWELL	3598B	Nutrients, Dissolved Oxygen		Low	Group 1	2007
SANTA FE RIVER	ALLIGATOR CREEK	3598C	Coliforms (fecal)		Low	Group 1	
SANTA FE RIVER	SANTA FE RIVER	3605A	Nutrients (historic chla), Mercury (Based on Fish Consumption Advisory)		Medium/Low	Group 1	2007, 2011 (mercury)
SANTA FE RIVER	SANTA FE RIVER	3605B	Dissolved Oxygen, Nutrients		Low	Group 1	2007
SANTA FE RIVER	SANTA FE RIVER	3605C	Dissolved Oxygen, Nutrients		Medium/Low	Group 1	2007
SANTA FE RIVER	SANTA FE RIVER	3605E	Dissolved Oxygen		Low	Group 1	
SANTA FE RIVER	ALTHO DRAINAGE	3605F	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2007, 2011 (mercury)
SANTA FE RIVER	HAMPTON LAKE	3635A	Dissolved Oxygen		Low	Group 1	2007
SARASOTA BAY	DIRECT RUNOFF TO BAY (Buttonwood Harbor/Sarasota Bay)	1916	Dissolved Oxygen		High	Group 3	2004
SARASOTA BAY	DIRECT RUNOFF TO GULF (Whitaker Bayou, Big Sarasota Bay)	1931	Nutrients		High	Group 3	2004
SARASOTA BAY	WHITAKER BAYOU	1936	Nutrients		High	Group 3	2004
SARASOTA BAY	PHILIPPI CREEK	1937	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 3	2008
SARASOTA BAY	PHILIPPE CREEK	1947	Nutrients		High	Group 3	2004
SARASOTA BAY	DIRECT RUNOFF TO BAY (Little Sarasota Bay)	1951	Nutrients		High	Group 3	2004
SARASOTA BAY	HUDSON BAYOU	1953	Nutrients		High	Group 3	2004
SARASOTA BAY	CLARK LAKE/UNNAMED DITCH	1971	Nutrients		High	Group 3	2004
SARASOTA BAY	ELDIGRAW BAYOU	1975	Nutrients, Dissolved Oxygen, Coliforms		High	Group 3	2004
SARASOTA BAY	CATFISH CREEK	1984	Nutrients		High	Group 3	2004
SARASOTA BAY	ALLIGATOR CREEK	2030	Nutrients		High	Group 3	2004
SARASOTA BAY	FORKED CREEK	2039	Nutrients		High	Group 3	2004
SARASOTA BAY	DIRECT RUNOFF TO BAY (Alligator Creek)	2042	Nutrients		High	Group 3	2004
SARASOTA BAY	GOTTFRIED CREEK	2049	Dissolved Oxygen, Nutrients		High	Group 3	2004
SARASOTA BAY	MAIN A CANAL	1947A	Nutrients, Dissolved Oxygen, Coliforms		High	Group 3	2004
SARASOTA BAY	SARASOTA BAY	1968B	Nutrients		High	Group 3	2004
SARASOTA BAY	SARASOTA BAY	1968C	Nutrients		High	Group 3	2004
SARASOTA BAY	ROBERTS BAY	1968D	Nutrients		High	Group 3	2004
SARASOTA BAY	LITTLE SARASOTA BAY	1968E	Nutrients		High	Group 3	2004
SARASOTA BAY	CLOWERS CREEK (Segment 24.1 CA)	1975A	Nutrients, Turbidity, Coliforms		High	Group 3	2004
SARASOTA BAY	SOUTH CREEK	1982A	Nutrients		High	Group 3	2004
SARASOTA BAY	LEMON BAY	1983A	Dissolved Oxygen, Nutrients		Low	Group 3	2008
SARASOTA BAY	NORTH CREEK	1984A	Nutrients		High	Group 3	2004
SARASOTA BAY	CURRY CREEK	2009A	Nutrients		High	Group 3	2004

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
SARASOTA BAY	CORAL CREEK EAST BRANCH	2078B	Dissolved Oxygen, Nutrients, Lead, Cadmium, Copper, Zinc		Low	Group 3	2008
SOUTHEAST FLORIDA COAST	C-25 (Cowbone Creek)	3189	Dissolved Oxygen, Nutrients, Coliforms		High	Group 4	2005
SOUTHEAST FLORIDA COAST	NORTH ST. LUCIE	3194	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 4	2005, 2011 (mercury)
SOUTHEAST FLORIDA COAST	C-24	3197	Dissolved Oxygen, Nutrients		High	Group 4	2005
SOUTHEAST FLORIDA COAST	MANATEE POCKET	3208	Dissolved Oxygen, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	BESSEY CREEK	3211	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		High	Group 4	2005
SOUTHEAST FLORIDA COAST	LOXAHATCHEE RIVER	3232		Listing based on NPS survey.	Low	Group 4	2010
SOUTHEAST FLORIDA COAST	L-8	3233	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		High	Group 4	2005, 2011 (mercury)
SOUTHEAST FLORIDA COAST	C-18	3234	Dissolved Oxygen, Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
SOUTHEAST FLORIDA COAST	WEST PALM BEACH CANAL	3238	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2005, 2011 (mercury)
SOUTHEAST FLORIDA COAST	C-17,M CANAL, L-30	3242	Dissolved Oxygen, Coliforms, Biochemical Oxygen Demand		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	EAST BEACH	3244	Dissolved Oxygen, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids		High	Group 5	2005
SOUTHEAST FLORIDA COAST	C-51	3245	Dissolved Oxygen, Coliforms, Nutrients, Iron		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	C-21	3246	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	715 FARMS	3247	Dissolved Oxygen, Un-ionized Ammonia, Nutrients, Turbidity, Total Suspended Solids		High	Group 5	2005
SOUTHEAST FLORIDA COAST	NORTH NEW RIVER CANAL	3248	Dissolved Oxygen, Nutrients, Turbidity, Total Suspended Solids, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2005, 2011 (mercury)
SOUTHEAST FLORIDA COAST	S-236	3250	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	S-3	3251	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2005, 2011 (mercury)
SOUTHEAST FLORIDA COAST	WCA1 CENTER SECTOR	3252	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	SOUTH BAY	3253	Dissolved Oxygen, Un-ionized Ammonia, Nutrients		High	Group 5	2005
SOUTHEAST FLORIDA COAST	HILLSBORO CANAL	3254	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	S-8	3260	Dissolved Oxygen, Mercury, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2006, 2011 (mercury)
SOUTHEAST FLORIDA COAST	S-7	3263	Dissolved Oxygen, Mercury, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2006, 2011 (mercury)
SOUTHEAST FLORIDA COAST	WCA2A EAST SECTOR	3265	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	L-28 INTERCEPTOR	3266	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	WCA3A CENTER SECTOR	3268	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	L-28 GAP	3269	Dissolved Oxygen		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	POMPANO CANAL/CYPRESS	3270	Dissolved Oxygen, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	POMPANO CANAL	3271	Nutrients		High	Group 4	2005
SOUTHEAST FLORIDA COAST	CONSERVATION AREA 2B	3272	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	C-13 WEST/MIDDLE RIVER	3273	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	C-12	3276	Dissolved Oxygen, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	NORTH NEW RIVER CANAL	3277	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
SOUTHEAST FLORIDA COAST	WCA3B	3278	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		High	Group 5	2006, 2011 (mercury)
SOUTHEAST FLORIDA COAST	SOUTH NEW RIVER CANAL	3279	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	C-11 EAST	3281	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	HOLLYWOOD CANAL	3282	Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	SNAKE CREEK CANAL WEST	3284	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
SOUTHEAST FLORIDA COAST	C-8/BISCAYNE CANAL	3285	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	C-7/LITTLE RIVER	3287	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	C-6/MIAMI RIVER	3288	Dissolved Oxygen, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	C-111	3303	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	MILITARY CANAL	3304	Lead, Cadmium, Copper		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	LONG SOUND	6005	Dissolved Oxygen		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	TENMILE CREEK	3194A	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	ST. LUCIE	3194B	Nutrients		High	Group 4	2005
SOUTHEAST FLORIDA COAST	ST. LUCIE CANAL	3210A	Dissolved Oxygen, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	SOUTH FORK ST. LUCIE	3210B	Dissolved Oxygen, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	KITCHINGS CREEK	3224B	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	NORTHWEST FORK LOXAHATCHEE	3226A	Dissolved Oxygen, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	SOUTHWEST FORK LOXAHATCHEE	3226C	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	INTERCOASTAL WATERWAY ABOVE FLAGLER BRIDGE	3226E	Dissolved Oxygen, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	INTERCOASTAL WATERWAY ABOVE POMPANO	3226F	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	INTERCOASTAL WATERWAY ABOVE DADE COUNTY	3226G	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	M CANAL	3238E	Dissolved Oxygen, Nutrients		High	Group 5	2005
SOUTHEAST FLORIDA COAST	HILLSBORO CANAL	3248A	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients, Turbidity		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	KNIGHTS FARM FIELD1	3252A	Nutrients		High	Group 5	2006
SOUTHEAST FLORIDA COAST	KNIGHTS FARM FIELD3	3252B	Nutrients		High	Group 5	2006
SOUTHEAST FLORIDA COAST	WCA1 NORTH SECTOR	3252C	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids		High	Group 5	2006
SOUTHEAST FLORIDA COAST	WCA1 WEST SECTOR	3252D	Dissolved Oxygen		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	WCA1 SOUTH SECTOR	3252E	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	WCA1 EAST SECTOR	3252F	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	LAKE OSBORNE	3256A	Dissolved Oxygen, Coliforms		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	BOYTON CANAL	3256B	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	CANAL E-4	3256D	Coliforms, Turbidity, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	L-3	3260A	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	HOLEY LANDS	3260B	Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	LAKE IDA	3262A	Dissolved Oxygen, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	E-3 CANAL	3262D	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	HOLEY LANDS	3263A	Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	E-1 CANAL	3264A	Dissolved Oxygen, Nutrients, Coliforms		Low	Group 4	2010

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
SOUTHEAST FLORIDA COAST	E-4 CANAL	3264D	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	WCA2A S-10 PERIMETER	3265A	Dissolved Oxygen, Coliforms, Un-ionized Ammonia, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	WCA2A SOUTHWEST PERIMETER	3265B	Dissolved Oxygen, Coliforms, Nutrients, Cadmium		High	Group 5	2006
SOUTHEAST FLORIDA COAST	WCA2A L-35B PERIMETER	3265C	Dissolved Oxygen, Cadmium, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	WCA2A CENTER SECTOR	3265E	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	WCA3A US27 PERIMETER	3268A	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	WCA3A NORTH SECTOR	3268B	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	SOUTH NEW RIVER CANAL	3277A	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	EAST HOLLOWAY CANAL	3277B	Nutrients, Dissolved Oxygen, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms		High	Group 4	2005
SOUTHEAST FLORIDA COAST	WCA3B S-333	3278A	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	WCA3B MIAMI CANAL	3278B	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	NORTH NEW RIVER CANAL	3280C	Dissolved Oxygen, Nutrients, Coliforms		High	Group 4	2005
SOUTHEAST FLORIDA COAST	AREA B TAMIAMI CANAL	3286B	Dissolved Oxygen, Nutrients		Low	Group 4	2010
SOUTHEAST FLORIDA COAST	WAGNER CREEK	3288A	Dissolved Oxygen, Coliforms, Nutrients		High	Group 4	2005
SOUTHEAST FLORIDA COAST	C-113	3303A	Dissolved Oxygen, Nutrients		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	TRANSECT T3	3303C	Dissolved Oxygen		Low	Group 5	2011
SOUTHEAST FLORIDA COAST	FLORIDA BAY		Nutrients, Chlorides, Dissolved Oxygen		Low	Group 4	2010
ST ANDREWS BAY	BEATTY BAYOU	1088	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	CALLOWAY BAYOU	1110	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	PARKER BAYOU	1123	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	PITTS BAYOU	1128	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	JOHNSON BAYOU	1131	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	WATSON BAYOU	1136	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	PRETTY BAYOU	1141	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	MASSALINA BAYOU	1144	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	DIRECT RUNOFF TO BAY (St. Andrews Bay & East Bay)	1170	Nutrients		Low	Group 3	2008
ST ANDREWS BAY	ROBINSON BAYOU	1172	Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST ANDREWS BAY	ST. JOE BAY	1267	Coliforms, Nutrients, Iron, Chlorides, Biological Oxygen Demand		High	Group 3	2004
ST ANDREWS BAY	DEER POINT LAKE	553A	Mercury (Based on Fish Consumption Advisory)		High	Group 3	2011
ST ANDREWS BAY	WARREN BAYOU		Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST JOHNS RIVER, LOWER	TROUT RIVER	2203	Dissolved Oxygen, Coliforms, Iron		Low	Group 2	2008
ST JOHNS RIVER, LOWER	LITTLE TROUT RIVER	2206	Nutrients, Total Suspended Solids		High	Group 2	2004
ST JOHNS RIVER, LOWER	RIBAULT RIVER	2224	Coliforms, Lead		High	Group 2	2004
ST JOHNS RIVER, LOWER	MONCRIEF CREEK	2228	Coliforms, Iron, Copper, Nutrients		High	Group 2	2004
ST JOHNS RIVER, LOWER	STRAWBERRY CREEK	2239	Dissolved Oxygen, Coliforms, Nutrients, Copper		Low	Group 2	2008
ST JOHNS RIVER, LOWER	HOGAN CREEK	2252	Dissolved Oxygen, Coliforms		High	Group 2	2004
ST JOHNS RIVER, LOWER	CEDAR RIVER	2262	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Lead, Zinc, Copper		High	Group 2	2004
ST JOHNS RIVER, LOWER	WILLS BRANCH	2282	Copper, Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen, Coliforms		High	Group 2	2004
ST JOHNS RIVER, LOWER	WILLIAMSON CREEK	2316	Dissolved Oxygen, Coliforms		High	Group 2	2004
ST JOHNS RIVER, LOWER	BUTCHER PEN CREEK	2322	Coliforms, Copper, Nutrients, Turbidity, Total Suspended Solids, Dissolved Oxygen		High	Group 2	2004
ST JOHNS RIVER, LOWER	FISHING CREEK	2324	Dissolved Oxygen, Copper, Nutrients, Turbidity, Total Suspended Solids		High	Group 2	2004

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
ST JOHNS RIVER, LOWER	GOODBYS CREEK	2326	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms		High	Group 2	2004
ST JOHNS RIVER, LOWER	JULINGTON CREEK	2351	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Total Suspended Solids		Low	Group 2	2008
ST JOHNS RIVER, LOWER	BIG DAVIS CREEK	2356	Dissolved Oxygen, Nutrients, Selenium		Low	Group 2	2008
ST JOHNS RIVER, LOWER	DURBIN CREEK	2365	Dissolved Oxygen, Selenium, Nutrients, Coliforms		High	Group 2	2004
ST JOHNS RIVER, LOWER	LITTLE BLACK CREEK	2368	Dissolved Oxygen, Coliforms, Iron		Low	Group 2	2008
ST JOHNS RIVER, LOWER	DOCTORS LAKE	2389	Dissolved Oxygen, Coliforms, Nutrients, Selenium, Cadmium, Lead, Silver		Low	Group 2	2008
ST JOHNS RIVER, LOWER	GROG BRANCH	2407	Dissolved Oxygen, Coliforms, Turbidity, Iron, Total Suspended Solids		Low	Group 2	2008
ST JOHNS RIVER, LOWER	SWIMMING PEN CREEK	2410	Nutrients, Lead, Cadmium, Silver, Zinc, Total Suspended Solids		Low	Group 2	2008
ST JOHNS RIVER, LOWER	SIXMILE CREEK	2411	Dissolved Oxygen, Nutrients, Lead, Silver		Low	Group 2	2008
ST JOHNS RIVER, LOWER	PETERS CREEK	2444	Dissolved Oxygen, Iron, Lead, Cadmium, Silver, Nutrients, Coliforms		Low	Group 2	2008
ST JOHNS RIVER, LOWER	MILL CREEK	2460	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Iron		Low	Group 2	2008
ST JOHNS RIVER, LOWER	GREENE CREEK	2478	Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 2	2008
ST JOHNS RIVER, LOWER	TOCOI CREEK	2492	Dissolved Oxygen, Nutrients		Low	Group 2	2008
ST JOHNS RIVER, LOWER	MOCCASIN BRANCH	2540	Dissolved Oxygen, Iron, Lead, Silver, Nutrients, Biochemical Oxygen Demand		High	Group 2	2002
ST JOHNS RIVER, LOWER	DEEP CREEK	2549	Dissolved Oxygen, Iron, Lead, Cadmium, Copper, Silver, Nutrients, Biochemical Oxygen Demand		High	Group 2	2002
ST JOHNS RIVER, LOWER	CRACKER BRANCH	2555	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		High	Group 2	2002
ST JOHNS RIVER, LOWER	WEST RUN INTERCEPTER D	2569	Dissolved Oxygen, Iron, Silver, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 2	2002
ST JOHNS RIVER, LOWER	DOG BRANCH	2578	Dissolved Oxygen, Nutrients, Turbidity, Lead		Low	Group 2	2008
ST JOHNS RIVER, LOWER	SIXTEENMILE CREEK	2589	Dissolved Oxygen, Nutrients		Low	Group 2	2008
ST JOHNS RIVER, LOWER	MILL BRANCH	2592	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		High	Group 2	2002
ST JOHNS RIVER, LOWER	TROUT RIVER	2203A	Nutrients, Coliforms, Cadmium		Low	Group 2	2008
ST JOHNS RIVER, LOWER	CEDAR POINT CREEK	2205B	Nutrients, Iron		Low	Group 2	2008
ST JOHNS RIVER, LOWER	INTERCOASTAL WATERWAY	2205C	Dissolved Oxygen, Coliforms		Low	Group 2	2008
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE MOUTH	2213A	Fluoride, Total Suspended Solids		Low	Group 2	2008
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE INTERCOASTAL WATERWAY	2213B	Coliforms, Turbidity, Total Suspended Solids		High	Group 2	2002
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE DAMES PT	2213C	Nutrients, Turbidity, Total Suspended Solids		High	Group 2	2002
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE TROUT RIVER	2213D	Coliforms, Nutrients, Turbidity, Total Suspended Solids		High	Group 2	2002
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE WARREN BRIDGE	2213E	Coliforms, Nutrients		High	Group 2	2002
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE PINEY POINT	2213F	Coliforms, Mercury, Nutrients		High	Group 2	2002 & 2011 (mercury)
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE DOCTOR LAKE	2213G	Iron, Nutrients		High	Group 2	2002
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE TOCOI	2213K	Lead, Copper, Silver, Nutrients		High	Group 2	2002
ST JOHNS RIVER, LOWER	ST JOHNS RIVER ABOVE FEDERAL PT	2213L	Lead, Cadmium, Copper, Silver, Nutrients		High	Group 2	2002
ST JOHNS RIVER, LOWER	ORTEGA RIVER	2213P	Nutrients, Coliforms, Lead, Copper, Total Suspended Solids, Dissolved Oxygen		Low	Group 2	2008
ST JOHNS RIVER, LOWER	MCCOY CREEK	2262A	Lead, Copper, Zinc, Nutrients, Total Suspended Solids		High	Group 2	2004
ST JOHNS RIVER, LOWER	ARLINGTON RIVER	2265A	Nutrients, Lead, Copper		Low	Group 2	2008
ST JOHNS RIVER, LOWER	POTTSBURG CREEK	2265B	Coliforms, Nutrients, Copper, Turbidity		Low	Group 2	2008
ST JOHNS RIVER, LOWER	BLACK CREEK	2415B	Dissolved Oxygen, Iron, Lead, Cadmium, Silver		Low	Group 2	2008

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
ST JOHNS RIVER, LOWER	BLACK CREEK SOUTH FORK	2415C	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead, Silver		Low	Group 2	2008
ST JOHNS RIVER, LOWER	RICE CREEK DOWNSTREAM TO MILL	2567A	Dissolved Oxygen, Iron, Lead, Cadmium, Silver, Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 2	2004
ST JOHNS RIVER, LOWER	RICE CREEK UPSTREAM TO MILL	2567B	Coliforms, Nutrients, Iron, Lead		Low	Group 2	2004
ST JOHNS RIVER, LOWER	HAW CREEK ABOVE CRESCENT LAKE	2622A	Nutrients, Iron, Coliforms, Lead, Selenium, Silver, Dissolved Oxygen, Biochemical Oxygen Demand		High	Group 2	2002
ST JOHNS RIVER, LOWER	LITTLE HAW CREEK	2630A	Dissolved Oxygen, Coliforms, Iron, Lead, Selenium		High	Group 2	2004
ST JOHNS RIVER, UPPER	DEEP CREEK - LAKE ASHBY CANAL	2925	Coliforms, Iron, Lead, Cadmium, Silver		Low	Group 3	2008
ST JOHNS RIVER, UPPER	RAVENNA PARK DITCHES (Smith Canal)	2962	Dissolved Oxygen, Coliforms, Nutrients, Iron, Turbidity		Low	Group 3	2008
ST JOHNS RIVER, UPPER	ROCK SPRINGS RUN	2967	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		High	Group 3	2004
ST JOHNS RIVER, UPPER	LAKE JESSUP	2981	Un-ionized Ammonia, Nutrients		High	Group 3	2004
ST JOHNS RIVER, UPPER	SOLDIER CREEK REACH	2986	Dissolved Oxygen, Coliforms, Nutrients, Lead		Low	Group 3	2008
ST JOHNS RIVER, UPPER	LITTLE WEKIVA RIVER	2987	Coliforms, Nutrients		Low	Group 3	2008
ST JOHNS RIVER, UPPER	LAKE PREVATT	2993	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 3	2008
ST JOHNS RIVER, UPPER	LITTLE ECONLOCKHATCHEE	3001	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 3	2008
ST JOHNS RIVER, UPPER	LITTLE WEKIVA CANAL	3004	Dissolved Oxygen, Coliforms, Nutrients, Biochemical Oxygen Demand		Low	Group 3	2008
ST JOHNS RIVER, UPPER	CRANE STRAND DRAIN	3014	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand		High	Group 3	2004
ST JOHNS RIVER, UPPER	LONG BRANCH	3030	Dissolved Oxygen, Coliforms, Iron, Nutrients, Biochemical Oxygen Demand, Turbidity		High	Group 3	2002 (nutrients), 2004, 2011 (mercury)
ST JOHNS RIVER, UPPER	CRABGRASS CREEK	3073	Dissolved Oxygen, Coliforms, Nutrients, Iron, Lead		Low	Group 3	2008
ST JOHNS RIVER, UPPER	WOLF CREEK	3075	Dissolved Oxygen, Nutrients, Coliforms, Cadmium, Iron, Lead		Low	Group 3	2008
ST JOHNS RIVER, UPPER	JANE GREEN CREEK	3084	Dissolved Oxygen, Nutrients, Iron, Lead		Low	Group 3	2008
ST JOHNS RIVER, UPPER	DRAINED FARMLAND	3140	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 3	2008
ST JOHNS RIVER, UPPER	FORT DRUM CREEK	3154	Dissolved Oxygen, Coliforms, Nutrients, Lead		Low	Group 3	2008
ST JOHNS RIVER, UPPER	SAWGRASS LAKE	28931	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008, 2011 (mercury)
ST JOHNS RIVER, UPPER	BLUE SPRINGS	28933	Nutrients		High	Group 3	2004
ST JOHNS RIVER, UPPER	ST JOHNS RIVER ABOVE WEKIVA RIVER	2893C	Dissolved Oxygen, Lead, Nutrients, Total Suspended Solids, Biochemical Oxygen Demand		Low	Group 3	2008
ST JOHNS RIVER, UPPER	LAKE MONROE	2893D	Dissolved Oxygen, Nutrients, Lead, Un-ionized Ammonia, Selenium		Low	Group 3	2008
ST JOHNS RIVER, UPPER	ST JOHNS RIVER ABOVE PUZZLE LAKE	2893I	Dissolved Oxygen, Coliforms, Lead, Nutrients, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008, 2011 (mercury)
ST JOHNS RIVER, UPPER	LAKE POINSETT	2893K	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008, 2011 (mercury)
ST JOHNS RIVER, UPPER	ST JOHNS RIVER ABOVE LAKE POINSETT	2893L	Dissolved Oxygen, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2002 (nutrients), 2004, 2011 (mercury)
ST JOHNS RIVER, UPPER	ST JOHNS RIVER ABOVE LAKE WINDER	2893N	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2002 (nutrients), 2004, 2011 (mercury)
ST JOHNS RIVER, UPPER	ST JOHNS RIVER ABOVE LAKE WASHINGTON	2893P	Dissolved Oxygen, Iron, Lead, Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2002 (nutrients), 2004, 2011 (mercury)

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
ST JOHNS RIVER, UPPER	LAKE HELEN BLAZES	2893Q	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2002 (nutrients), 2004, 2011 (mercury)
ST JOHNS RIVER, UPPER	ST JOHNS RIVER ABOVE SAWGRASS LAKE	2893X	Dissolved Oxygen, Nutrients, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		High	Group 3	2002 (nutrients), 2004, 2011 (mercury)
ST JOHNS RIVER, UPPER	ST JOHNS RIVER ABOVE LAKE GEORGE	2893Z	Dissolved Oxygen, Nutrients, Total Suspended Solids		Low	Group 3	2008
ST JOHNS RIVER, UPPER	BUCK LAKE	2918B	Coliforms		Low	Group 3	2008
ST JOHNS RIVER, UPPER	BLACK WATER CREEK	2929A	Dissolved Oxygen, Nutrients, Iron, Lead, Cadmium, Selenium, Zinc		Low	Group 3	2008
ST JOHNS RIVER, UPPER	WEKIVA SPRINGS	2956C	Nutrients, Coliforms		High	Group 3	2004
ST JOHNS RIVER, UPPER	LAKE HARNEY	2964A	Dissolved Oxygen, Nutrients, Cadmium, Silver		Low	Group 3	2008
ST JOHNS RIVER, UPPER	LOUGHMAN LAKE	2978A	Biological Oxygen Demand, Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST JOHNS RIVER, UPPER	SALT LAKE	2978B	Biological Oxygen Demand, Dissolved Oxygen, Nutrients		Low	Group 3	2008
ST JOHNS RIVER, UPPER	LAKE JESSUP NEAR ST JOHNS RIVER	2981A	Dissolved Oxygen, Nutrients		High	Group 3	2004
ST JOHNS RIVER, UPPER	ECONLOCKHATCHEE RIVER	2991A	Dissolved Oxygen, Coliforms, Nutrients, Lead, Biochemical Oxygen Demand, Mercury (Based on Fish Consumption Advisory)		Low	Group 3	2008, 2011 (mercury)
ST JOHNS RIVER, UPPER	GEE CREEK	2994A	Coliforms, Nutrients, Lead		Low	Group 3	2008
ST JOHNS RIVER, UPPER	FOX LAKE	3008A	Nutrients		High	Group 3	2004
ST MARKS RIVER	WARD CREEK	459	Dissolved Oxygen, Coliforms (fecal & total)		High	Group 1	2002
ST MARKS RIVER	BLACK CREEK	628	Dissolved Oxygen		Low	Group 1	2007
ST MARKS RIVER	ALFORD ARM	647	Dissolved Oxygen		Medium	Group 1	2007
ST MARKS RIVER	LAKE LAFAYETTE DRAIN	756	Coliforms (fecal & total), Turbidity, Dissolved Oxygen		High/Medium	Group 1	2002
ST MARKS RIVER	COPELAND SINK DRAIN	808	Dissolved Oxygen		Low	Group 1	
ST MARKS RIVER	GODBY DITCH	820	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand		High	Group 1	2002
ST MARKS RIVER	CENTRAL DRAINAGE DITCH	857	Nutrients, Turbidity, Total Suspended Solids, Coliforms (fecal & total)		High	Group 1	2002
ST MARKS RIVER	ST AUGUSTINE BRANCH	865	Nutrients, Turbidity, Total Suspended Solids, Coliforms (fecal & total)		High	Group 1	2002
ST MARKS RIVER	EAST DRAINAGE DITCH	916	Nutrients, Turbidity, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms (fecal & total)		High	Group 1	2002
ST MARKS RIVER	CHICKEN BRANCH	971	Dissolved Oxygen		Low	Group 1	
ST MARKS RIVER	LOST CREEK	995	Dissolved Oxygen		Low	Group 1	
ST MARKS RIVER	WAKULLA RIVER	1006	Biology		Medium	Group 1	2007
ST MARKS RIVER	MCBRIDE SLOUGH	1028	Dissolved Oxygen		Low	Group 1	
ST MARKS RIVER	APALACHEE BAY (west)	8026	Bacteria (shellfish)		Medium	Group 1	2007
ST MARKS RIVER	LAKE LAFAYETTE - UPPER	756A	Nutrients (TSI), Dissolved Oxygen		High	Group 1	2002
ST MARKS RIVER	LAKE PINEY Z	756B	Nutrients (TSI), Dissolved Oxygen		Medium	Group 1	2002
ST MARKS RIVER	LAKE LAFAYETTE - LOWER	756C	Nutrients (TSI), Dissolved Oxygen		High/Medium	Group 1	2002
ST MARKS RIVER	LAKE MICCOSUKEE	791L	Dissolved Oxygen, Coliforms (total), Mercury (Based on Fish Consumption Advisory)		Medium/Low	Group 1	2007, 2011 (mercury)
ST MARKS RIVER	ST. MARKS RIVER	793A	Coliforms (fecal & total), Dissolved Oxygen		High	Group 1	2002
ST MARKS RIVER	ST MARKS RIVER	793B	Dissolved Oxygen		Low	Group 1	
ST MARKS RIVER	SHELL POINT	8026B	Bacteria (beach advisory)		High	Group 1	2007
ST MARKS RIVER	LAKE MUNSON	807A	Nutrients		Low	Group 1	2007
ST MARKS RIVER	LAKE MUNSON	807C	Dissolved Oxygen, Nutrients (TSI)		Medium	Group 1	2007

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
ST MARKS RIVER	MUNSON SLOUGH (ABOVE LAKE)	807D	Dissolved Oxygen, Coliforms (fecal & total), Nutrients		Medium/Low	Group 1	2007
ST MARKS RIVER	LAKE BRADFORD	878A	Dissolved Oxygen		Low	Group 1	2007
ST MARKS RIVER	LAKE WEEKS	971B	Dissolved Oxygen		Medium	Group 1	2007
ST MARYS RIVER	LITTLE ST. MARYS RIVER	2106	Dissolved Oxygen, Coliforms, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
ST MARYS RIVER	AMELIA RIVER	2124	Nutrients		High	Group 4	2005
ST MARYS RIVER	MIDDLE PRONG ST. MARYS	2211	Coliforms, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010
ST MARYS RIVER	ST. MARYS RIVER AB ICWW	2097A	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
ST MARYS RIVER	ST. MARYS RIVER	2097B	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
ST MARYS RIVER	ST. MARYS RIVER	2097C	Dissolved Oxygen, Nutrients, Total Suspended Solids, Coliforms		Low	Group 4	2010
ST MARYS RIVER	ST MARYS RIVER	2097F	Biochemical Oxygen Demand		Low	Group 4	2010
ST MARYS RIVER	ST MARYS RIVER	2097I	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2010, 2011 (mercury)
ST MARYS RIVER	ST MARYS RIVER	2097J	Biochemical Oxygen Demand		Low	Group 4	2010
ST MARYS RIVER	ST. MARYS R. N. PRONG	2097K	Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2011
ST MARYS RIVER	JACKSON CREEK	2140A	Nutrients		Low	Group 4	2010
SUWANNEE RIVER, LOWER	SUWANNEE RIVER, LOWER	3422	Nutrients		Low	Group 1	
SUWANNEE RIVER, LOWER	ANDERSON BAY DRAIN	3430	Dissolved Oxygen		Low	Group 1	
SUWANNEE RIVER, LOWER	PEACOCK SLOUGH	3483	Dissolved Oxygen		Low	Group 1	
SUWANNEE RIVER, LOWER	ALLEN MILL POND	3525	Dissolved Oxygen, Nutrients		Low	Group 1	2007
SUWANNEE RIVER, LOWER	SANDERS CREEK	3702	Coliforms (fecal)		Low	Group 1	
SUWANNEE RIVER, LOWER	BLACK POINT SWAMP	3729	Coliforms (fecal)		Low	Group 1	
SUWANNEE RIVER, LOWER	SUWANNEE GULF 1	8029	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
SUWANNEE RIVER, LOWER	SUWANNEE GULF 2	8030	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
SUWANNEE RIVER, LOWER	SUWANNEE GULF 3	8031	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
SUWANNEE RIVER, LOWER	SUWANNEE GULF 4	8032	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
SUWANNEE RIVER, LOWER	SUWANNEE GULF 5	8033	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
SUWANNEE RIVER, LOWER	SUWANNEE GULF 6	8034	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
SUWANNEE RIVER, LOWER	SUWANNEE GULF 7	8035	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/Low	Group 1	2008, 2011 (mercury)
SUWANNEE RIVER, LOWER	SUWANNEE RIVER, LOWER	3422A	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
SUWANNEE RIVER, LOWER	SUWANNEE RIVER, LOWER	3422B	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011 (mercury)
SUWANNEE RIVER, LOWER	LOWER SUWANNEE ESTUARY	3422D	Nutrients, Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium	Group 1	2007, 2011 (mercury)
SUWANNEE RIVER, LOWER	MANATEE SPRINGS	3422R	Biology		Low	Group 1	
SUWANNEE RIVER, LOWER	DEKLE BEACH	8032A	Coliforms (beach advisory)		Medium	Group 1	2007
SUWANNEE RIVER, LOWER	KEATON BEACH	8032B	Coliforms (beach advisory)		Medium	Group 1	2007
SUWANNEE RIVER, LOWER	CEDAR BEACH	8032C	Coliforms (beach advisory)		Medium	Group 1	2007
SUWANNEE RIVER, UPPER	SUWANNEE RIVER (UPPER)	3341	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011 (mercury)
SUWANNEE RIVER, UPPER	SWIFT CREEK	3375	Dissolved Oxygen, Nutrients		Low	Group 1	2002
SUWANNEE RIVER, UPPER	DEEP CREEK	3388	Coliforms (fecal & total)		Low	Group 1	2002
SUWANNEE RIVER, UPPER	ROARING CREEK	3392	Nutrients		Low	Group 1	2002
SUWANNEE RIVER, UPPER	CAMP BRANCH	3401	Coliforms (fecal & total)		Low	Group 1	2002

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
SUWANNEE RIVER, UPPER	FALLING CREEK	3477	Nutrients, Coliforms (fecal)		Low	Group 1	2002
SUWANNEE RIVER, UPPER	LAKE JEFFERY OUTLET	3499	Biology	Listing based on biological sampling.	Low	Group 1	2002
TAMPA BAY	BROOKER CREEK	1474	Dissolved Oxygen, Coliforms (fecal)		High	Group 1	2003
TAMPA BAY	BRUSHY CREEK	1498	Dissolved Oxygen, Coliforms (fecal & total)		Low	Group 1	2008
TAMPA BAY	ROCKY CREEK	1507	Dissolved Oxygen, Coliforms (fecal & total), Nutrients, Total Suspended Solids		High	Group 1	2003
TAMPA BAY	DOUBLE BRANCH	1513	Dissolved Oxygen, Coliforms (fecal & total), Nutrients		Low	Group 1	2008
TAMPA BAY	SWEETWATER CREEK - UPPER	1516	Dissolved Oxygen, Coliforms (total), Nutrients (chla & historic chla),		Low	Group 1	2008
TAMPA BAY	COW BRANCH	1529	Dissolved Oxygen, Coliforms (fecal)		Low	Group 1	
TAMPA BAY	MOCCASIN CREEK	1530	Dissolved Oxygen, Coliforms (fecal), Nutrients (chla)		Low	Group 1	2008
TAMPA BAY	CHANNEL G	1563	Dissolved Oxygen, Nutrients (chla), Coliforms (fecal)		Low	Group 1	2008
TAMPA BAY	BISHOP CREEK	1569	Dissolved Oxygen, Coliforms (fecal & total)		Low	Group 1	2008
TAMPA BAY	ALLIGATOR CREEK	1574	Nutrients (chla), Dissolved Oxygen, Coliforms (fecal & total)		Low	Group 1	2008
TAMPA BAY	MULLET CREEK	1575	Dissolved Oxygen, Coliforms (fecal & total)		Low	Group 1	2008
TAMPA BAY	BELLOWS LAKE OUTLET	1579	Dissolved Oxygen, Coliforms (fecal & total), Nutrients		Low	Group 1	2008
TAMPA BAY	ALLEN CREEK	1604	Dissolved Oxygen, Nutrients, Coliforms (fecal)		Low	Group 1	2008
TAMPA BAY	DELANEY CREEK	1605	Dissolved Oxygen, Coliforms (fecal & total), Lead, Nutrients, Biochemical Oxygen Demand		High	Group 1	2003
TAMPA BAY	DIRECT RUNOFF TO BAY	1624	Dissolved Oxygen, Coliforms (fecal & total), Un-ionized Ammonia		High	Group 1	2003
TAMPA BAY	CROSS CANAL (NORTH)	1625	Dissolved Oxygen, Coliforms (fecal), Nutrients (chla)		Low	Group 1	2008
TAMPA BAY	LONG BRANCH	1627	Dissolved Oxygen, Coliforms (fecal & total)		High	Group 1	2003
TAMPA BAY	BLACK POINT CHANNEL	1637	Dissolved Oxygen, Nutrients		Low	Group 1	2008
TAMPA BAY	SNUG HARBOR	1654	Dissolved Oxygen		Low	Group 1	2008
TAMPA BAY	BULLFROG CREEK	1666	Coliforms (fecal & total)		Medium	Group 1	2008
TAMPA BAY	SMACKS BAYOU	1683	Dissolved Oxygen, Coliforms (fecal), Nutrients (chla)		Low	Group 1	2008
TAMPA BAY	COFFEEPOT BAYOU	1700	Dissolved Oxygen, Coliforms (fecal), Nutrients (chla)		Low	Group 1	2008
TAMPA BAY	COCKROACH BAY	1778	Dissolved Oxygen, Nutrients (chla), Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/Low	Group 1	2008, 2011 (mercury)
TAMPA BAY	LAKE JUANITA	1473W	Nutrients (historic TSI)		Medium	Group 1	2008
TAMPA BAY	MOUND LAKE	1473X	Nutrients (historic TSI)		Medium	Group 1	2008
TAMPA BAY	CALM LAKE	1473Y	Nutrients (historic TSI)		Medium	Group 1	2008
TAMPA BAY	DEAD LADY LAKE	1474D	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	CRESCENT	1474V	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	LAKE REINHEIMER - OPEN	1478H	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	LAKE TARPON	1486A	Dissolved Oxygen, Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	BUCK LAKE	1493E	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	BRANT LAKE	1494B	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	SUNSET LAKE	1496A	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	LAKE ESTES	1502A	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	CHAPMAN LAKE	1502C	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	ROCKY CREEK	1507A	Dissolved Oxygen, Nutrients (historic chla & chla)		High	Group 1	2003
TAMPA BAY	LAKE CARROLL	1516A	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	LAKE MADELENE	1516B	Nutrients (TSI)		Medium	Group 1	2008
TAMPA BAY	LAKE ELLEN - OPEN WATER	1516E	Nutrients (TSI)		Medium	Group 1	2008

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
TAMPA BAY	TAMPA BYPASS CANAL	1536C	Dissolved Oxygen, Nutrients (chla), Coliforms (total)		Low/ Medium	Group 1	2008
TAMPA BAY	PALM RIVER	1536E	Dissolved Oxygen, Nutrients (historic chla & chla)		Low	Group 1	2008
TAMPA BAY	SIXMILE CREEK (Tampa Bypass Canal)	1536F	Dissolved Oxygen, Nutrients (chla), Biochemical Oxygen Demand		Low	Group 1	2008
TAMPA BAY	LAKE TARPON CANAL	1541A	Dissolved Oxygen, Coliforms (fecal & total), Nutrients		Low	Group 1	2008
TAMPA BAY	LAKE TARPON CANAL	1541B	Dissolved Oxygen		Low	Group 1	2008
TAMPA BAY	LAKE TARPON SOUTH COVE	1541C	Dissolved Oxygen		Low	Group 1	
TAMPA BAY	TAMPA BAY LOWER	1558A	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/ Low	Group 1	2008, 2011
TAMPA BAY	TAMPA BAY MID	1558B	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/ Low	Group 1	2008, 2011
TAMPA BAY	TAMPA BAY UPPER	1558C	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
TAMPA BAY	HILLSBOROUGH BAY LOWER	1558D	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
TAMPA BAY	HILLSBOROUGH BAY UPPER	1558E	Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2011
TAMPA BAY	OLD TAMPA BAY LOWER	1558F	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/ Low	Group 1	2008, 2011 (mercury)
TAMPA BAY	OLD TAMPA BAY	1558G	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/ Low	Group 1	2008, 2011
TAMPA BAY	OLD TAMPA BAY	1558H	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/ Low	Group 1	2008, 2011
TAMPA BAY	BEN T. DAVIS NORTH	1558HB	Dissolved Oxygen		Low	Group 1	
TAMPA BAY	OLD TAMPA BAY	1558I	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/ Low	Group 1	2008, 2011
TAMPA BAY	SWEETWATER CREEK TIDAL - LOWER	1570A	Dissolved Oxygen, Coliforms (fecal & total), Nutrients (chla & historic chla)		High	Group 1	2003
TAMPA BAY	ALLIGATOR LAKE	1574A	Dissolved Oxygen, Nutrients (historic chla & chla)		Low	Group 1	2008
TAMPA BAY	YBOR CITY DRAIN	1584A	Nutrients, Total Suspended Solids, Biochemical Oxygen Demand, Chemical Oxygen Demand		High	Group 1	2003
TAMPA BAY	MCKAY BAY	1584B	Dissolved Oxygen, Nutrients (historic chla & chla), Mercury (Based on Fish Consumption Advisory)		High/ Low	Group 1	2003, 2011 (mercury)
TAMPA BAY	BECKETT LAKE - OPEN WATER	1603C	Nutrients (TSI), Dissolved Oxygen		Medium	Group 1	2008
TAMPA BAY	DELANEY CREEK TIDAL	1605D	Dissolved Oxygen, Nutrients (chla), Coliforms (fecal & total), Lead		Medium	Group 1	2008
TAMPA BAY	LONG BRANCH TIDAL	1627B	Dissolved Oxygen		Low	Group 1	
TAMPA BAY	BULLFROG CREEK	1666A	Dissolved Oxygen, Coliforms (fecal & total), Nutrients (chla)		Low	Group 1	2008
TAMPA BAY	LITTLE BAYOU - BASIN Q	1709D	Dissolved Oxygen, Nutrients (chla), Coliforms (fecal)		Medium	Group 1	2008
TAMPA BAY	PINELLAS POINT - BASIN V	1709E	Dissolved Oxygen		Low	Group 1	
TAMPA BAY	FRENCHMAN'S CREEK - BASIN U	1709F	Coliforms (fecal)		Low	Group 1	
TAMPA BAY	TERRA CEIA BAY	1797A	Coliforms (fecal)		Low	Group 1	
TAMPA BAY	BISHOPS HARBOR	1797B	Nutrients, Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/Lo w	Group 1	2008, 2011 (mercury)
TAYLOR CREEK	TAYLOR CREEK	3205	Nutrients (chla), Dissolved Oxygen, Turbidity		High/ Low	Group 1	2002 (nutrients), 2007
TAYLOR CREEK	CHANDLER HAMMOCK SLOUGH	3199B	Nutrients (chla), Turbidity, Dissolved Oxygen		High	Group 1	2002
TAYLOR CREEK	NUBBIN SLOUGH	3203A	Nutrients (chla), Dissolved Oxygen, Coliforms (fecal & total)		High/ Low	Group 1	2002 (nutrients), 2007
TAYLOR CREEK	MOSQUITO CREEK	3203B	Dissolved Oxygen, Nutrients (chla), Coliforms (fecal & total)		High	Group 1	2002
TAYLOR CREEK	OTTER CREEK	3205D	Dissolved Oxygen, Nutrients (chla)		High	Group 1	2002
WACCASASSA RIVER	WACCASASSA RIVER	3699	Coliforms (fecal & total)		Medium	Group 1	2007
WACCASASSA RIVER	SANDERS CREEK	3702	Coliforms (fecal)		Low	Group 1	

HUC Name	Water Segment	WBID	Parameters of Concern	Comments	Priority	Basin Rotation Group	Projected Year of TMDL Development
WACCASASSA RIVER	HORSEHOLE CREEK	3703	Dissolved Oxygen		Low	Group 1	2007
WACCASASSA RIVER	BLACK POINT SWAMP	3729	Nutrients (chla), Coliforms (fecal)		Medium	Group 1	2007
WACCASASSA RIVER	LITTLE WACCASASSA RIVER	3747	Dissolved Oxygen		Low	Group 1	2007
WACCASASSA RIVER	WACCASASSA RIVER GULF 1	8037	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/Low	Group 1	2007, 2011
WACCASASSA RIVER	WACCASASSA RIVER GULF 2	8038	Coliforms (shellfish), Mercury (Based on Fish Consumption Advisory)		Medium/Low	Group 1	2007, 2011
WITHLACOOCHE RIVER SOUTH	LESLIE-HEFNER CANAL	1357	Dissolved Oxygen		High	Group 4	2005
WITHLACOOCHE RIVER SOUTH	BIG GANT CANAL	1378	Dissolved Oxygen, Coliforms		Low	Group 4	2010
WITHLACOOCHE RIVER SOUTH	LITTLE WITHLACOOCHE RIVER	1381	Dissolved Oxygen, Coliforms		Low	Group 4	2010
WITHLACOOCHE RIVER SOUTH	DADE CITY CANAL	1399	Nutrients, Dissolved Oxygen, Biochemical Oxygen Demand		High	Group 4	2005
WITHLACOOCHE RIVER SOUTH	LAKE MATTIE OUTLET	1476	Nutrients		Low	Group 4	2010
WITHLACOOCHE RIVER SOUTH	RAINBOW RIVER	1320A	Nutrients		High	Group 4	2005
WITHLACOOCHE RIVER SOUTH	LAKE ROUSSEAU	1329B	Dissolved Oxygen, Coliforms, Nutrients		Low	Group 4	2010
WITHLACOOCHE RIVER SOUTH	LAKE LINDSEY	1329H	Dissolved Oxygen, Coliforms		Low	Group 4	2010
WITHLACOOCHEE RIVER NORTH	WITHLACOOCHEE RIVER	3315	Nutrients, Mercury (Based on Fish Consumption Advisory)		Low	Group 1	2007, 2011 (mercury)
WITHLACOOCHEE RIVER NORTH	JUMPING GULLY CREEK	3318	Dissolved Oxygen, Nutrients, Turbidity		Low	Group 1	2007
YELLOW RIVER	YELLOW RIVER	30	Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory)		Low	Group 4	2011
YELLOW RIVER	MURDER CREEK	107	Dissolved Oxygen, Coliforms		Low	Group 4	2011
YELLOW RIVER	TURKEY CREEK	117	Coliforms, Turbidity		Low	Group 4	2011

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Fisheating Creek	Fisheating Creek Planning Unit	3201A1	Fisheating Creek		Dissolved Oxygen	5	Medium	VL2
Fisheating Creek	Fisheating Creek Planning Unit	3201A1	Fisheating Creek		Iron	5	Low	VL2
Fisheating Creek	Fisheating Creek Planning Unit	3201A1	Fisheating Creek		Mercury (in fish tissue)	5	High*	VL2
Fisheating Creek	Fisheating Creek Planning Unit	3201A1	Fisheating Creek		Nutrients (Historic Chlorophyll-a)	5	Medium	VL2
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3198	C-41A		Nutrients (Chlorophyll-a)	5	Medium	VL2
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3204	HARNEY POND CANAL	Dissolved Oxygen	Dissolved Oxygen	5	Low	VL1
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3204	HARNEY POND CANAL	Nutrients	Nutrients (Chl a)	5	Low	VL1
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3206	INDIAN PRAIRIE CANAL	Dissolved Oxygen	Dissolved Oxygen	5	High	VL1
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3206	INDIAN PRAIRIE CANAL	Nutrients	Nutrients (Chl a)	5	High	VL1
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3222	L-49		Dissolved Oxygen	4d		4Dc2
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3229	S-131		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1573E	Lake Weohyakapka		Nutrients (Historic TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1619	Tiger Creek		Biology	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1619	Tiger Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1619A	Lake Wales		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1663	Crooked Lake		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1685A	LAKE ARBUCKLE		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1685B	LIVINGSTON CREEK		Dissolved Oxygen	5	Medium	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1685D	Reedy Lake		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1706	LAKE CLINCH		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1706	Lake Clinch		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1730	Lake Hickory (Center Segment)		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1730B	LIVINGSTON LAKE		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1730E	Pabor Lake		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1761A	Arbuckle Creek Above Wildcat Slough		Biology	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1761B	Arbuckle Creek Above Morgan Hole Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1761D1	Morgan Hole Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1761D1	Morgan Hole Creek		Fecal Coliform	5	Low	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1761D3	Lake Arbuckle Drain		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1761H	Lake Lucas		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1761J	Arbuckle Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1813E	Bonnet Lake		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1813F	Lake Angelo		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1813G	Little Bonnet Lake		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1813L	Lake Glenada		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1842	LAKE SEBRING		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1856B	Lake Istokpoga		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1856B	LAKE ISTOKPOGA		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1860A	JOSEPHINE CREEK		Dissolved Oxygen	5	Medium	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1860A	JOSEPHINE CREEK		Nutrients (Chl a)	5	Medium	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1860B	LAKE JOSPHINE		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1860B	LAKE JOSPHINE		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1860C	Jackson Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Istokpoga Planning Unit	1860C	Jackson Creek		Nutrients (Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Lake Istokpoga Planning Unit	1893	HUCKLEBERRY LAKE		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Lake Istokpoga Planning Unit	1898A	Lake Wolf Outlet		Copper	5	Medium	VL2

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Kissimmee River	Lake Istokpoga Planning Unit	1898A	Lake Wolf Outlet		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Placid Planning Unit	1932	Grassy Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Placid Planning Unit	1938A	LAKE JUNE IN WINTER		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Lake Placid Planning Unit	1938C	LAKE PLACID		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Lake Placid Planning Unit	1938E	PERSIMMON LAKE		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Lake Placid Planning Unit	1938H	Lake Annie		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lake Placid Planning Unit	1938H	Lake Annie		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Lake Placid Planning Unit	1938Y	Lake Placid Outlet		Copper	5	Medium	VL2
Kissimmee River	Lake Placid Planning Unit	1938Y	Lake Placid Outlet		Dissolved Oxygen (Nutrients)	5	Medium	VL2
Kissimmee River	Lake Placid Planning Unit	1938Y	Lake Placid Outlet		Nutrients (Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Lower Kissimmee Planning Unit	1856A	Istokpoga Canal		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	1856A	Istokpoga Canal		Fecal Coliform	5	Low	VL2
Kissimmee River	Lower Kissimmee Planning Unit	1856A	Istokpoga Canal		Nutrients (Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3186D	Eightmile Slough	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3186D	Eightmile Slough		Fecal Coliform	5	Low	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3186E	Packingham Slough	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3186E	Packingham Slough	Nutrients	Nutrients (Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3186G	Blanket Bay Slough	Dissolved Oxygen	Dissolved Oxygen (BOD)	5	Medium	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3186G	Blanket Bay Slough	Nutrients	Nutrients (Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3187D	Kissimmee River Below S-65A		Dissolved Oxygen (BOD)	5	Medium	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3188A	Chandler Slough	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3188B	Farm Area	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3188B	Farm Area		Fecal Coliform	5	Low	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3188C	Kissimmee River Above S-65D	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3192C	Oak Creek	Dissolved Oxygen	Dissolved Oxygen (Nutrients and BOD)	5	Medium	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3192C	Oak Creek	Coliforms	Fecal Coliform	5	Low	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3192C	OAK CREEK	Nutrients	Nutrients (Chl a)	5	High	VL1
Kissimmee River	Lower Kissimmee Planning Unit	3192E	Kissimmee River Restored Section		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3202	Kissimmee River		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3202	Kissimmee River		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3202	Kissimmee River		Nutrients (Historic Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Lower Kissimmee Planning Unit	3207	S-154C		Dissolved Oxygen	5	Medium	VL1
Kissimmee River	Lower Kissimmee Planning Unit	3209	Kissimmee River		Biology	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3209	Kissimmee River	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Kissimmee River	Lower Kissimmee Planning Unit	3209	Kissimmee River		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	1436	Horseshoe Creek	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	1436	HORSESHOE CREEK	Coliform Bacteria	Fecal Coliform	5	High	VL1
Kissimmee River	Upper Kissimmee Planning Unit	1436A	LAKE DAVENPORT - OPEN		Dissolved Oxygen	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	1472A1	Lake Marion Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	1472A1	Lake Marion Creek		Nutrients (Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	1472B	LAKE HATCHINEHA		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	1472B	Lake Hatchineha		Nutrients (TSI Trend)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	1472C	Dead River		Biology	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	1472C	Dead River		Dissolved Oxygen (Nutrients)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	1480	Lake Marion		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	1480	Lake Marion		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	1532A	Lake Pierce		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	1532B	Lake Marie		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	1573A	Tiger Lake		Mercury (in fish tissue)	5	High*	VL2

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Kissimmee River	Upper Kissimmee Planning Unit	3168B	Boggy Creek		Fecal Coliform	5	Low	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168C	Lake Jessamine		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168D	Lake Gatlin		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168H	LAKE HOLDEN	Nutrients	Nutrients (TSI)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3168I	PINELOCH		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3168J	Jennie Jewel Lake		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168M	LAKE COPELAND		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3168N	LAKE OLIVE		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3168Q	Lake Warren (Lake Mare Prarie)		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168W1	Lake Mary Gem		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168W2	Druid Lake		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168W3	Lake Wade		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168W5	Lake Tyner		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3168W6	Lake Warren		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3168W7	Lake Bumby		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168X5	Lake Condel		Fecal Coliform	5	Low	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168X8	Lake Angel		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168Y2	Lake Como (Orange County)		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3168Y3	Lake Greenwood		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3168Y4	Lake Davis		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168Y7	Lake Theresa		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3168Z1	Lake Lucerne (West)		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3168Z9	Lake Lawsona		Nutrients (Historic TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3169C	Big Sand Lake		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3169G	CLEAR LAKE		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3169G4	Lake Kozart		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3169G5	Lake Walker		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3169G6	Lake Richmond		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3169G8	Lake Beardall		Nutrients (Historic TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3169H	LAKE LORNA DOONE		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3169I	LAKE MANN		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3169P	LAKE CATHERINE		Dissolved Oxygen	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3169P	LAKE CATHERINE		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3169Q	Rock Lake		Nutrients (Historic TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3169Q	ROCK LAKE		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3169S	Christie Lake		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170B	LAKE RUSSELL		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3170C	REEDY CK ABOVE L. RUSS	Dissolved Oxygen	Dissolved Oxygen	5	High	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3170D	Bonnet Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3170D	Bonnet Creek		Fecal Coliform	5	Low	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170F2	Reedy Creek (North Segment)		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3170F2	Reedy Creek (North Segment)		Fecal Coliform	5	Low	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170F3	Bonnet Creek North		Dissolved Oxygen (BOD)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170F3	Bonnet Creek North		Nutrients (Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170FE	Lake Britt		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3170H	Lake Sheen		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170J	Cypress Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3170J	Cypress Creek		Fecal Coliform	5	Low	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170J1	Lake Butler Drain		Dissolved Oxygen (BOD)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170J1	Lake Butler Drain		Fecal Coliform	5	Low	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170J3	Cypress Lake (Orange County)		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170K	Davenport Creek		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3170K	DAVENPORT CREEK		Fecal Coliform	5	Medium	VL1

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Kissimmee River	Upper Kissimmee Planning Unit	3170Q	LAKE BUTLER		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3170S	Down Lake		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170T	Lake Bessie		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170W	Lake Louise		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3170Y	Lake Tibet Butler		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3171	LAKE HART		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3171	Lake Hart		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3171A	Lake Mary Jane		Iron	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3171A	LAKE MARY JANE		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3171C	RED LAKE		Copper	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3172	EAST LAKE TOHOPEKALIGA	Mercury-Fish	Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3172	East Lake Tohopekaliga		Nutrients (TSI)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3173	CITY DIYCH CANAL		Dissolved Oxygen	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3173A	LAKE TOHOPEKALIGA	Mercury-Fish	Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3173A	Lake Tohopekaliga	Nutrients	Nutrients (TSI Trend)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3173C	Lake Tohopekaliga (South Segment)		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3173D	Mill Slough		Dissolved Oxygen	4d		4Dc2
Kissimmee River	Upper Kissimmee Planning Unit	3176	ALLIGATOR LAKE		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3177	Lake Gentry		Mercury (in fish tissue)	5	High*	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3177A	BRICK LAKE		Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3180A	LAKE CYPRESS	Mercury-Fish	Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3180A	LAKE CYPRESS	Nutrients	Nutrients (TSI)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3180B	South Port Canal		Nutrients (Chlorophyll-a)	5	Medium	VL2
Kissimmee River	Upper Kissimmee Planning Unit	3183B	LAKE KISSIMMEE (MID) (Include previous 3183E and 3183A)	Mercury-Fish	Mercury (in fish tissue)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3183B	LAKE KISSIMMEE (MID) (Include previous 3183E and 3183A)		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3183G	LAKE JACKSON OCEOLA COUNTY		Dissolved Oxygen	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3183G	LAKE JACKSON OCEOLA COUNTY		Nutrients (TSI)	5	Medium	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3184	LAKE MARIAN	Nutrients	Nutrients (TSI)	5	Low	VL1
Kissimmee River	Upper Kissimmee Planning Unit	3186A	Kissimmee River		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Lower St. Marys River Unit	2097A	ST. MARYS RIV AB ICWW	Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue)	5	Low	VL1
Nassau - St. Marys	Lower St. Marys River Unit	2097B	St Marys River	Mercury (based on fish consumption advisory)	Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Lower St. Marys River Unit	2097C	St Marys River	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Lower St. Marys River Unit	2097C	St Marys River		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Lower St. Marys River Unit	2097D	St Marys River		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Lower St. Marys River Unit	2097D	ST. MARYS RIVER		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Nassau - St. Marys	Lower St. Marys River Unit	2106	Little St Marys River	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Lower St. Marys River Unit	2124	AMELIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Nassau - St. Marys	Lower St. Marys River Unit	2127	Egans Creek		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Lower St. Marys River Unit	2140	Jackson Creek		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Lower St. Marys River Unit	8129	LOWER ST.MARYS OCEAN		Mercury (in fish tissue)	5	Low	VL1
Nassau - St. Marys	Middle St. Marys River Unit	2097E	St Marys River		Biology	4d		4Dc2
Nassau - St. Marys	Middle St. Marys River Unit	2097E	ST MARYS RIVER		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Nassau - St. Marys	Middle St. Marys River Unit	2097F	ST MARYS RIVER		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Nassau - St. Marys	Middle St. Marys River Unit	2097G	ST MARYS RIVER		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Nassau - St. Marys	Middle St. Marys River Unit	2105A	Hampton Lake		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Middle St. Marys River Unit	2196	Deep Creek		Dissolved Oxygen	4d		4Dc2

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Nassau - St. Marys	Middle St. Marys River Unit	2196	Deep Creek		Fecal Coliform	5	Low	VL2
Nassau - St. Marys	Nassau River	2120A	Mills Creek		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Nassau River	2120B	Mills Creek		Fecal Coliform	5	Low	VL2
Nassau - St. Marys	Nassau River	2129	Lofton Creek		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2129A	Lofton Creek Upper Segment		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Nassau River	2130	Plummer Creek	Dissolved Oxygen	Dissolved Oxygen (Nutrients)	5	Medium	VL2
Nassau - St. Marys	Nassau River	2140A	Jackson Creek		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2148A	Nassau River		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2148B	Nassau River	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Nassau River	2148B	Nassau River	Nutrients	Nutrients (Historic Chlorophyll-a)	5	Medium	VL2
Nassau - St. Marys	Nassau River	2149	SOUTH AMELIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Nassau - St. Marys	Nassau River	2153	Alligator Creek	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Nassau River	2156	UNNAMED BRANCH		DISSOLVED OXYGEN	5	MEDIUM	VL1
Nassau - St. Marys	Nassau River	2157	Little Mill Creek		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Nassau River	2161	Thomas Creek		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Nassau River	2170	Pumpkin Hill Creek		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2173	Deese Creek		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2174	NASSAU SOUND		Mercury (in fish tissue)	5	Low	VL1
Nassau - St. Marys	Nassau River	2174A	South End		Bacteria (Beach Advisories)	5	High	VL2
Nassau - St. Marys	Nassau River	2176	Mill Branch Creek		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2179	Edwards Creek		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2198	Fort George River		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2198	FORT GEORGE RIVER		SHELLFISH (COLIFORMS)	5	MEDIUM	VL1
Nassau - St. Marys	Nassau River	2198A	Marina Bay at Fort George		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	2198A	MARINA BAY AT FORT GEO		SHELLFISH (COLIFORMS)	5	MEDIUM	VL1
Nassau - St. Marys	Nassau River	8127	Atlantic Ocean (St Johns River; Duval County)		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Nassau River	8128	NASSAU SOUND OCEAN 2		Mercury (in fish tissue)	5	Low	VL1
Nassau - St. Marys	Upper St. Marys River Unit	2097H	ST MARYS RIVER		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Nassau - St. Marys	Upper St. Marys River Unit	2097I	ST MARYS RIVER		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Nassau - St. Marys	Upper St. Marys River Unit	2097J	ST MARYS RIVER		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Nassau - St. Marys	Upper St. Marys River Unit	2097K	St Marys River (North Prong)		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Upper St. Marys River Unit	2097K	ST MARYS RIVER (NORTH PRONG)		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Nassau - St. Marys	Upper St. Marys River Unit	2211	Middle Prong St Marys River	Mercury (based on fish consumption advisory)	Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Upper St. Marys River Unit	2226	Brandy Branch		Biology	4d		4Dc2
Nassau - St. Marys	Upper St. Marys River Unit	2226	Brandy Branch		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Upper St. Marys River Unit	2245	Deep Creek		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Upper St. Marys River Unit	2247	St Marys River (South Prong)		Dissolved Oxygen	4d		4Dc2
Nassau - St. Marys	Upper St. Marys River Unit	2247	St Marys River (South Prong)		Mercury (in fish tissue)	5	High*	VL2
Nassau - St. Marys	Upper St. Marys River Unit	2339	OCEAN POND		MERCURY (IN FISH TISSUE)	5	LOW	VL1
Pensacola	Blackwater River	127	Manning Creek		Dissolved Oxygen	4d		4Dc2
Pensacola	Blackwater River	176	POND CREEK		Fecal Coliform	5	Medium	VL1
Pensacola	Blackwater River	179A	Bear Lake		Dissolved Oxygen	4d		4Dc2
Pensacola	Blackwater River	24	BLACKWATER RIVER		Mercury (in fish tissue)	5	Low	VL1

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Pensacola	Blackwater River	24AA	Blackwater River (Freshwater Segment)	Coliforms	Fecal Coliform	3c		NCD2CD
Pensacola	Blackwater River	24AA	Blackwater River (Freshwater Segment)	Mercury (based on fish consumption advisory)	Mercury (in fish tissue)	5	High*	VL2
Pensacola	Blackwater River	24AA	Blackwater River (Freshwater Segment)	Total Suspended Solids	Turbidity	3c		NCD2CD
Pensacola	Blackwater River	24AB	Blackwater River (Tidal)	Coliforms	Fecal Coliform	5	Medium	VL2
Pensacola	Blackwater River	24AB	Blackwater River (Tidal)	Mercury (based on fish consumption advisory)	Mercury (in fish tissue)	5	High*	VL2
Pensacola	Blackwater River	24B	BLACKWATER RIVER	Mercury - Fish	Mercury (in fish tissue)	5	Low	VL1
Pensacola	Blackwater River	24C	BLACKWATER RIVER	Mercury - Fish	Mercury (in fish tissue)	5	Low	VL1
Pensacola	Blackwater River	24D	BLACKWATER RIVER	Mercury - Fish	Mercury (in fish tissue)	5	Low	VL1
Pensacola	Blackwater River	82	Malloy Branch		Biology	4d		4Dc2
Pensacola	Blackwater River	83A	Hurricane Lake		Dissolved Oxygen	4d		4Dc2
Pensacola	Escambia River	10A	ESCAMBIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Escambia River	10B	ESCAMBIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Escambia River	10C	ESCAMBIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Escambia River	10D	ESCAMBIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Escambia River	10E	Escambia River	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Pensacola	Escambia River	10E	ESCAMBIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Escambia River	10EA	Woodbine Springs Lake		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Escambia River	10F	Escambia River		Dissolved Oxygen	4d		4Dc2
Pensacola	Escambia River	10F	ESCAMBIA RIVER	Coliforms	Fecal Coliform	5	Low	VL1
Pensacola	Escambia River	10F	ESCAMBIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Escambia River	10G	ESCAMBIA RIVER		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Escambia River	25	Wiggins Branch		Biology	4d		4Dc2
Pensacola	Escambia River	7	Canoe Creek		Biology	4d		4Dc2
Pensacola	Escambia River	87	Little Pine Barren Creek		Dissolved Oxygen	4d		4Dc2
Pensacola	Escambia River	9	Pritchett Mill Branch		Biology	4d		4Dc2
Pensacola	Pensacola Bay	420	Pace Mill Creek	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Pensacola	Pensacola Bay	493A	Judges Bayou	Dissolved Oxygen	(Nutrients)	5	Medium	VL2
Pensacola	Pensacola Bay	493A	Judges Bayou	Nutrients	Nutrients (Chlorophyll-a)	3c		NCD2CD
Pensacola	Pensacola Bay	493B	Judges Bayou (Tidal Segment)		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	493B	Judges Bayou (Tidal Segment)	Nutrients	Nutrients (Chlorophyll-a)	5	Medium	VL2
Pensacola	Pensacola Bay	534	Sandy Point Bayou		Biology	4d		4Dc2
Pensacola	Pensacola Bay	534	Sandy Point Bayou		Dissolved Oxygen	4d		4Dc2
Pensacola	Pensacola Bay	537	Jakes Bayou (Marine Portion)		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	539	Mulatto Bayou		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	548AA	Escambia Bay (North Segment)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Pensacola	Pensacola Bay	548AA	Escambia Bay (North Segment)		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	833A	Tom King Bayou		Bacteria (Shellfish Harvesting Classification)	5	High	VL2
Pensacola	Pensacola Bay	833A	Tom King Bayou		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	834	Direct Runoff to Bay		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	846	BAYOU CHICO		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	846	Bayou Chico	Nutrients	Nutrients (Chlorophyll-a)	5	Medium	VL2
Pensacola	Pensacola Bay	846A	Jones Creek	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3298B1	Homestead Airport Outfall		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3298B2	Mowrey Canal Outfall		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3300	C-102		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3301	C-111		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3302	C-103 (Mowry Canal)		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3303	C-111 (South)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Southeast Coast - Biscayne Bay	South Dade County	3303	C-111 (South)	Mercury (based on fish consumption advisory)	Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3303A	C-113	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Pensacola	Pensacola Bay	548AA	Escambia Bay (North Segment)	Nutrients	Nutrients (Chlorophyll-a and Historic Chlorophyll-a)	5	Medium	VL2
Pensacola	Pensacola Bay	548AC	Escambia Bay North (Shellfish)		Bacteria (Shellfish Harvesting Classification)	5	High	VL2
Pensacola	Pensacola Bay	548AC	Escambia Bay North (Shellfish)	Coliforms	Fecal Coliform	3c		NCD2CD
Pensacola	Pensacola Bay	548AC	Escambia Bay North (Shellfish)		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	548B	Escambia Bay (South Segment)	Coliforms	Bacteria (Shellfish Harvesting Classification)	5	High	VL2
Pensacola	Pensacola Bay	548B	Escambia Bay (South Segment)	Coliforms	Fecal Coliform (3)	5	Medium	VL2
Pensacola	Pensacola Bay	548B	ESCAMBIA BAY (S)		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	548BB	BAY BLUFFS PARK		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	548C	Pensacola Bay (North Segment)	Coliforms	Bacteria (Shellfish Harvesting Classification)	5	High	VL2
Pensacola	Pensacola Bay	548C	Pensacola Bay (North Segment)		Dissolved Oxygen	4d		4Dc2
Pensacola	Pensacola Bay	548C	PENSACOLA BAY (N)		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	548D	PENSACOLA BAY (MID)		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	548E	PENSACOLA BAY (MOUTH)		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	548F	Bayou Grande	Coliforms	Fecal Coliform	5	Medium	VL2
Pensacola	Pensacola Bay	548F	BAYOU GRANDE		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	548FB	NAVY POINT		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	548GA	Blackwater Bay (North Segment)		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	548GB	Blackwater Bay (South Segment)		Bacteria (Shellfish Harvesting Classification)	5	High	VL2
Pensacola	Pensacola Bay	548GB	Blackwater Bay (South Segment)		Fecal Coliform	5	Low	VL2
Pensacola	Pensacola Bay	548GB	Blackwater Bay (South Segment)		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	548H	East Bay		Bacteria (Shellfish Harvesting Classification)	5	High	VL2
Pensacola	Pensacola Bay	548H	EAST BAY		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	600	Direct Runoff to Bay		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	639	Direct Runoff to Bay		Dissolved Oxygen	4d		4Dc2
Pensacola	Pensacola Bay	639	Direct Runoff to Bay		Fecal Coliform	5	Low	VL2
Pensacola	Pensacola Bay	649	Indian Bayou		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	676	CARPENTER CREEK	Coliforms	Fecal Coliform	5	Low	VL1
Pensacola	Pensacola Bay	694	Trout Bayou		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	701A	East Bay River (Marine Portion)		Bacteria (Shellfish Harvesting Classification)	5	High	VL2
Pensacola	Pensacola Bay	701A	East Bay River (Marine Portion)		Dissolved Oxygen	4d		4Dc2
Pensacola	Pensacola Bay	701A	East Bay River (Marine Portion)	Coliforms	Fecal Coliform (3)	5	Medium	VL2
Pensacola	Pensacola Bay	701B	East Bay River (Freshwater Portion)	Coliforms	Fecal Coliform	3c		NCD2CD
Pensacola	Pensacola Bay	701B	East Bay River (Freshwater Portion)	Turbidity	Turbidity	3c		NCD2CD
Pensacola	Pensacola Bay	738	TEXAR BAYOU	Coliforms	Fecal Coliform	5	Low	VL1
Pensacola	Pensacola Bay	738	TEXAR BAYOU		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	738AB	BAYVIEW PARK PIER		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	740	Bayou Grande		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	8002	PENSACOLA BAY GULF 1		Mercury (in fish tissue)	5	Low	VL1

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Pensacola	Pensacola Bay	8003	PENSACOLA BAY GULF 2		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	8004	PENSACOLA BAY GULF 3		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	8005	PENSACOLA BAY GULF 4		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	8006	PENSACOLA BAY GULF 5		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	8007	PENSACOLA BAY GULF 6		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	829	Direct Runoff to Bay		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	846B	Jackson Creek		Biology	4d		4Dc2
Pensacola	Pensacola Bay	846C	Bayou Chico Drain	Dissolved Oxygen	Dissolved Oxygen	3c		NCD2CD
Pensacola	Pensacola Bay	846C	Bayou Chico Drain	Coliforms	Fecal Coliform	5	Low	VL2
Pensacola	Pensacola Bay	846C	Bayou Chico Drain		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	846C	Bayou Chico Drain	Nutrients	Nutrients (Chlorophyll-a)	5	Medium	VL2
Pensacola	Pensacola Bay	846CB	BAYOU CHICO BEACH		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	848DA	SANDERS BEACH		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	864	Williams Bayou		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	893	Direct Runoff to Bay		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	915	Santa Rosa Sound		Fecal Coliform (3)	5	Low	VL2
Pensacola	Pensacola Bay	915	SANTA ROSA SOUND		Fecal Coliform (Shellfish Harvesting)	5	Medium	VL1
Pensacola	Pensacola Bay	915	SANTA ROSA SOUND		Mercury (in fish tissue)	5	Low	VL1
Pensacola	Pensacola Bay	915A	WOODLAWN BEACH		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	915B	NAVARRE PARK HWY 98		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	915C	LIZA JACKSON PARK		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	915D	MARLER PARK		Bacteria	5	Medium	VL1
Pensacola	Pensacola Bay	925	Direct Runoff to Bay		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Pensacola Bay	930	Direct Runoff to Gulf		Mercury (in fish tissue)	5	High*	VL2
Pensacola	Yellow River	100	Carney Creek		Dissolved Oxygen	4d		4Dc2
Pensacola	Yellow River	117	Turkey Creek	Coliforms	Fecal Coliform	5	Medium	VL2
Pensacola	Yellow River	144	Little Creek		Dissolved Oxygen	4d		4Dc2
Pensacola	Yellow River	145	Lake Karick		Dissolved Oxygen	4d		4Dc2
Pensacola	Yellow River	160B	SHOAL RIVER		Fecal Coliform	5	Medium	VL1
Pensacola	Yellow River	161	Poverty Creek		Dissolved Oxygen	4d		4Dc2
Pensacola	Yellow River	30	YELLOW RIVER	Coliforms	Fecal Coliform	5	Low	VL1
Pensacola	Yellow River	30	YELLOW RIVER	Mercury - Fish	Mercury (in fish tissue)	5	Low	VL1
Pensacola	Yellow River	30A	YELLOW RIVER	Mercury - Fish	Mercury (in fish tissue)	5	Low	VL1
Pensacola	Yellow River	30B	YELLOW RIVER	Mercury - Fish	Mercury (in fish tissue)	5	Low	VL1
Pensacola	Yellow River	30C	YELLOW RIVER	Mercury - Fish	Mercury (in fish tissue)	5	Low	VL1
Pensacola	Yellow River	30D	YELLOW RIVER	Mercury - Fish	Mercury (in fish tissue)	5	Low	VL1
Pensacola	Yellow River	35	POND CREEK		Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G1	ICWW (Broward County Northern Segment)		Copper	5	Medium	VL2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G1	NORTH BROWARD ICW SECTION		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G2	ICWW (Broward County Central Segment)		Copper	5	Medium	VL2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G2	CENTRAL BROWARD ICW SECTION		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G3	ICWW (Broward County Southern Segment)		Copper	5	Medium	VL2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G3	SOUTH BROWARD ICW SECTION		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226H	ICWW (Miami-Dade County)		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226H	ICCW DADE CO.		Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226H	ICCW DADE CO.		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226H1	NORTH DADE ICWW		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226H2	HAULOVER INLET/ARCH CREEK		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226H3	PORT OF MIAMI		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226H4	KEY BISCAYNE		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226I	Culvert in West Lake Village	Dissolved Oxygen	Dissolved Oxygen	3c		NCD2CD

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226I	Culvert in West Lake Village	Coliforms	Fecal Coliform	3c		NCD2CD
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226I	Culvert in West Lake Village	Nutrients	Nutrients (TSI)	3c		NCD2CD
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226L	Oleta River (Upper Segment)		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226L	Oleta River (Upper Segment)		Fecal Coliform	5	Low	VL2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226L	Oleta River (Upper Segment)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226M1	Arch Creek (Lower Segment)		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226M1	Arch Creek (Lower Segment)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	6001	BISCAYNE BAY		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	6001C	CARD SOUND		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8088	EVERGLADES OCEAN 2		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8089	BISCAYNE BAY OCEAN 1		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8090	BISCAYNE BAY OCEAN 2		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8091	BISCAYNE BAY OCEAN 3		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8092	DADE COUNTY OCEAN 1		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8093	DADE COUNTY OCEAN 2		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8094	DADE COUNTY OCEAN 3		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8095	DADE COUNTY OCEAN 4		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Broward County	3226G4	LOS OLAS ISLES FINGER CANAL SYSTEM	Coliforms	Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	Broward County	3226G4	LOS OLAS ISLES FINGER CANAL SYSTEM		Mercury (in fish tissue)	5	Low	VL1
Southeast Coast - Biscayne Bay	Broward County	3270	C-14 (Cypress Creek Canal/Pompano Canal)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3270	C-14 (Cypress Creek Canal/Pompano Canal)	Coliforms	Fecal Coliform	5	2010	VL2
Southeast Coast - Biscayne Bay	Broward County	3271	POMPANO CANAL		Dissolved Oxygen	5	Medium	VL1
Southeast Coast - Biscayne Bay	Broward County	3271	Pompano Canal		Fecal Coliform	5	Low	VL2
Southeast Coast - Biscayne Bay	Broward County	3271	POMPANO CANAL	Nutrients	Nutrients (Chl a)	5	High	VL1
Southeast Coast - Biscayne Bay	Broward County	3273	C-13 West (Middle River Canal)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3273	C-13 West (Middle River Canal)	Coliforms	Fecal Coliform	5	High*	VL2
Southeast Coast - Biscayne Bay	Broward County	3274	C-13 EAST/MIDDLE RIVER	Coliforms	Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	Broward County	3274	C-13 East (Middle River Canal)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	Broward County	3274	C-13 EAST/MIDDLE RIVER	Nutrients	Nutrients (Historic Chl a)	5	Medium	VL1
Southeast Coast - Biscayne Bay	Broward County	3276	C-12	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3276	C-12	Coliforms	Fecal Coliform	5	2010	VL2
Southeast Coast - Biscayne Bay	Broward County	3276A	NORTH FORK NEW RIVER	Dissolved Oxygen	Dissolved Oxygen	5	Medium	VL1
Southeast Coast - Biscayne Bay	Broward County	3276A	NORTH FORK NEW RIVER	Coliforms	Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	Broward County	3276A	New River (North Fork)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	Broward County	3276A	NORTH FORK NEW RIVER		Nutrients (Chl a)	5	Medium	VL1
Southeast Coast - Biscayne Bay	Broward County	3277	North New River Canal	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3277A	New River Canal (South)		Copper	5	Medium	VL2
Southeast Coast - Biscayne Bay	Broward County	3277A	SOUTH NEW RIVER CANAL	Coliforms	Fecal Coliform	5	Low	VL1
Southeast Coast - Biscayne Bay	Broward County	3277A	New River Canal (South)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	Broward County	3277A	New River Canal (South)	Total Suspended Solids	Total Suspended Solids	3c		NCD2CD
Southeast Coast - Biscayne Bay	Broward County	3277A	New River Canal (South)	Total Suspended Solids	Turbidity	3c		NCD2CD
Southeast Coast - Biscayne Bay	Broward County	3277B	Holloway Canal (East)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3277B	Holloway Canal (East)	Biochemical Oxygen Demand	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3277C	C-42 (Holloway Canal (West))	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3277C	C-42 (Holloway Canal (West))	Coliforms	Fecal Coliform	5	Medium	VL2
Southeast Coast - Biscayne Bay	Broward County	3277C	C-42 (Holloway Canal (West))	Total Suspended Solids	Total Suspended Solids	3c		NCD2CD

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Southeast Coast - Biscayne Bay	Broward County	3277C	C-42 (Holloway Canal (West))	Total Suspended Solids	Turbidity	3c		NCD2CD
Southeast Coast - Biscayne Bay	Broward County	3277E	Dania Cutoff Canal	Coliforms	Fecal Coliform	5	2010	VL2
Southeast Coast - Biscayne Bay	Broward County	3277E	Dania Cutoff Canal		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	Broward County	3279	New River Canal (South)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3279	New River Canal (South)	Coliforms	Fecal Coliform	5	2010	VL2
Southeast Coast - Biscayne Bay	Broward County	3279	New River Canal (South)	Nutrients	Nutrients (Historic Chlorophyll-a)	5	2010	VL2
Southeast Coast - Biscayne Bay	Broward County	3279A	Snake Creek Canal (North Fork)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	Broward County	3279A	Snake Creek Canal (North Fork)	Coliforms	Fecal Coliform	3c		NCD2CD
Southeast Coast - Biscayne Bay	Broward County	3281	C-11 (East)	Dissolved Oxygen	Dissolved Oxygen	4d	2010	4Dc2
Southeast Coast - Biscayne Bay	Broward County	3281	C-11 (East)	Coliforms	Fecal Coliform	5	2010	VL2
Southeast Coast - Biscayne Bay	Broward County	3282	C-10 (Hollywood Canal)		Dissolved Oxygen	4d	Medium	4Dc2
Southeast Coast - Biscayne Bay	Broward County	3282	C-10 (Hollywood Canal)		Fecal Coliform	5	Low	VL2
Southeast Coast - Biscayne Bay	Broward County	3282	C-10 (Hollywood Canal)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	North Dade County	3226M2	Arch Creek (Upper Segment)		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3226M2	UPPER ARCH CREEK		Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	North Dade County	3283	Snake Creek Canal (East)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3283	SNAKE CREEK CANAL EAST		Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	North Dade County	3284	Snake Creek Canal (West)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3285	C-8/Biscayne Canal	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3285	C-8/BISCAYNE CANAL	Coliforms	Fecal Coliform	5	Low	VL1
Southeast Coast - Biscayne Bay	North Dade County	3286	C-4/Tamiami Canal	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3286	C-4/Tamiami Canal		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	North Dade County	3286	C-4/Tamiami Canal	Nutrients	Nutrients (Chlorophyll-a)	3c		NCD2CD
Southeast Coast - Biscayne Bay	North Dade County	3286A	C-6/Miami Canal (West)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3286C	C-5/Comfort Canal		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3287	C-7/Little River	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3287	C-7/LITTLE RIVER	Coliforms	Fecal Coliform	5	Low	VL1
Southeast Coast - Biscayne Bay	North Dade County	3288	C-6/MIAMI RIVER		Copper	5	Medium	VL1
Southeast Coast - Biscayne Bay	North Dade County	3288	C-6/Miami River	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3288	C-6/MIAMI RIVER	Coliforms	Fecal Coliform	5	Low	VL1
Southeast Coast - Biscayne Bay	North Dade County	3288	C-6/Miami River		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	North Dade County	3288A	Wagner Creek		Copper	5	Medium	VL2
Southeast Coast - Biscayne Bay	North Dade County	3288A	Wagner Creek	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3288A	Wagner Creek		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	North Dade County	3288B	C-6/Miami River (Lower Segment)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3288B	C-6/LOWER MIAMI RIVER	Coliforms	Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	North Dade County	3288B	C-6/Miami River (Lower Segment)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	North Dade County	3288B	C-6/Miami River (Lower Segment)	Nutrients	Nutrients (Chlorophyll-a)	3c		NCD2CD
Southeast Coast - Biscayne Bay	North Dade County	3290	C-6/Miami Canal	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3290	C-6/Miami Canal	Coliforms	Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	North Dade County	3290	C-6/Miami Canal		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	North Dade County	3291	DA-1		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	North Dade County	3292	CORAL Gables Canal		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3292	CORAL GABLES CANAL		Fecal Coliform	5	Medium	VL1
Southeast Coast - Biscayne Bay	North Dade County	3292A	Coral Gables Canal (East)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	North Dade County	3293	C-2/Snapper Creek		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3293	C-2/Snapper Creek		Fecal Coliform	5	Low	VL2
Southeast Coast - Biscayne Bay	North Dade County	3293B	C2/Snapper Creek (East)		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	North Dade County	3293B	C2/Snapper Creek (East)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3286B	C-4/Tamiami Canal (West)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3286B	C-4/Tamiami Canal (West)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3295	C-100		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3295	C-100		Fecal Coliform	5	Low	VL2

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Southeast Coast - Biscayne Bay	South Dade County	3295	C-100		Nutrients (Historic Chlorophyll-a)	5	Medium	VL2
Southeast Coast - Biscayne Bay	South Dade County	3297	C-1 (Black Creek)	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3298	Black Creek		Dissolved Oxygen	4d	Medium	4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3298	Black Creek		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3298A	Goulds Canal		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3298B	DA-4		Dissolved Oxygen	4d	Medium	4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3298B	DA-4		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3298B1	Homestead Airport Outfall		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3303B	C-111 (Coastal)		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3303B	C-111 (Coastal)		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3303B1	Taylor Slough		Mercury (in fish tissue)	5	High*	VL2
Southeast Coast - Biscayne Bay	South Dade County	3304	Military Canal		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	3305	North Canal		Dissolved Oxygen	5	Medium	VL2
Southeast Coast - Biscayne Bay	South Dade County	3306	Florida City Canal		Dissolved Oxygen	4d		4Dc2
Southeast Coast - Biscayne Bay	South Dade County	6002A	Route 1 Key A		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lake Panasoffkee	1347	Lake Okahumpka		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lake Panasoffkee	1351A	Outlet River		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lake Panasoffkee	1351A	Outlet River		Nutrients (Chlorophyll-a)	5	Medium	VL2
Withlacoochee	Lake Panasoffkee	1351B	LAKE PANASOFFKEE		Dissolved Oxygen	5	Medium	VL1
Withlacoochee	Lake Panasoffkee	1351B	LAKE PANASOFFKEE		Nutrients (TSI)	5	Medium	VL1
Withlacoochee	Lake Panasoffkee	1351B2	Canal 485A Springs Group		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lake Panasoffkee	1351B2	Canal 485A Springs Group		Nutrients (Algal Mats)	5	Medium	VL2
Withlacoochee	Lake Panasoffkee	1356A	Fenney Spring		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1329A	Cross Florida Barge Canal		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1329A	Cross Florida Barge Canal		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lower Withlacoochee	1329A	Cross Florida Barge Canal		Nutrients (Chlorophyll-a)	5	Medium	VL2
Withlacoochee	Lower Withlacoochee	1329B	Lake Rousseau	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1329B	Lake Rousseau		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lower Withlacoochee	1329B1	Lake Rousseau Drain		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lower Withlacoochee	1329C	Withlacoochee River		Biology	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1329C	Withlacoochee River		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1329C	Withlacoochee River		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lower Withlacoochee	1329D	Withlacoochee River		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1329D	Withlacoochee River		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lower Withlacoochee	1329R	Wilson Head Spring		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1329R	Wilson Head Spring		Nutrients (Algal Mats)	5	Medium	VL2
Withlacoochee	Lower Withlacoochee	1337	Withlacoochee River		Biology	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1337	Withlacoochee River		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lower Withlacoochee	1337A	Bypass Channel		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Lower Withlacoochee	1338A	Gum Springs (Alligator Springs)		Nutrients (Algal Mats)	5	Medium	VL2
Withlacoochee	Lower Withlacoochee	1357	Leslie-Hefner Canal	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Withlacoochee	Lower Withlacoochee	1357	Leslie-Hefner Canal		Nutrients (Chlorophyll-a)	5	Medium	VL2
Withlacoochee	Rainbow River	1320A	Rainbow Springs Group	Nutrients	Nutrients (Algal Mats)	5	Medium	VL2
Withlacoochee	Rainbow River	1320B	Rainbow Springs Group Run		Nutrients (Algal Mats)	5	Medium	VL2
Withlacoochee	Tsalo Apopka	1340A	Davis Lake		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Tsalo Apopka	1340A	Davis Lake		Nutrients (TSI)	5	Medium	VL2
Withlacoochee	Tsalo Apopka	1340B	Fort Cooper Lake		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Tsalo Apopka	1340C	Magnolia Lake		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Tsalo Apopka	1340D	Hampton Lake		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Tsalo Apopka	1340E	Little Lake Consuella		Nutrients (TSI)	5	Medium	VL2
Withlacoochee	Tsalo Apopka	1340K	Cato Lake - Open Water		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Tsalo Apopka	1340L	Cooter Lake		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Tsalo Apopka	1340L	Cooter Lake		Nutrients (TSI)	5	Medium	VL2
Withlacoochee	Tsalo Apopka	1340M	Little Henderson Lake		Dissolved Oxygen	4d		4Dc2

BASIN NAME	PLANNING UNIT	WBID	WATER BODY NAME	PARAMETER OF CONCERN ON THE 1998 LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	PRIORITY FOR TMDL DEVELOPMENT**	LIST ***
Withlacoochee	Tsalo Apopka	1340P	Spivey Lake		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Tsalo Apopka	1340Q	Tussock Lake		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Tsalo Apopka	1340R	Tsala Apopka Lake (Floral City Arm)		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Upper Withlacoochee	1329E	Withlacoochee River		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Upper Withlacoochee	1329E	Withlacoochee River		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Upper Withlacoochee	1329F	Withlacoochee River		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Upper Withlacoochee	1329F	Withlacoochee River		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Upper Withlacoochee	1329G	Withlacoochee River		Mercury (in fish tissue)	5	High*	VL2
Withlacoochee	Upper Withlacoochee	1329H	Lake Lindsey	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Withlacoochee	Upper Withlacoochee	1378	Big Gant Canal	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Withlacoochee	Upper Withlacoochee	1378	Big Gant Canal		Nutrients (Chlorophyll-a)	5	Medium	VL2
Withlacoochee	Upper Withlacoochee	1399	Dade City Canal	Dissolved Oxygen	Dissolved Oxygen	4d		4Dc2
Withlacoochee	Upper Withlacoochee	1399	Dade City Canal	Biochemical Oxygen Demand	Dissolved Oxygen	4d		4Dc2
Withlacoochee	Upper Withlacoochee	1426	Pony Creek		Dissolved Oxygen (Nutrients)	5	Medium	VL2
Withlacoochee	Upper Withlacoochee	1431	Gator Creek		Dissolved Oxygen	4d		4Dc2
Withlacoochee	Upper Withlacoochee	1449A	Lake Deeson		Nutrients (TSI)	5	Medium	VL2
Withlacoochee	Upper Withlacoochee	1467	MUD LAKE		Nutrients (TSI)	5	Medium	VL1
Withlacoochee	Upper Withlacoochee	1484A	Lake Tennessee		Nutrients (TSI)	5	Medium	VL2
Withlacoochee	Upper Withlacoochee	1484B	Lake Juliana		Nutrients (TSI)	5	Medium	VL2
** Priority for TMDL Development:								
Low - A TMDL that will address this WQLS will be completed within the next 10 years								
Medium - A TMDL that will address this WQLS will be completed within the next 5-10 years, as resources allow								
High - A TMDL that will address this WQLS will be completed within the next 5 years								
High* - A statewide Mercury TMDL that will address this WQLS is scheduled to be completed in 2012.								
*** Identification of the FDEP List submitted to EPA which adds this water quality limited segment (WQLS) to the Florida 303(d) List:								
VL1 - FDEP cycle 1 Verified List, adopted May 3, 2006. This listing was reaffirmed by FDEP in the cycle 2 Master List, submitted November 19, 2010								
VL2 - FDEP cycle 2 Verified List, adopted November 2, 2010								
4Dc2 - FDEP cycle 2 Master List, submitted November 19, 2010, submits this WQLS for inclusion on the Florida 303(d) List in Integrated Reporting Category 4D (impaired, causative pollutant unknown)								
NCD2CD - FDEP cycle 2 Master List, submitted November 19, 2010, adds this WQLS to the 1998 Florida 303(d) List, due to resegmentation of the original 1998-listed water								

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Nassau - St. Marys	Nassau River	2161	Thomas Creek		Lead	4c	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 not accepted. FDEP provided some evidence that lead is a naturally-occurring component of surface water in this WBID, but did not provide sufficient evidence to support that human activities or the discharge of pollutants contribute statistically insignificant amounts of lead to this impairment.
Nassau - St. Marys	Upper St. Marys River	2097K	St Marys River (North Prong)		Lead	4c	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 not accepted. FDEP provided some evidence that lead is a naturally-occurring component of surface water in this WBID, but did not provide sufficient evidence to support that human activities or the discharge of pollutants contribute statistically insignificant amounts of lead to this impairment.
Nassau - St. Marys	Upper St. Marys River	2211	Middle Prong St Marys River		Lead	4c	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 not accepted. FDEP provided some evidence that lead is a naturally-occurring component of surface water in this WBID, but did not provide sufficient evidence to support that human activities or the discharge of pollutants contribute statistically insignificant amounts of lead to this impairment.
Southeast Coast - Biscayne Bay	North Dade County	3288A	Wagner Creek		Dioxin (based on fish consumption advisory)	3c	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 not accepted. FDOH's final 2009 fish brochure includes a 'Do Not Eat' consumption advisory for this water based on dioxin. This advisory provides "scientifically credible and compelling information" of impairment, in accordance with 62-303.470(2).
Choctawhatchee - St. Andrew	St. Andrews Bay	1141B	Parker Bayou		Mercury (based on fish consumption advisory)	(not included with Group 4 submittal)	FDEP failure to include this WB-pollutant on the 303(d) List in cycle 2 not accepted. FDEP has acknowledged that this marine WBID should be verified impaired based on FDOH marine fish consumption advisory data from 2003/2004 for 28 bull shark with an average mercury concentration of 1.85 ppm. FDEP did not submit this water for inclusion on the Florida 303(d) List with the 2010 Group 3 submittal or the 2010 Group 4 submittal.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3204	HARNEY POND CANAL	Lead	Lead	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Fisheating Creek	Northwest Lake Okeechobee Planning Unit	3206	Indian Prairie Canal	Coliforms	Fecal Coliform	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Kissimmee River	Lower Kissimmee Planning Unit	3186B	KISSIMMEE RIVER	Dissolved Oxygen (BOD)	Dissolved Oxygen	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 3186B after 1998 listing and replacing it with new WBIDs 3186E and 3186F (Appendix E). Both new WBIDs retain the 1998 listings.
Kissimmee River	Lower Kissimmee Planning Unit	3188	FARM AREA	Nutrients	Nutrients (Chl a)	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring WBID 3188 after 1998 listing and replacing it with new WBIDs 3188B and 3188C (Appendix E). Both new WBIDs retain the 1998 listings.
Kissimmee River	Lower Kissimmee Planning Unit	3188A	Chandler Slough	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Kissimmee River	Lower Kissimmee Planning Unit	3188C	Kissimmee River Above S-65D	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Kissimmee River	Lower Kissimmee Planning Unit	3209	KISSIMMEE RIVER	Nutrients	Nutrients (Chl a)	1	2	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Kissimmee River	Upper Kissimmee Planning Unit	1436	HORSESHOE CREEK	Dissolved Oxygen	Dissolved Oxygen	1	4d	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment submits this WB-pollutant for inclusion on the 303(d) List in 4d.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Kissimmee River	Upper Kissimmee Planning Unit	1436	HORSESHOE CREEK	Nutrients	Nutrients (Chla)	1	2	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Kissimmee River	Upper Kissimmee Planning Unit	1472C	Dead River	Turbidity	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Kissimmee River	Upper Kissimmee Planning Unit	3168G	Lake Underhill		Nutrients (TSI)	2	2	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. No evidence of nutrient imbalance or DO impairment.
Kissimmee River	Upper Kissimmee Planning Unit	3168H	LAKE HOLDEN	Unionized Ammonia	Unionized Ammonia	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising WBID boundary after 1998 listing to include only the lake (3168H) and exclude surrounding drainage (3168Z) and multiple small lakes (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3169A	SHINGLE CREEK	Coliform Bacteria	Fecal Coliform	1	3c	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment retained this WB-pollutant on the Planning List (IR Category 3C) based on sample exceedance rate. FDEP provided justification for revising WBID boundary after 1998 listing to exclude several small lakes (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3169A	SHINGLE CREEK	Nutrients	Nutrients (Chl a)	1	2	Delisting Accepted. No evidence of nutrient imbalance. Sufficient evidence that DO impairment is not caused by human activities or the discharge of pollutants. FDEP provided justification for revising WBID boundary after 1998 listing to exclude several small lakes (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3169A	SHINGLE CREEK	Turbidity	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising WBID boundary after 1998 listing to exclude several small lakes (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3169J	Cane Lake		Nutrients (TSI)	2	2	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. No evidence of nutrient imbalance or DO impairment.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Kissimmee River	Upper Kissimmee Planning Unit	3170C	REEDY CK ABOVE L. RUSS	Coliform Bacteria	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3170C	REEDY CK ABOVE L. RUSS	Nutrients	Nutrients (Chla)	1	2	'Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with nitrogen identified as the cause of impairment. To the extent that nutrients contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3170C	REEDY CK ABOVE L. RUSS	Turbidity	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3170D	BONNET CREEK	Nutrients	Nutrients (Chla)	1	2	'Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for revising the WBID extent at the northern and southern boundaries after 1998 listing (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3170D	BONNET CREEK	Turbidity	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising the WBID extent at the northern and southern boundaries after 1998 listing (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3170Q	Lake Butler		Nutrients (Historic TSI)	2	2	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. No evidence of nutrient imbalance or DO impairment.
Kissimmee River	Upper Kissimmee Planning Unit	3171A	Lake Mary Jane		Lead	2	2	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Kissimmee River	Upper Kissimmee Planning Unit	3173A	LAKE TOHOPEKALIGA	Nutrients	Nutrients (TSI)	1	5	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment placed this WB-pollutant on the Verified List (IR Category 5) based on TSI trend analysis. FDEP provided justification for revising 3173A after 1998 listing to include part of 3173A (lake) and new WBIDs 3173A1 and 3173A2 (lake outlets) (Appendix E). Provided justification that only 3173A should retain the 1998 listings.
Kissimmee River	Upper Kissimmee Planning Unit	3173A	LAKE TOHOPEKALIGA	Unionized Ammonia	Un-ionized Ammonia	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising 3173A after 1998 listing to include part of 3173A (lake) and new WBIDs 3173A1 and 3173A2 (lake outlets) (Appendix E). Provided justification that only 3173A should retain the 1998 listings.
Kissimmee River	Upper Kissimmee Planning Unit	3173C	Lake Tohopekaliga (South Segment)	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for revising 3173C after 1998 listing from southern part of lake and surrounding drainage area to the drainage area only. FDEP reassigned 1998 listings (identical for 3173A and 3173C) to the lake portion only (new 3173A) (see Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3173C	Lake Tohopekaliga (South Segment)	Un-ionized Ammonia	Un-ionized Ammonia	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising 3173C after 1998 listing from southern part of lake and surrounding drainage area to drainage area only. FDEP reassigned 1998 listings (identical for 3173A and 3173C) to the lake portion only (new 3173A) (see Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Kissimmee River	Upper Kissimmee Planning Unit	3174	LAKE CENTER	Nutrients	Nutrients (TSI)	1	2	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for revising WBID boundary after 1998 listing to exclude drainage area and another small lake (Appendix E).
Kissimmee River	Upper Kissimmee Planning Unit	3181	CANOE CREEK	Turbidity	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Kissimmee River	Upper Kissimmee Planning Unit	3183A	LAKE KISSIMMEE NORTH	Turbidity	Turbidity	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 3183A after 1998 listing and replacing it with new WBIDs 3183A1 and 3183A2 (lake outlets) and part of 3183B (lake) (Appendix E). Provided justification that only 3183B should retain the 1998 listings.
Kissimmee River	Upper Kissimmee Planning Unit	3183E	LAKE KISSIMMEE SOUTH	Cadmium	Cadmium	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 3183E after 1998 listing and replacing it with new WBIDs 3183E1 and 3183E2 (lake outlets) and part of 3183B (lake) (Appendix E). Provided justification that only 3183B should retain the 1998 listings.
Kissimmee River	Upper Kissimmee Planning Unit	3183E	LAKE KISSIMMEE SOUTH	Dissolved Oxygen	Dissolved Oxygen	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 3183E after 1998 listing and replacing it with new WBIDs 3183E1 and 3183E2 (lake outlets) and part of 3183B (lake) (Appendix E). Provided justification that only 3183B should retain the 1998 listings.
Kissimmee River	Upper Kissimmee Planning Unit	3183E	LAKE KISSIMMEE SOUTH	Lead	Lead	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 3183E after 1998 listing and replacing it with new WBIDs 3183E1 and 3183E2 (lake outlets) and part of 3183B (lake) (Appendix E). Provided justification that only 3183B should retain the 1998 listings.
Kissimmee River	Upper Kissimmee Planning Unit	3186A	KISSIMMEE RIVER	BOD	BOD	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Kissimmee River	Upper Kissimmee Planning Unit	3186A	KISSIMMEE RIVER	Dissolved Oxygen	Dissolved Oxygen	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Kissimmee River	Upper Kissimmee Planning Unit	3186A	Kissimmee River	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment.
Nassau - St. Marys	Lower St. Marys River Unit	2097A	ST. MARYS RIVER ABOVE ICWW	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Nassau - St. Marys	Lower St. Marys River Unit	2097B	ST. MARYS RIVER	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Nassau - St. Marys	Lower St. Marys River Unit	2097C	ST. MARYS RIVER	COLIFORMS	FECAL COLIFORMS	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Nassau - St. Marys	Lower St. Marys River Unit	2097C	ST. MARYS RIVER	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	'Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Nassau - St. Marys	Lower St. Marys River Unit	2097C	ST. MARYS RIVER	TSS	TSS	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Nassau - St. Marys	Lower St. Marys River Unit	2106	LITTLE ST. MARYS RIVER	COLIFORMS	FECAL COLIFORMS	1	3c	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment retained this WB-pollutant on the Planning List (IR Category 3C) based on sample exceedance rate.
Nassau - St. Marys	Lower St. Marys River Unit	2106	Little St Marys River	Mercury (based on fish consumption advisory)	Mercury (in fish tissue)	2	3a	Delisting Accepted. The FDOH fish consumption advisory used to place this WBID on 1998 303(d) List and Cycle 1 Verified List for mercury (based on fish consumption) applied only to the St. Marys River and not its tributaries.
Nassau - St. Marys	Lower St. Marys River Unit	2106	LITTLE ST. MARYS RIVER	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Nassau - St. Marys	Lower St. Marys River Unit	2124	AMELIA RIVER	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Nassau - St. Marys	Lower St. Marys River Unit	2140	Jackson Creek		Bacteria (Shellfish Harvesting Classification)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis; incorrect waterbody classification.
Nassau - St. Marys	Lower St. Marys River Unit	8129A	Sadler Road		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8129 for mercury.
Nassau - St. Marys	Lower St. Marys River Unit	8129B	Main Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8129 for mercury.
Nassau - St. Marys	Lower St. Marys River Unit	8129C	Ocean Street		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8129 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Nassau - St. Marys	Lower St. Marys River Unit	8129D	Fort Clinch Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8129 for mercury.
Nassau - St. Marys	Middle St. Marys River Unit	2097F	ST. MARYS RIVER	BOD	BOD	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Nassau - St. Marys	Nassau River	2120A	MILLS CREEK	COLIFORMS	FECAL COLIFORMS	1	2	Delisting Accepted. Sample exceedance rate is below the threshold for inclusion on the Planning list, based on an adequate sample set collected within the last 10 years.
Nassau - St. Marys	Nassau River	2120A	MILLS CREEK	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Nassau - St. Marys	Nassau River	2130	PLUMMER CREEK	COLIFORMS	FECAL COLIFORMS	1	2	Delisting Accepted. Sample exceedance rate is below the threshold for inclusion on the Planning list, based on an adequate sample set collected within the last 10 years.
Nassau - St. Marys	Nassau River	2130	PLUMMER CREEK	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3c	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment retains this WB-pollutant on the 1998 303(d) List (IR Category 3c) based on DO impairment linked to nutrients.
Nassau - St. Marys	Nassau River	2130	PLUMMER CREEK	TURBIDITY	TURBIDITY	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Nassau - St. Marys	Nassau River	2140A	Jackson Creek		Bacteria (Shellfish Harvesting Classification)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis; incorrect waterbody classification.
Nassau - St. Marys	Nassau River	2140A	Jackson Creek	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting Accepted. No evidence of nutrient imbalance or DO impairment.
Nassau - St. Marys	Nassau River	2148B	NASSAU RIVER	DISSOLVED OXYGEN	DISSOLVED OXYGEN	1	4d	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment submits this WB-pollutant for inclusion on the 303(d) List as 4d.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Nassau - St. Marys	Nassau River	2148B	NASSAU RIVER	COLIFORMS	FECAL COLIFORMS	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years (based on IWR run 40).
Nassau - St. Marys	Nassau River	2148B	Nassau River		Iron	2	4c	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Sufficient evidence that impairment is not caused by human activities or the discharge of pollutants.
Nassau - St. Marys	Nassau River	2148B	NASSAU RIVER	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	5	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment verifies and retains this WB-pollutant on the 1998 303(d) List (IR Category 3c) based on exceedance of historic low chlorophyll-a.
Nassau - St. Marys	Nassau River	2148B	NASSAU RIVER	TSS	TSS	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Nassau - St. Marys	Nassau River	2148B	NASSAU RIVER	TURBIDITY	TURBIDITY	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Nassau - St. Marys	Nassau River	2149	South Amelia River		Bacteria (Shellfish Harvesting Classification)	2	3a	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis. Water is unclassified, with no evidence of other historical classification (or downgrade).
Nassau - St. Marys	Nassau River	2149	SOUTH AMELIA RIVER	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	Delisting Accepted. No evidence of nutrient imbalance or DO impairment.
Nassau - St. Marys	Nassau River	2153	Alligator Creek	Nutrients	Nutrients (Chlorophyll-a)	2	2	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Nassau - St. Marys	Nassau River	2156	Unnamed Branch		Fecal Coliform	2	4a	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. EPA approved a fecal coliform TMDL for this water on May 3, 2007.
Nassau - St. Marys	Nassau River	2156	UNNAMED BRANCH	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3c	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment retains this WB-pollutant on the 1998 303(d) List (IR Category 3c) based on DO impairment linked to nutrients.
Nassau - St. Marys	Nassau River	2157	LITTLE MILL CREEK	COLIFORMS	FECAL COLIFORMS	1	3c	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment retained this WB-pollutant on the Planning List (IR Category 3C) based on sample exceedance rate.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Nassau - St. Marys	Nassau River	2157	LITTLE MILL CREEK	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Nassau - St. Marys	Nassau River	2157	LITTLE MILL CREEK	TURBIDITY	TURBIDITY	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Nassau - St. Marys	Nassau River	2174	Nassau Sound		Bacteria (Shellfish Harvesting Classification)	2	2	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis; 'prohibited' classification assigned as an administrative precautionary measure, not based on water quality data.
Nassau - St. Marys	Nassau River	2174A	South End		Bacteria (Shellfish Harvesting Classification)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains assessed for Bacteria (Shellfish Harvesting Classification) through assessment of the associated parent coastal WBID 2174 for this parameter.
Nassau - St. Marys	Nassau River	2174A	South End		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 2174 for mercury.
Nassau - St. Marys	Nassau River	8127	Atlantic Ocean (St Johns River; Duval County)		Bacteria (Shellfish Harvesting Classification)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis; incorrect waterbody classification.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Nassau - St. Marys	Nassau River	8127A	Huguenot Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8127 for mercury.
Nassau - St. Marys	Nassau River	8127B	Little Talbot Island (South)		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8127 for mercury.
Nassau - St. Marys	Nassau River	8127C	Little Talbot Island (North)		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8127 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Nassau - St. Marys	Nassau River	8128A	Piper Dunes		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8128 for mercury.
Nassau - St. Marys	Nassau River	8128B	Amelia Island Plantation Beach Club		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8128 for mercury.
Nassau - St. Marys	Nassau River	8128C	American Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8128 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Nassau - St. Marys	Nassau River	8128D	Peter's Point		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8128 for mercury.
Nassau - St. Marys	Upper St. Marys River Unit	2097I	ST. MARYS RIVER	NUTRIENTS	NUTRIENTS (CHLOROPHYLL)	1	3b	Delisting Accepted. No evidence of nutrient imbalance or DO impairment. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Nassau - St. Marys	Upper St. Marys River Unit	2097J	St Marys River	Biochemical Oxygen Demand	Dissolved Oxygen	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Nassau - St. Marys	Upper St. Marys River Unit	2211	MIDDLE PRONG ST. MARYS	COLIFORMS	FECAL COLIFORMS	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Nassau - St. Marys	Upper St. Marys River Unit	2211	Middle Prong St Marys River		Iron	2	4c	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Sufficient evidence that impairment is not caused by human activities or the discharge of pollutants.
Pensacola	Blackwater River	11A	WEST FORK	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	11A	West Fork	Nutrients	Nutrients (Chlorophyll-a)	2	2	Delisting Accepted. No evidence of nutrient imbalance or DO impairment.
Pensacola	Blackwater River	127	Manning Creek	Coliforms	Fecal Coliform	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	127	Manning Creek	Total Suspended Solids	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	127	Manning Creek	Turbidity	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	18	BIG COLDWATER CREEK	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	18	Big Coldwater Creek	Total Suspended Solids	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Blackwater River	18A	EAST FORK	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	18A	East Fork	Total Suspended Solids	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	19	BIG JUNIPER CREEK	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	19	BIG JUNIPER CREEK	Turbidity (NTU)	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	23	Rock Creek		Mercury (in fish tissue)	2	3a	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis. FDOH fish consumption advisory was applied to incorrect waterbody. Based on the advisory referenced on the cycle 1 Verified List, WBID 10EA (Woodbine Springs Lake) was included on the cycle 2 Verified List. The current mercury (in fish) assessment for 23 is 3a (No Data).
Pensacola	Blackwater River	24AB	Blackwater River (Tidal)	Total Suspended Solids	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. 24AB comprises one portion of 1998-listed WBID 24A. FDEP provided justification for retiring 24A after 1998 listing and replacing it with 24AA (Class 3F) and 24AB (Class 3M) (Appendix E). Both new WBIDs retain the 1998 listings (Appendix F). 24AA remains on the 1998 list for turbidity in cycle 2. FDEP has documented plans to delist retired WBID 24A, for administrative purposes.
Pensacola	Blackwater River	24B	Blackwater River	Coliforms	Fecal Coliform	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Blackwater River	24B	Blackwater River	Non-point Source	Non-point Source	2	N/A	Delisting Accepted. FDEP provided adequate justification, noting that since the 1994 survey, they have acquired quantitative and quality assured data for parameters included in the survey to support assessments for this WBID.
Pensacola	Blackwater River	24D	Blackwater River	Coliforms	Fecal Coliform	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Blackwater River	356	Bucket Branch	Non-point Source	Non-point Source	2	N/A	Delisting Accepted. FDEP provided adequate justification, noting that since the 1994 survey, they have acquired quantitative and quality assured data for parameters included in the survey to support assessments for this WBID.
Pensacola	Blackwater River	88	Mare Creek	Turbidity	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Escambia River	10	Big Escambia Creek	Coliforms	Fecal Coliform	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising western boundary of WBID after 1998 listing to exclude a stream that was not hydrologically connected (10AA) (Appendix E).
Pensacola	Escambia River	10	Big Escambia Creek	Total Suspended Solids	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising western boundary of WBID after 1998 listing to exclude a stream that was not hydrologically connected (10AA) (Appendix E).
Pensacola	Escambia River	10	Big Escambia Creek	Turbidity	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising western boundary of WBID after 1998 listing to exclude a stream that was not hydrologically connected (10AA) (Appendix E).
Pensacola	Escambia River	10C	ESCAMBIA RIVER	Coliforms	Fecal Coliform	1	3c	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment retained this WB-pollutant on the Planning List (IR Category 3C) based on sample exceedance rate.
Pensacola	Escambia River	10C	Escambia River	Total Suspended Solids	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Pensacola	Escambia River	10C	ESCAMBIA RIVER	Turbidity (NTU)	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Pensacola	Escambia River	10D	ESCAMBIA RIVER	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Escambia River	10D	ESCAMBIA RIVER	Turbidity (NTU)	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Escambia River	10D	Escambia River	Total Suspended Solids	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Escambia River	10E	ESCAMBIA RIVER	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing to exclude a small lake (10EA) (Appendix E).
Pensacola	Escambia River	10E	Escambia River	Turbidity	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing to exclude a small lake (10EA) (Appendix E).
Pensacola	Escambia River	10F	Escambia River	Total Suspended Solids	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Escambia River	10F	ESCAMBIA RIVER	Turbidity (NTU)	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Escambia River	316	Crooked Creek	Biochemical Oxygen Demand	Dissolved Oxygen	2	2	Delisting Not Needed. 316 was not found on the 1998 303(d) List, and current data does not support listing.
Pensacola	Escambia River	316	Crooked Creek	Coliforms	Fecal Coliform	2	2	Delisting Not Needed. 316 was not found on the 1998 303(d) List, and current data does not support listing.
Pensacola	Escambia River	316	Crooked Creek	Nutrients	Nutrients (Chlorophyll-a)	2	2	Delisting Not Needed. 316 was not found on the 1998 303(d) List, and current data does not support listing.
Pensacola	Escambia River	316	Crooked Creek	Turbidity	Turbidity	2	2	Delisting Not Needed. 316 was not found on the 1998 303(d) List, and current data does not support listing.
Pensacola	Escambia River	316	Crooked Creek	Total Suspended Solids	Turbidity	2	2	Delisting Not Needed. 316 was not found on the 1998 303(d) List, and current data does not support listing.
Pensacola	Escambia River	36	Bray Mill Creek	Nutrients	Nutrients (Chlorophyll-a)	2	2	Delisting Accepted. No evidence of nutrient imbalance or DO impairment.
Pensacola	Escambia River	5	PINE BARREN CREEK	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Escambia River	5	PINE BARREN CREEK	Turbidity (NTU)	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Escambia River	7	CANOE CREEK	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Escambia River	87	Little Pine Barren Creek	Coliforms	Fecal Coliform	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Escambia River	87	Little Pine Barren Creek	Turbidity	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	420	Pace Mill Creek	Coliforms	Fecal Coliform	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	420	Pace Mill Creek	Turbidity	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	420	Pace Mill Creek	Total Suspended Solids	Turbidity	2	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	493B	Judges Bayou (Tidal Segment)	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. 493B comprises one portion of 1998-listed WBID 493. FDEP provided justification for retiring 493 after 1998 listing and replacing it with 493A (Class 3F) and 493B (Class 3M) (Appendix E). Both new WBIDs retain the 1998 listings. FDEP verified 493A for DO in cycle 2, and documented plans to delist retired WBID 493, for administrative purposes.
Pensacola	Pensacola Bay	502	Hickory Hammock Creek		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis. Marine fish advisory was applied to a WBID which included both freshwater and marine portions. FDEP documented revising the boundary of 502 to include only the freshwater system of Hickory Hammock Creek. The marine portion of original 502 was reassigned to 548GA (Blackwater Bay, N. Segment), which remains listed for mercury (in fish tissue) based on the coastal fish advisory issued by DOH.
Pensacola	Pensacola Bay	539	MULATTO BAYOU	Nutrients	Chlorophyll	1	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. FDEP provided justification for revising 539 after 1998 listing to include only the marine portion (new 539) in the 1998 listing, and exclude the freshwater portion (539A) (Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	539	Mulatto Bayou	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising 539 after 1998 listing to include only the marine portion (new 539) in the 1998 listing, and exclude the freshwater portion (539A) (Appendix E).
Pensacola	Pensacola Bay	539	Mulatto Bayou	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising 539 after 1998 listing to include only the marine portion (new 539) in the 1998 listing, and exclude the freshwater portion (539A) (Appendix E).
Pensacola	Pensacola Bay	548A	ESCAMBIA BAY (N)	Nutrients	Chlorophyll	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 548A after 1998 listing and replacing it with new WBIDs 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings.
Pensacola	Pensacola Bay	548A	ESCAMBIA BAY (N)	Dissolved Oxygen	Dissolved Oxygen	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 548A after 1998 listing and replacing it with new WBIDs 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings.
Pensacola	Pensacola Bay	548A	ESCAMBIA BAY (N)	Turbidity (NTU)	Turbidity	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 548A after 1998 listing and replacing it with new WBIDs 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings.
Pensacola	Pensacola Bay	548AA	Escambia Bay (North Segment)	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. 548AA comprises one portion of 1998-listed WBID 548A. FDEP provided justification for retiring 548A after 1998 listing and replacing it with 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	548AA	Escambia Bay (North Segment)	Turbidity	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. 548AA comprises one portion of 1998-listed WBID 548A. FDEP provided justification for retiring 548A after 1998 listing and replacing it with 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings. FDEP also assessed and delisted 548AC as not impaired for turbidity in cycle 2.
Pensacola	Pensacola Bay	548AA	Escambia Bay (North Segment)	Total Suspended Solids	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. 548AA comprises one portion of 1998-listed WBID 548A. FDEP provided justification for retiring 548A after 1998 listing and replacing it with 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings. FDEP also assessed and delisted 548AC as not impaired for turbidity in cycle 2.
Pensacola	Pensacola Bay	548AB	FLORIDATOWN PARK		Fecal Coliform	1	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains assessed for fecal coliform through assessment of the associated parent coastal WBID 548AA for fecal coliform.
Pensacola	Pensacola Bay	548AB	Floridatown Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 548AA for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	548AB	Floridatown Park		Nutrients (Chlorophyll-a)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for nutrients through listing of the associated parent coastal WBID 548AA for nutrients.
Pensacola	Pensacola Bay	548AC	Escambia Bay North (Shellfish)	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. 548AC comprises one portion of 1998-listed WBID 548A. FDEP provided justification for retiring 548A after 1998 listing and replacing it with 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings (Appendix F). FDEP assessed 548AA as impaired (4d) for DO in cycle 2.
Pensacola	Pensacola Bay	548AC	Escambia Bay North (Shellfish)	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. 548AC comprises one portion of 1998-listed WBID 548A. FDEP provided justification for retiring 548A after 1998 listing and replacing it with 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings (Appendix F). FDEP verified 548AA for nutrients in cycle 2.
Pensacola	Pensacola Bay	548AC	Escambia Bay North (Shellfish)	Total Suspended Solids	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. 548AC comprises one portion of 1998-listed WBID 548A. FDEP provided justification for retiring 548A after 1998 listing and replacing it with 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings (Appendix F). FDEP also assessed and delisted 548AA as not impaired for turbidity in cycle 2.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	548AC	Escambia Bay North (Shellfish)	Turbidity	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. 548AC comprises one portion of 1998-listed WBID 548A. FDEP provided justification for retiring 548A after 1998 listing and replacing it with 548AA (Class 3m) and 548AC (Class 2) (Appendix E). Both new WBIDs retain the 1998 listings. FDEP also assessed and delisted 548AA as not impaired for turbidity in cycle 2.
Pensacola	Pensacola Bay	548B	ESCAMBIA BAY (S)	Nutrients	Chlorophyll	1	2	Delisting Accepted. No evidence of nutrient imbalance or DO impairment.
Pensacola	Pensacola Bay	548B	ESCAMBIA BAY (S)	Dissolved Oxygen	Dissolved Oxygen	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	548B	Escambia Bay (South Segment)	Total Suspended Solids	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	548B	ESCAMBIA BAY (S)	Turbidity (NTU)	Turbidity	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	548BB	Bay Bluffs Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 548B for mercury.
Pensacola	Pensacola Bay	548CB	Garcon Point		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 548C for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	548CC	Redfish Point		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 548C for mercury.
Pensacola	Pensacola Bay	548E	PENSACOLA BAY (MOUTH)	Nutrients	Chlorophyll	1	2	Delisting Accepted. No evidence of nutrient imbalance or DO impairment.
Pensacola	Pensacola Bay	548E	Pensacola Bay (Mouth)	Copper	Copper	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	548E	Pensacola Bay (Mouth)	Biochemical Oxygen Demand	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	548E	Pensacola Bay (Mouth)	Lead	Lead	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	548E	Pensacola Bay (Mouth)	Total Suspended Solids	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	548E	PENSACOLA BAY (MOUTH)	Turbidity (NTU)	Turbidity	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	548F	Bayou Grande	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. While this WBID did not appear on the original 1998 list, FDEP's final Group 4 submittal documents that the data indicating that this WBID was impaired in 1998 was mistakenly assigned to 740 at that time, resulting in erroneous 1998 listing of 740. FDEP has corrected this error by re-assigning the 1998 listings for 740 (coliforms, dissolved oxygen) to 548F.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	548FB	Navy Point		Fecal Coliform	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for fecal coliform through listing of the associated parent coastal WBID 548F for fecal coliform.
Pensacola	Pensacola Bay	548FB	Navy Point		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 548F for mercury.
Pensacola	Pensacola Bay	548H	East Bay		Nutrients (Historic Chlorophyll-a)	2	3b	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis; chlorophyll-a levels did not exceed historic minimum.
Pensacola	Pensacola Bay	639	Direct Runoff to Bay	Non-point Source	Non-point Source	2	N/A	Delisting Accepted. FDEP provided adequate justification, noting that since the 1994 survey, they have acquired quantitative and quality assured data for parameters included in the survey to support assessments for this WBID.
Pensacola	Pensacola Bay	649	Indian Bayou	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	649	Indian Bayou	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	666	Direct Runoff to Bay	Non-point Source	Non-point Source	2	N/A	Delisting Accepted. FDEP provided adequate justification, noting that since the 1994 survey, they have acquired quantitative and quality assured data for parameters included in the survey to support assessments for this WBID.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	694	TROUT BAYOU	Dissolved Oxygen	Dissolved Oxygen	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	694	TROUT BAYOU	Coliforms	Fecal Coliform	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Pensacola Bay	701	EAST RIVER BAY	Coliforms	Fecal Coliform	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 701 after 1998 listing and replacing it with new WBIDs 701A (Class 2) and 701B (Class 3F) (Appendix E). Both new WBIDs retain the 1998 listings.
Pensacola	Pensacola Bay	701	EAST RIVER BAY	Turbidity (NTU)	Turbidity	1	N/A	Delisting for administrative purposes accepted. FDEP provided justification for retiring 701 after 1998 listing and replacing it with new WBIDs 701A (Class 2) and 701B (Class 3F) (Appendix E). Both new WBIDs retain the 1998 listings.
Pensacola	Pensacola Bay	701A	East Bay River (Marine Portion)	Turbidity	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for retiring 701 after 1998 listing and replacing it with new WBIDs 701A (Class 2) and 701B (Class 3F) (Appendix E). Both new WBIDs retain the 1998 listings. 701B remains on the 1998 list in 3c.
Pensacola	Pensacola Bay	738	Texar Bayou	Non-point Source	Non-point Source	2	N/A	Delisting Accepted. FDEP provided adequate justification, noting that since the 1994 survey, they have acquired quantitative and quality assured data for parameters included in the survey to support assessments for this WBID.
Pensacola	Pensacola Bay	738AB	Bayview Park Pier		Fecal Coliform	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for fecal coliform through listing of the associated parent coastal WBID 738 for fecal coliform.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	738AB	Bayview Park Pier		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 738 for mercury.
Pensacola	Pensacola Bay	740	BAYOU GRANDE	Coliforms	Fecal Coliform	1	2	Delisting Accepted. Flaw in 1998 assessment. 1996 data from 548F indicating impairment was incorrectly assigned to 740. FDEP has corrected this error by re-assigning the 1998 listings for 740 (coliforms, dissolved oxygen) to 548F.
Pensacola	Pensacola Bay	8002A	Fort Pickens		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8002 for mercury.
Pensacola	Pensacola Bay	8003D	Sabine Yacht And Racket		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 925 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	8003E	Pensacola Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8003 for mercury.
Pensacola	Pensacola Bay	8004B	Santa Rosa Island Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8004 for mercury.
Pensacola	Pensacola Bay	8004C	County Park East		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8004 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	8006A	Navarre Beach Pier		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8006 for mercury.
Pensacola	Pensacola Bay	8007A	El Matador		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8007 for mercury.
Pensacola	Pensacola Bay	833	Tom King Creek		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis. Marine fish consumption advisory was mistakenly assigned to this freshwater WBID.
Pensacola	Pensacola Bay	846	BAYOU CHICO	Dissolved Oxygen	Dissolved Oxygen	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP documented dividing 846 into 846 and 846C after 1998 listing, and assigning 1998 listings to both (Appendix E). Boundary was also revised to include parts of 846A and 846B (both listed separately in 1998).
Pensacola	Pensacola Bay	846	Bayou Chico	Coliforms	Fecal Coliform	2	4a	Delisting Accepted. EPA approved a fecal coliform TMDL for this water on September 9, 2008. FDEP documented dividing 846 into 846 and 846C after 1998 listing, and assigning 1998 listings to both (Appendix E). Boundary was also revised to include parts of 846A and 846B (both listed separately in 1998).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	846A	Jones Creek	Coliforms	Fecal Coliform	2	4a	Delisting Accepted. EPA approved a fecal coliform TMDL for this water on September 9, 2008. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Pensacola	Pensacola Bay	846A	Jones Creek	Nutrients	Nutrients (Chlorophyll-a)	2	2	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Pensacola	Pensacola Bay	846A	JONES CREEK	Turbidity (NTU)	Turbidity	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Pensacola	Pensacola Bay	846B	Jackson Creek	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting Accepted. Flaw in cycle 1 analysis (data QA issues). FDEP provided justification for dividing 846B into freshwater (846B) and marine (846C) portions after 1998 listing, both of which retain the 1998 listings (Appendix E).
Pensacola	Pensacola Bay	846B	Jackson Creek	Coliforms	Fecal Coliform	2	4a	Delisting Accepted. EPA approved a fecal coliform TMDL for this water on September 9, 2008. FDEP provided justification for dividing 846B into freshwater (846B) and marine (846C) portions after 1998 listing, both of which retain the 1998 listings (Appendix E).
Pensacola	Pensacola Bay	846B	Jackson Creek	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. FDEP provided justification for dividing 846B into freshwater (846B) and marine (846C) portions after 1998 listing, both of which retain the 1998 listings (Appendix E). 846C remains listed for nutrients.
Pensacola	Pensacola Bay	846B	JACKSON CREEK	Turbidity (NTU)	Turbidity	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for dividing 846B into freshwater (846B) and marine (846C) portions after 1998 listing, both of which retain the 1998 listings (Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	846B	Jackson Creek	Total Suspended Solids	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for dividing 846B into freshwater (846B) and marine (846C) portions after 1998 listing, both of which retain the 1998 listings (Appendix E).
Pensacola	Pensacola Bay	846C	Bayou Chico Drain	Turbidity	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for dividing 846B into freshwater (846B) and marine (846C) portions after 1998 listing, both of which retain the 1998 listings (Appendix E).
Pensacola	Pensacola Bay	846C	Bayou Chico Drain	Total Suspended Solids	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for dividing 846B into freshwater (846B) and marine (846C) portions after 1998 listing, both of which retain the 1998 listings (Appendix E).
Pensacola	Pensacola Bay	846CB	Bayou Chico Beach		Fecal Coliform	2	4a	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. EPA approved a fecal coliform TMDL for this water on September 9, 2008.
Pensacola	Pensacola Bay	846CB	Bayou Chico Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 846 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	846CB	Bayou Chico Beach		Nutrients (Chlorophyll-a)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for nutrients through listing of the associated parent coastal WBID 846 for nutrients.
Pensacola	Pensacola Bay	848DA	Sanders Beach		Fecal Coliform	2	4a	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. EPA approved a fecal coliform TMDL for this water on September 9, 2008.
Pensacola	Pensacola Bay	848DA	Sanders Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 548D for mercury.
Pensacola	Pensacola Bay	915A	Woodlawn Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 915 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	915B	Navarre Park Highway 98		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 915 for mercury.
Pensacola	Pensacola Bay	915C	Liza Jackson Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 915 for mercury.
Pensacola	Pensacola Bay	915D	Marler Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 915 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Pensacola Bay	915E	Quiet Water Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 915 for mercury.
Pensacola	Pensacola Bay	915F	Shoreline Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 915 for mercury.
Pensacola	Yellow River	107	Murder Creek	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Yellow River	107	Murder Creek	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Yellow River	117	Turkey Creek	Turbidity	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Yellow River	144	Little Creek	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Yellow River	30	YELLOW RIVER	Turbidity (NTU)	Turbidity	1	2	Delisting Accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for revising the boundary of 30 after 1998 listing to include more of the river and exclude portions of two small tributaries which are not hydrologically connected to the river (30D) (Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Pensacola	Yellow River	30A	YELLOW RIVER	Dissolved Oxygen	Dissolved Oxygen	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Pensacola	Yellow River	30A	YELLOW RIVER	Turbidity (NTU)	Turbidity	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G1	ICWW (Broward County Northern Segment)	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G1, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G1	ICWW (Broward County Northern Segment)	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G1, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G1	ICWW (Broward County Northern Segment)	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. 3226G1 comprises one portion of 1998-listed WBID 3226G. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G1, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G2	ICWW (Broward County Central Segment)	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G2, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G2	ICWW (Broward County Central Segment)	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G2, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G2	ICWW (Broward County Central Segment)	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. 3226G2 comprises one portion of 1998-listed WBID 3226G. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G2, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G3	ICWW (Broward County Southern Segment)	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G3, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G3	ICWW (Broward County Southern Segment)	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G3, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226G3	ICWW (Broward County Southern Segment)	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. 3226G3 comprises one portion of 1998-listed WBID 3226G. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G3, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	3226HB	Oleta State Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 3226H for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	6001	Biscayne Bay	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	6001	Biscayne Bay	Coliform	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	6001B	Hobe Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 6001 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8091A	Bill Baggs Cape Florida State Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8091 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8091B	Key Biscayne Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8091 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8091C	Crandon Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8091 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8091D	Virginia Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8091 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8092A	South Beach Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8092 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8092B	Collins Park - 21st Street		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8092 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8092C	53rd Street - Miami Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8092 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8092D	North Shore Ocean Terrace		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8092 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8093A	Surfside Beach - 93rd Street		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8093 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8093B	Haulover Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8093 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8093C	Gilbert Sampson Park - 163rd Street		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8093 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8093D	Golden Beach		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8093 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8093E	Hallandale Beach Boulevard		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8093 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8094A	Van Buren Street		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8094 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8094B	Harrison Street		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8094 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8094C	Minnesota Street		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8094 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8094D	North Beach Park Intracoastal		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8094 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8094E	John Lloyd Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8094 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8094F	Bahia Mar		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8094 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8095A	Birch State Park		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8095 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8095B	Oakland Park Boulevard		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8095 for mercury.
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8095C	Commercial Boulevard Pier		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8095 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Biscayne Bay Intracoastal	8095D	Pompano Beach Pier		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 8095 for mercury.
Southeast Coast - Biscayne Bay	Broward County	3226G4	Las Olas Isles Finger Canal System	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G4, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Broward County	3226G4	Las Olas Isles Finger Canal System	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. 3226G4 comprises one portion of 1998-listed WBID 3226G. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3226G4, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Broward County	3270	C-14/CYPRESS CREEK CANAL (POMPANO CANAL)	Coliforms	Fecal Coliform	1	5	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment placed this WB-pollutant on the Verified List (IR Category 5) based on sample exceedance rate above verification threshold. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3273	C-13 WEST/MIDDLE RIVER	Coliforms	Fecal Coliform	1	5	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment placed this WB-pollutant on the Verified List (IR Category 5) based on sample exceedance rate above verification threshold.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Broward County	3273	C-13 WEST/MIDDLE RIVER	Nutrients	Nutrients (Chl a)	1	3b	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Southeast Coast - Biscayne Bay	Broward County	3274	C-13 East (Middle River Canal)	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G after 1998 listing and retiring and replacing it with nine new WBIDs, including 3274, all of which retain the 1998 listings (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Broward County	3276	C-12	Coliforms	Fecal Coliform	1	5	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment placed this WB-pollutant on the Verified List (IR Category 5) based on sample exceedance rate above verification threshold. FDEP documented revision of 3276 after 1998 listing to include 3276 and parts of 3277B (listed separately in 1998) and 3276A (Appendix E). Retained 1998 listings for 3276 and 3277B and assigned 3276 listings to 3276A.
Southeast Coast - Biscayne Bay	Broward County	3277	NORTH NEW RIVER CANAL	Coliforms	Fecal Coliform	1	2	Delisting for administrative purposes accepted. Sample exceedance rate is also below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP reassigned this WBID ID# to a different geographic area after 1998 listing. The original area listed in 1998 was expanded and renumbered from 3277 to 3277C after 1998 listing. FDEP has documented these changes and assigned 1998 listings to 3277C (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3277	NORTH NEW RIVER CANAL	Nutrients	Nutrients (Chl a)	1	3b	Delisting for administrative purposes accepted. Chlorophyll-a data also provides no indication of nutrient impairment. FDEP reassigned this WBID ID# to a different geographic area after 1998 listing. The original area listed in 1998 was expanded and renumbered from 3277 to 3277C after 1998 listing. FDEP has documented these changes and assigned 1998 listings to 3277C (Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Broward County	3277A	New River Canal (South)	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for dividing 3277A into two distinct systems (3277A and 3277E) after 1998 listing (Appendix E). 1998 listings for 3277A were assigned only to new 3277A. 3277E retains 1998 listings for 3226G (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3277A	SOUTH NEW RIVER CANAL	Nutrients	Nutrients (Chl a)	1	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. FDEP provided justification for dividing 3277A into two distinct systems (3277A and 3277E) after 1998 listing. 1998 listings for 3277A were assigned only to new 3277A. 3277E retains 1998 listings for 3226G (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3277A	New River Canal (South)	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. FDEP provided justification for dividing 3277A into two distinct systems (3277A and 3277E) after 1998 listing. 1998 listings for 3277A were assigned only to new 3277A. 3277E retains 1998 listings for 3226G (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3277B	Holloway Canal (East)	Coliforms	Fecal Coliform	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP documented dividing 3277B into three WBIDs (3277B & parts of 3277A & 3277C) after 1998 listing. 1998 listings for 3277B were assigned to all three (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3277B	Holloway Canal (East)	Nutrients	Nutrients (Chlorophyll-a)	2	3b	'Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP documented dividing 3277B into three WBIDs (3277B & parts of 3277A & 3277C) after 1998 listing. 1998 listings for 3277B were assigned to all three (Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Broward County	3277B	Holloway Canal (East)	Total Suspended Solids	Total Suspended Solids	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP documented dividing 3277B into three WBIDs (3277B & parts of 3277A & 3277C) after 1998 listing. 1998 listings for 3277B were assigned to all three (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3277B	Holloway Canal (East)	Total Suspended Solids	Turbidity	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP documented dividing 3277B into three WBIDs (3277B & parts of 3277A & 3277C) after 1998 listing. 1998 listings for 3277B were assigned to all three (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3277C	C-42 (Holloway Canal (West))	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP documented renumbering 3277 to 3277C, and revising the boundary of 3277B to include a portion of 3277C after 1998 listing. 1998 listings for 3277 and 3277B were assigned to 3277C (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3277E	Dania Cutoff Canal	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP has documented revising 3226G and 3277A after 1998 listing, such that new 3277E comprises part of each of these two WBIDs. Justification for assigning 1998 listings for 3226G, but not 3277A, to 3277E was provided (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.
Southeast Coast - Biscayne Bay	Broward County	3277E	Dania Cutoff Canal	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. No evidence of nutrient imbalance or DO impairment. FDEP has documented revising 3226G and 3277A after 1998 listing, such that new 3277E comprises part of each of these two WBIDs. Justification for assigning 1998 listings for 3226G, but not 3277A, to 3277E was provided (Appendix E). Delisting of retired WBID 3226G would help to clarify the administrative record.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	Broward County	3279	SOUTH NEW RIVER CANAL	Coliforms	Fecal Coliform	1	5	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment placed this WB-pollutant on the Verified List (IR Category 5) based on sample exceedance rate above verification threshold. FDEP documented revision of 3279 after 1998 listing to include several WBIDs, and justified assigning 1998 listings for 3279 to revised 3279 and 3279A (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3279	SOUTH NEW RIVER CANAL	Nutrients	Nutrients (Chl a)	1	5	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment verifies and retains this WB-pollutant on the 1998 303(d) List (IR Category 3c) based on exceedance of historic low chlorophyll-a. FDEP documented revision of 3279 after 1998 listing to include several WBIDs, and justified assigning 1998 listings for 3279 to revised 3279 and 3279A (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3279A	Snake Creek Canal (North Fork)	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP justified revision of 3279 after 1998 listing, and assignment of 1998 listings for 3279 to revised 3279 and 3279A (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3281	C-11 EAST	Nutrients	Nutrients (Chl a)	1	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Southeast Coast - Biscayne Bay	Broward County	3282	HOLLYWOOD CANAL	Nutrients	Nutrients (Chl a)	1	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	North Dade County	3283	Snake Creek Canal (East)	Mercury (based on fish consumption advisory)	Mercury (in fish tissue)	2	2	Delisting Accepted. 2009 FDOH fish consumption advisory corresponds to a fish tissue concentration which is below the level supporting a 'limited' consumption advisory.
Southeast Coast - Biscayne Bay	North Dade County	3283	Snake Creek Canal (East)	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP documented dividing 3284 into 3284 and 3283 after 1998 listing. 1998 listings for 3284 were assigned to both (Appendix E).
Southeast Coast - Biscayne Bay	North Dade County	3284	Snake Creek Canal (West)	Mercury (based on fish consumption advisory)	Mercury (in fish tissue)	2	2	Delisting Accepted. 2009 FDOH fish consumption advisory corresponds to a fish tissue concentration which is below the level supporting a 'limited' consumption advisory.
Southeast Coast - Biscayne Bay	North Dade County	3284	SNAKE CREEK CANAL WEST	Nutrients	Nutrients (Chl a)	1	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP documented dividing 3284 into 3284 and 3283 after 1998 listing. 1998 listings for 3284 were assigned to both (Appendix E).
Southeast Coast - Biscayne Bay	North Dade County	3285	C-8/Biscayne Canal	Nutrients	Nutrients (Chlorophyll-a)	2	3b	'Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Southeast Coast - Biscayne Bay	North Dade County	3287	C-7/Little River	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	North Dade County	3288A	Wagner Creek		Dioxin (based on fish consumption advisory)	2	3c	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 not accepted. FDOH's final 2009 fish brochure includes a 'Do Not Eat' consumption advisory for this water based on dioxin. This advisory provides "scientifically credible and compelling information" of impairment, in accordance with 62-303.470(2).
Southeast Coast - Biscayne Bay	North Dade County	3288A	Wagner Creek	Coliforms	Fecal Coliform	2	4a	Delisting Accepted. EPA approved a fecal coliform TMDL for this water on May 3, 2007. FDEP documented dividing 3288A into three WBIDs (3288A & parts of 3288 & 3288B) after 1998 listing (Appendix E). 1998 listings for 3288A were assigned to all three.
Southeast Coast - Biscayne Bay	North Dade County	3288A	Wagner Creek	Nutrients	Nutrients (Chlorophyll-a)	2	3b	'Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP documented dividing 3288A into three WBIDs (3288A & parts of 3288 & 3288B) after 1998 listing (Appendix E). 1998 listings for 3288A were assigned to all three.
Southeast Coast - Biscayne Bay	North Dade County	6001A	Matheson Hammock		Mercury (in fish tissue)	2	N/A	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. FDEP defines beach WBIDs as areas which are assessed only for Primary Contact and Recreation Use Support based on FDOH beach advisory data. The area covered by the beach WBID is also included in a parent coastal WBID, which is assessed for all other applicable designated uses and data sets. Thus, the area covered by this beach WBID remains listed for mercury through listing of the associated parent coastal WBID 6001 for mercury.

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	South Dade County	3286B	C-4/Tamiami Canal (West)	Nutrients	Nutrients (Chlorophyll-a)	2	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP documented dividing 3286B into five WBIDs (3286B & parts of 3286, 3286A, 3293 & 3297) after 1998 listing (Appendix E). 1998 listings for 3286B were assigned to all but 3293.
Southeast Coast - Biscayne Bay	South Dade County	3297	C-1 (Black Creek)	Nutrients	Nutrients (Historic Chlorophyll-a)	2	3b	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP documented dividing 3286B into five WBIDs (3286B & parts of 3286, 3286A, 3293 & 3297) after 1998 listing (Appendix E). 1998 listings for 3286B were assigned to all but 3293.
Southeast Coast - Biscayne Bay	South Dade County	3303	C-111 (South)		Nutrients (Historic Chlorophyll-a)	2	3b	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 accepted. Flaw in cycle 1 analysis; chlorophyll-a levels did not exceed historic minimum. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Southeast Coast - Biscayne Bay	South Dade County	3303A	C-113	Nutrients	Nutrients (Chl a)	1	3b	Delisting Accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL.
Southeast Coast - Biscayne Bay	South Dade County	3303B1	Taylor Slough	Dissolved Oxygen	Dissolved Oxygen	2	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Southeast Coast - Biscayne Bay	South Dade County	3304	HOMESTEAD	Cadmium (ug/L)	Cadmium	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Southeast Coast - Biscayne Bay	South Dade County	3304	HOMESTEAD	Copper (ug/L)	Copper	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Southeast Coast - Biscayne Bay	South Dade County	3304	HOMESTEAD	Lead (ug/L)	Lead	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Withlacoochee	Lake Panasoffkee	1351B	Lake Panasoffkee		Nutrients (Historic TSI)	2	3b	FDEP basis for not including this WB-pollutant on the 303(d) List in cycle 2 based on this assessment method accepted. Flaw in cycle 1 analysis (data QA issues). However, water remains on the 303(d) List for nutrients, based on TSI assessment. Listed in cycle 1 for TSI. TSI threshold again exceeded, & DO impaired, in cycle 2.
Withlacoochee	Lower Withlacoochee	1329B	LAKE ROUSSEAU	Coliforms	Fecal Coliform	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP documented revision of 1329B after 1998 listing to 1329B and 1329B1, and justified assigning 1998 listings to revised 1329B only (Appendix E).
Withlacoochee	Lower Withlacoochee	1329B	LAKE ROUSSEAU	Nutrients	Nutrients (TSI)	1	2	Delisting accepted. However, this water remains on the 303(d) List for dissolved oxygen, with an undetermined cause of impairment. To the extent that nutrients are found to contribute to DO impairment, nutrients must be addressed in the DO TMDL. FDEP documented revision of 1329B after 1998 listing to 1329B and 1329B1, and justified assigning 1998 listings to revised 1329B only (Appendix E).
Withlacoochee	Rainbow River	1320A	RAINBOW SPRINGS #1	Nutrients	Nutrients (chl a)	1	5	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment verifies and retains this WB-pollutant on the 1998 303(d) List based on other information indicating nutrient impairment (abundant algae and high nitrate-nitrite levels). FDEP provided justification for WBID boundary revision after 1998 listing. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).

BASIN NAME	PLANNING UNIT	WBID	WATERBODY NAME	PARAMETER OF CONCERN ON THE 1998 303(d) LIST	2010 FDEP PARAMETER OF CONCERN	ASSESSMENT CYCLE	FINAL FDEP IR CATEGORY	EPA ANALYSIS & CONCLUSIONS
Withlacoochee	Upper Withlacoochee	1329H	LAKE LINDSEY	Dissolved Oxygen	Dissolved Oxygen	1	4d	Cycle 1 Delisting Withdrawn by FDEP in Cycle 2. Cycle 2 assessment submits this WB-pollutant for inclusion on the 303(d) List as 4d. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Withlacoochee	Upper Withlacoochee	1329H	LAKE LINDSEY	Coliforms	Fecal Coliform	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Withlacoochee	Upper Withlacoochee	1378	BIG GANT CANAL	Coliforms	Fecal Coliform	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years.
Withlacoochee	Upper Withlacoochee	1381	Little Withlacoochee	Dissolved Oxygen	Dissolved Oxygen	2	4c	Delisting Accepted. Sufficient evidence that impairment is not caused by human activities or the discharge of pollutants. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Withlacoochee	Upper Withlacoochee	1381	LITTLE WITHLACOOCHEE	Coliforms	Fecal Coliform	1	2	Delisting accepted. Sample exceedance rate is below verification threshold in an adequate sample set collected within the last 7.5 years. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).
Withlacoochee	Upper Withlacoochee	1399	DADE CITY CANAL	Nutrients	Nutrients (chl a)	1	3c	FDEP basis for not verifying this WB-pollutant in cycle 2 accepted. Flaw in cycle 1 analysis (insufficient data). As ascknowledged by FDEP, water remains on the 303(d) List in IR category 3c.
Withlacoochee	Upper Withlacoochee	1476	LAKE MATTIE	Nutrients	Nutrients (TSI)	1	2	Delisting Accepted. No evidence of nutrient imbalance or DO impairment. FDEP provided justification for WBID boundary revision after 1998 listing (Appendix E).

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3198	C-41A		Fisheating Creek	Group 4	3F			1		Reseg.	This WBID boundary was modified to exclude an area that belongs in WBID 1856A.	N/A	3198	3198	N/A	N/A	Y	N	N/A
3201A	FISHEATING CREEK		Fisheating Creek	Group 4	3F		Dissolved Oxygen; Iron; Nutrients (Chlorophyll-a); Nutrients (Historic Chlorophyll-a)	1	41	Retired	WBID 3201A has been replaced by WBID 3201A1 because the WBID boundaries for WBID 3201A from cycle 1 have been revised based on public feedback and DEP's internal review of the watershed to better represent the actual Fisheating Creek waterbody. The WBID revisions include establishing new WBIDs for the tributaries of Fisheating Creek (WBID 3201D, 3201E, 3201F, 3201G, 3201H, 3201I, 3201J, 3201K and 3201L). In recognition of these significant changes WBID 3201A has been retired and replaced by 3201A1 to represent Fisheating Creek.	N/A	3201A	3201A1	N/A	N/A	N	N/A	N/A
3201A1	Fisheating Creek		Fisheating Creek	Group 4	3F		Dissolved Oxygen; Iron; Nutrients (Chlorophyll-a); Nutrients (Historic Chlorophyll-a)	42		New	This WBID was created to replace WBID 3201A and Dissolved Oxygen; Iron; Nutrients (Historic Chlorophyll-a) are still impaired in cycle 2. Nutrients (Chlorophyll-a) is not impaired in cycle 2.	N/A	N/A	3201A1	N/A	N/A	Y	Y	N/A
3201B	GATOR SLOUGH		Fisheating Creek	Group 4	3F			1		Reseg.	This WBID boundary was modified to better represent the Gator Slough watershed and allow for this area to be assessed.	N/A	N/A	3201B	N/A	N/A	Y	N	N/A
3201D	CARLTON RANCH RUN		Fisheating Creek	Group 4	3F			41		New	This WBID was created to better represent CARLTON RANCH RUN and was originally a part of 3201A. WBID consists of 76% improved/woodland pasture and 5% wetlands. Closest 1996 station is upstream of the confluence of Carlton Ranch Run and Fisheating Creek, the next station is many miles downstream where additional influences enter the system; therefore the inclusion of Fisheating Creek on the 1998 303(d) list was not influenced by this system and there is no basis to add this WBID to the Consent Decree list of waters.	N/A	N/A	3201D	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3201E	RAINEY SLOUGH		Fisheating Creek	Group 4	3F			41		New	This WBID was created to better represent RAINEY SLOUGH and was originally part of 3201A. WBID consists of 26% improved pasture, 22% citrus, 28% upland forest, and 18% wetlands; therefore these land uses are not considered to strongly influence DO or nutrient impairment in Fisheating Creek. The closest 1996 stations are 9 miles upstream and 7 miles downstream of the confluence of this tributary and Fisheating Creek; therefore the inclusion of Fisheating Creek on the 1998 303(d) list was not influenced by this system and there is no basis to add this WBID to the Consent Decree list of waters.	N/A	N/A	3201E	N/A	Y	Y	N/A	
3201F	BOOTHEEL CREEK		Fisheating Creek	Group 4	3F			41		New	This WBID was created to better represent BOOTHEEL CREEK and was originally a part of 3201A. WBID consists of 73% improved/woodland pasture, 6% unimproved pasture, 9% rangeland, and 7% wetlands; therefore these land uses are not considered to strongly influence DO or nutrient impairment in Fisheating Creek.	N/A	N/A	3201F	N/A	Y	Y	N/A	
3201G	JOE SLOUGH		Fisheating Creek	Group 4	3F			41		New	This WBID was created to better represent JOE SLOUGH and was originally a part of 3201A. WBID consists of 56% improved/woodland pasture, 3% unimproved pasture, 25% citrus and 10% wetlands; therefore these land uses are not considered to strongly influence DO or nutrient impairment in Fisheating Creek.	N/A	N/A	3201G	N/A	Y	Y	N/A	
3201H	JOHN HENRY SLOUGH		Fisheating Creek	Group 4	3F			41		New	This WBID was created to better represent JOHN HENRY SLOUGH and was originally a part of 3201A. WBID consists of 54% improved/woodland pasture, 2% unimproved pasture, 22% citrus, 8% upland forest, and 3% wetlands; therefore these land uses are not considered to strongly influence DO or nutrient impairment in Fisheating Creek.	N/A	N/A	3201H	N/A	Y	Y	N/A	

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3201I	PLATT BRANCH		Fisheating Creek	Group 4	3F			41		New	This WBID was created to better represent PLATT BRANCH and was originally a part of 3201A. WBID consists of 62% improved/woodland pasture, 11% unimproved pasture, 13% wetlands, and 5% upland forest; therefore these land uses are not considered to strongly influence DO or nutrient impairment in Fisheating Creek.	N/A	N/A	3201I	N/A	N/A	Y	Y	N/A
3201J	GOPHER GULLY		Fisheating Creek	Group 4	3F			41		New	WBID was created to better represent GOPHER GULLY and was originally a part of 3201A. WBID consists of 34% improved/woodland pasture, 7% unimproved pasture, 32% upland forest, 17% wetlands, and 8% rangeland; therefore these land uses are not considered to strongly influence DO or nutrient impairment in Fisheating Creek.	N/A	N/A	3201J	N/A	N/A	N	Y	N/A
3201K	FENCE LINE DRAIN		Fisheating Creek	Group 4	3F			41		New	WBID was created to better represent FENCE LINE DRAIN and was originally a part of 3201A. WBID consists of 36% unimproved pasture, 31% improved/woodland pasture, and 29% wetlands; therefore these land uses are not considered to strongly influence DO or nutrient impairment in Fisheating Creek.	N/A	N/A	3201K	N/A	N/A	Y	Y	N/A
3201L	UNNAMED DRAIN		Fisheating Creek	Group 4	3F			41		New	WBID was created to better represent UNNAMED DRAIN and was originally a part of 3201A. WBID consists of 36% unimproved pasture, 28% wetlands, 25% upland forest, 6% improved/woodland pasture, and 3% rangeland; therefore these land uses are not considered to strongly influence DO or nutrient impairment in Fisheating Creek.	N/A	N/A	3201L	N/A	N/A	N	Y	N/A
3204	HARNEY POND CANAL	HARNEY POND CANAL	Fisheating Creek	Group 4	3F	Dissolved Oxygen, Lead, Nutrients	Dissolved Oxygen; Nutrients (Chlorophyll-a)	1		Reseg.	WBID boundary was modified to remove the Indian reservation lands (IND01) and some small areas of land drainages were removed and added. This does not affect the consent decree listing.	IND01	3204	3204	Y	-	Y	N	N/A
3206	INDIAN PRAIRIE CANAL	INDIAN PRAIRIE CANAL	Fisheating Creek	Group 4	3F	Dissolved Oxygen, Coliforms, Nutrients	Dissolved Oxygen; Nutrients (Chlorophyll-a)	1		Reseg.	WBID boundary was modified to remove Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	IND01 & 3206	3206	3206	Y	-	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3216	L-59W		Fisheating Creek	Group 4	3F			1		Reseg.	WBID boundary was modified to remove the Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	N/A	N/A	N/A	N/A	N/A	N	Y	N/A
3221	L-60E		Fisheating Creek	Group 4	3F			1	25	Retired	WBID was retired because it was located in Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	N/A	N/A	N/A	N/A	N/A	N	N/A	N/A
3222	L-49		Fisheating Creek	Group 4	3F			1		Reseg.	WBID boundary was modified to remove the Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	N/A	N/A	3222	N/A	N/A	Y	Y	N/A
3223	L-61E		Fisheating Creek	Group 4	3F			1		Reseg.	WBID boundary was modified to remove the Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	N/A	N/A	N/A	N/A	N/A	N	Y	N/A
3225	L-60W		Fisheating Creek	Group 4	3F			1	25	Retired	WBID was retired because it was located in Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	N/A	N/A	N/A	N/A	N/A	N	N/A	N/A
3227	L-61W		Fisheating Creek	Group 4	3F			1		Reseg.	WBID boundary was modified to remove the Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	N/A	N/A	3227	N/A	N/A	Y	Y	N/A
3229	S-131		Fisheating Creek	Group 4	3F			1		Reseg.	WBID boundary was modified to remove the Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	N/A	N/A	3229	N/A	N/A	Y	Y	N/A
IND01	BRIGHTON INDIAN RESERVATION		Fisheating Creek	Group 4	NA			26		New	WBID was created in Run 26 because it an Indian reservation lands (IND01). The water within IND01 is not assessed by FDEP.	N/A	N/A	N/A	N/A	N/A	N	Y	N/A
1436A	LAKE DAVENPORT		Kissimmee River	Group 4	3F		Dissolved Oxygen	1		Reseg.	Southern lobe of lake was added (Run 32)	N/A	1436A	1436A	N/A	N/A	Y	Y	N/A
1472A	SNELL CREEK		Kissimmee River	Group 4	3F			1	41	Retired	WBID retired and split into WBIDs 1472A1 & 1472A2 because the creeks are hydrologically different upstream of their confluence.	N/A	1472A	1472A1 & 1472A2	N/A	1472A1 & 1472A2	N	N/A	N/A
1472A1	SNELL CREEK		Kissimmee River	Group 4	3F			42		New	WBID 1472A was retired and split into WBIDs 1472A1 & 1472A2 because the creeks are hydrologically different upstream of their confluence.	N/A	N/A	1472A1	N/A	N/A	Y	Y	N/A
1472A2	LAKE MARION CREEK		Kissimmee River	Group 4	3F			42		New	WBID 1472A was retired and split into WBIDs 1472A1 & 1472A2 because the creeks are hydrologically different upstream of their confluence.	N/A	N/A	1472A2	N/A	N/A	Y	Y	N/A
1723	UNNAMED RUN		Kissimmee River	Group 4	3F			1	39	Retired	This WBID contained no stations or sampleable areas, therefore it was retired and area was merged into WBID 1761D3	N/A	N/A	N/A	N/A	N/A	N	N/A	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
1761	ARBUCKLE CREEK		Kissimmee River	Group 4	3F			1	39	Retired	This WBID was retired to form WBID 1761J, 1761K and 1761L because it contained several different drainage areas. WBID 1761J is the lower portion of Ar buckle Creek, WBID 1761K is Boggy Branch and WBID 1761L is Istokoga Creek.	N/A	1761	1761J & 1761K & 1761L	N/A	1761J & 1761K & 1761L	N	N/A	N/A
1761D	MORGAN HOLE CREEK		Kissimmee River	Group 4	3F		Fecal Coliform; Total Coliform	1	39	Retired	This WBID was retired to form WBIDs 1761D1 and 1761D2 and 1761D3 because they are different drainage areas, which have no hydrologic connections to each other. WBID 1791D1 is currently impaired for Fecal Coliform WBID 1761D2 is currently a 3b and WBID 1761D3 is currently 3c in the cycle 2 assessment.	N/A	1761D	1761D1 & 1761D2 & 1761D3	N/A	1761D1 & 1761D2 & 1761D3	N	N/A	N/A
1761D1	MORGAN HOLE CREEK		Kissimmee River	Group 4	3F			40		New	This WBID was created by splitting WBID 1761D to separate the areas that were not connected hydrologically.	N/A	N/A	1761D1	N/A	N/A	Y	N	N/A
1761D2	LAKE WEOHYAKAPKA DRAIN		Kissimmee River	Group 4	3F			40		New	WBID was created by splitting WBID 1761D to separate the areas that were not connected hydrologically.	N/A	N/A	1761D2	N/A	N/A	Y	N	N/A
1761D3	LAKE ARBUCKLE DRAIN		Kissimmee River	Group 4	3F			40		New	WBID was created by splitting WBID 1761D to separate the areas that were not connected hydrologically.	N/A	N/A	1761D3	N/A	N/A	Y	N	N/A
1761J	ARBUCKLE CREEK		Kissimmee River	Group 4	3F			40		New	WBID was created by splitting 1761 in order to better assess drainages to Lake Istokpoga.	N/A	N/A	1761J	N/A	N/A	Y	N	N/A
1761K	BOGGY BRANCH-LAKE ISTOKPOGA		Kissimmee River	Group 4	3F			40		New	WBID was created by splitting 1761 in order to better assess drainages to Lake Istokpoga.	N/A	N/A	1761K	N/A	N/A	Y	N	N/A
1761L	ISTOKPOGA CREEK		Kissimmee River	Group 4	3F			40		New	WBID was created by splitting 1761 in order to better assess drainages to Lake Istokpoga.	N/A	N/A	N/A	N/A	N/A	N	N	N/A
1856A	ISTOKPOGA CANAL		Kissimmee River	Group 4	3F			1		Reseg.	Small portion of WBID 3198 was added to 1856A to properly include all of the Istokpoga Canal	N/A	1856A	1856A	N/A	N/A	Y	N	N/A
1860A	JOSEPHINE CREEK		Kissimmee River	Group 4	3F		Dissolved Oxygen; Nutrients (Chlorophyll-a)	1		Reseg.	WBID boundary between WBIDs 3201A and 1860A were revised slightly to more properly represent land drainage area. No stations are located in this area.	N/A	1860A	1860A	N/A	N/A	Y	N	N/A
1938N	LAKE DIANE		Kissimmee River	Group 4	3F			1		Reseg.	WBID was changed slightly to correctly represent lake	N/A	1938N	1938N	N/A	N/A	Y	Y	N/A
1938Y	LAKE PLACID OUTLET		Kissimmee River	Group 4	3F			1		Reseg.	WBID boundary was revised slightly to include small portion of land drainage area from WBIDs 3201A & 3201F. No stations are located in this area.	N/A	1938Y	1938Y	N/A	N/A	Y	N	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
1938Z	LAKE JUNE IN WINTER DRAIN		Kissimmee River	Group 4	3F			1		Reseg.	WBID boundary was revised slightly to include small portion of land drainage area from WBID 3201A. No stations are located in this area.	N/A	1938Z	1938Z	N/A	N/A	Y	N	N/A
3168A1	LITTLE LAKE CONWAY		Kissimmee River	Group 4	3F			41		New	WBID 3168A1 was cut out of WBID 3168Z to allow individual assessment of Little Lake Conway. In the cycle 1 assessment stations were assigned to Lake Conway (WBID 3168A, although the WBID boundary did not contain Little Lake Conway.	N/A	N/A	3168A1	N/A	N/A	Y	Y	N/A
3168B	BOGGY CREEK		Kissimmee River	Group 4	3F			1		Reseg.	Lake WBIDs 3168B1 & 3168B2 were cut out from WBID 3168B in order to properly assess them.	N/A	3168B	3168B	N/A	3168B1 & 3168B2	Y	N	N/A
3168B1	MUD LAKE		Kissimmee River	Group 4	3F			41		New	Lake WBID 3168B1 was cut out from WBID 3168B in order to properly assess it.	N/A	N/A	3168B1	N/A	N/A	Y	N	N/A
3168B2	LAKE MICHELLE		Kissimmee River	Group 4	3F			41		New	Lake WBID 3168B2 was cut out from WBID 3168B in order to properly assess it.	N/A	N/A	3168B2	N/A	N/A	Y	N	N/A
3168H	LAKE HOLDEN	LAKE HOLDEN	Kissimmee River	Group 4	3F	Nutrients, Un-ionized Ammonia	Nutrients (TSI)	1		Reseg.	WBID boundary was modified to only include the lake. The area beyond the lake boundary is now WBID 3168Z. WBID 3168Z and WBID 3168H (the lake) are not hydrologically connected. The original area included several lakes and the drainage area around them. The original intent of the CD listing was WBID 3168H because the 1996 stations are located on WBID 3168H and this WBID will remain as the CD listed WBID. Additionally, there is no hydrologic connection nor there have never been any stations in surrounding WBID 3168Z.	3168H	3168H	3168H	Y	-	Y	N	N/A
3168W	BEAR HEAD LAKE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168W	N/A	N/A	Y	N	N/A
3168W1	LAKE MARY GEM		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168W1	N/A	N/A	Y	N	N/A
3168W2	DRUID LAKE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168W2	N/A	N/A	Y	N	N/A
3168W3	LAKE WADE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168W3	N/A	N/A	Y	N	N/A
3168W4	LAKE OF THE WOODS		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168W4	N/A	N/A	Y	N	N/A
3168W5	LAKE TYNER		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168W5	N/A	N/A	Y	N	N/A
3168W6	LAKE WARREN		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168W6	N/A	N/A	Y	N	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3168W7	LAKE BUMBY		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168W7	N/A	Y	N	N/A	
3168X	LAKE PORTER		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X	N/A	Y	N	N/A	
3168X1	LAKE TENNESSEE (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X1	N/A	Y	N	N/A	
3168X2	HOURLASS LAKE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X2	N/A	Y	N	N/A	
3168X3	LAKE TERRACE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X3	N/A	Y	N	N/A	
3168X4	LAKE RABAMA		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X4	N/A	Y	N	N/A	
3168X5	LAKE CONDEL		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X5	N/A	Y	N	N/A	
3168X6	LAKE CHEROKEE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X6	N/A	Y	N	N/A	
3168X7	LAKE FARRAR		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X7	N/A	Y	N	N/A	
3168X8	LAKE ANGEL		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X8	N/A	Y	N	N/A	
3168X9	LAKE JANE (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168X9	N/A	Y	N	N/A	
3168Y	LAKE LANCASTER		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y	N/A	Y	N	N/A	
3168Y1	LAKE EMERALD		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y1	N/A	Y	N	N/A	
3168Y2	LAKE COMO (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y2	N/A	Y	N	N/A	
3168Y3	LAKE GREENWOOD		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y3	N/A	Y	N	N/A	
3168Y4	LAKE DAVIS		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y4	N/A	Y	N	N/A	
3168Y5	LAKE BEAUTY		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y5	N/A	Y	N	N/A	
3168Y6	LAKE LURNA		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y6	N/A	Y	N	N/A	
3168Y7	LAKE THERESA		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y7	N/A	Y	N	N/A	
3168Y8	LAKE WELDONA		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y8	N/A	Y	N	N/A	
3168Y9	LAKE EOLA		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Y9	N/A	Y	N	N/A	

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3168Z	LAKE UNDERHILL OUTLET		Kissimmee River	Group 4	3F			1		Reseg.	Numerous lakes were cut from WBID area in order to properly assess them.	N/A	N/A	N/A	N/A	3168A1 & 3168W & 3168W1 & 3168W2 & 3168W3 & 3168W4 & 3168W5 & 3168W6 & 3168W7 & 3168X & 3168X1 & 3168X2 & 3168X3 & 3168X4 & 3168X5 & 3168X6 & 3168X7 & 3168X8 & 3168X9 & 3168Y & 3168Y1 & 3168Y2 & 3168Y3 & 3168Y4 & 3168Y5 & 3168Y6 & 3168Y7 & 3168Y8 & 3168Y9 & 3168Z1 & 3168Z2 & 3168Z3 & 3168Z4 & 3168Z5 & 3168Z6 & 3168Z9	N	N	N/A
3168Z1	LAKE LUCERNE (WEST)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Z1	N/A	N/A	Y	N	N/A
3168Z2	LAKE LUCERNE (EAST)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Z2	N/A	N/A	Y	N	N/A
3168Z3	LAKE ARNOLD		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Z3	N/A	N/A	Y	N	N/A
3168Z4	LAKE GILES		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Z4	N/A	N/A	Y	N	N/A
3168Z5	LAKE SHANNON		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Z5	N/A	N/A	Y	N	N/A
3168Z6	LAKE CAY DEE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Z6	N/A	N/A	Y	N	N/A
3168Z9	LAKE LAWSONA		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3168Z in order to properly assess it.	N/A	N/A	3168Z9	N/A	N/A	Y	N	N/A
3169A	SHINGLE CREEK	SHINGLE CREEK	Kissimmee River	Group 4	3F	Dissolved Oxygen, Coliforms, Nutrients, Turbidity, Biochemical Oxygen Demand		1		Reseg.	WBID boundary change was done to remove several small lakes from the WBID. Only one lake (WBID 3169A1) may be hydrologically connected; however, the original intent of the CD listing was WBID 3169A, Shingle Creek, because the 1996 stations are located on WBID 3169A. No data from any of the lakes was used in the original consent decree listing; therefore, only WBID 3169A will be consent decree listed.	3169A	3169A	3169A	Y	3169A1 & 3169A2 & 3169A3	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3169A1	RATTLESNAKE LAKE (LAKE ELLENORE)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169A in order to properly assess it.	N/A	N/A	3169A1	N/A	N/A	Y	Y	N/A
3169A2	LAKE TYLER		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169A in order to properly assess it.	N/A	N/A	3169A2	N/A	N/A	Y	N	N/A
3169A3	LAKE BUCHANAN		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169A in order to properly assess it.	N/A	N/A	3169A3	N/A	N/A	Y	N	N/A
3169G1	CLEAR LAKE OUTLET		Kissimmee River	Group 4	3F			1		Reseg.	Numerous lakes were cut from WBID area in order to properly assess them.	N/A	N/A	3169G1	N/A	3169G2 & 3169G3 & 3169G4 & 3169G5 & 3169G6 & 3169G7 & 3169G8	Y	N	N/A
3169G2	LAKE PAMELA		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169G1 in order to properly assess it.	N/A	N/A	3169G2	N/A	N/A	Y	N	N/A
3169G3	LAKE FRAN		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169G1 in order to properly assess it.	N/A	N/A	3169G3	N/A	N/A	Y	N	N/A
3169G4	LAKE KOZART		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169G1 in order to properly assess it.	N/A	N/A	3169G4	N/A	N/A	Y	N	N/A
3169G5	LAKE WALKER		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169G1 in order to properly assess it.	N/A	N/A	3169G5	N/A	N/A	Y	N	N/A
3169G6	LAKE RICHMOND		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169G1 in order to properly assess it.	N/A	N/A	3169G6	N/A	N/A	Y	N	N/A
3169G7	SUNSET LAKE (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169G1 in order to properly assess it.	N/A	N/A	3169G7	N/A	N/A	Y	N	N/A
3169G8	LAKE BEARDALL		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169G1 in order to properly assess it.	N/A	N/A	3169G8	N/A	N/A	Y	N	N/A
3169R	SPRING LAKE DRAIN		Kissimmee River	Group 4	3F			1		Reseg.	Lake WBIDs 3169T & 3169U were cut out from WBID 3169R in order to properly assess them.	N/A	N/A	N/A	N/A	3169T & 3169U	N	N	N/A
3169T	LAKE SANDY		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169R in order to properly assess it.	N/A	N/A	3169T	N/A	N/A	Y	N	N/A
3169U	LAKE PAT		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3169R in order to properly assess it.	N/A	N/A	3169U	N/A	N/A	Y	N	N/A
31702	LEFTOVER REEDY CREEK		Kissimmee River	Group 4	3F			1		Reseg.	Lake WBID 31702A was cut out from WBID 31702 in order to properly assess it.	N/A	N/A	N/A	N/A	31702A	N	N	N/A
31702A	LAKE FLOYD (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 31702 in order to properly assess it.	N/A	N/A	31702A	N/A	N/A	Y	N	N/A
3170A	REEDY CREEK BELOW LAKE RUSSELL	REEDY CREEK	Kissimmee River	Group 4	3F	Nutrients, Turbidity		1		Reseg.	WBID boundary was slightly modified to include a monitoring station on Reedy Creek which is the receiving waterbody of Lake Russell.	3170A	3170A	3170A	Y	-	Y	Y	N/A
3170C	REEDY CREEK ABOVE LAKE RUSSELL	REEDY CREEK	Kissimmee River	Group 4	3F	Dissolved Oxygen, Nutrients, Turbidity, Coliforms	Dissolved Oxygen	1		Reseg.	WBID boundary was slightly modified such that WBID 3170C now includes a small area of 3170D. This was done to better delineate the confluence of three streams.	3170C	3170C	3170C	Y	-	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3170D	BONNET CREEK	BONNET CREEK	Kissimmee River	Group 4	3F	Nutrients, Turbidity		1		Reseg.	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID boundary was modified at the upper portion of the WBID. Also the boundary at the bottom was split into Three other WBIDs (3170D, 3170F2 and 3170C). This was done to better delineate the confluence of three streams. All 1996 station are located in 3170D.	3170D	3170D	3170D	Y	-	Y	Y	N/A
3170E	REEDY CK NORTH		Kissimmee River	Group 4	3F			1	24	Retired	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID was retired and portions were added to 3170D, 3170F1, 3170F2, 3170F3, 3170J & 3170K. All the stations used in the original assessment reside in WBID 3170F2.	N/A	3170E	3170F2	N/A	3170F1 & 3170F2	N	N/A	N/A
3170F	REEDY CREEK (WEST HEADWATER)		Kissimmee River	Group 4	3F			1		Reseg.	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID boundary was modified to better represent area, and remodified area was split amongst 3170F1, 3170I1, and 3170F2.	N/A	3170F	3170F & 3170F2	N/A	N/A	Y	Y	N/A
3170F1	REEDY CREEK (SOUTH HEADWATER)		Kissimmee River	Group 4	3F			25		New	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID was created from the areas of 3170E, 3170F, & 3170K in order to better represent the Reedy Creek South Headwaters.	N/A	N/A	3170F1	N/A	3170FA & 3170FB & 3170FC & 3170FD & 3170FE	Y	N	N/A
3170F2	REEDY CREEK (NORTH SEGMENT)		Kissimmee River	Group 4	3F			25		New	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID was created from the areas of 3170E, 3170F, & 3170G in order to better represent Reedy Creek North.	N/A	N/A	3170F2	N/A	N/A	Y	N	N/A
3170F3	BONNET CREEK NORTH		Kissimmee River	Group 4	3F			25		New	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID was created from the areas of 3170E, 3170J, & 3170G in order to better represent Bonnet Creek North.	N/A	N/A	3170F3	N/A	N/A	Y	N	N/A
3170FA	LAKE OLIVER		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170F1 in order to properly assess it.	N/A	N/A	3170FA	N/A	N/A	Y	N	N/A
3170FB	LAKE GIFFORD		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170F1 in order to properly assess it.	N/A	N/A	3170FB	N/A	N/A	Y	N	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3170FC	REXFORD LAKE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170F1 in order to properly assess it.	N/A	N/A	3170FC	N/A	N/A	Y	N	N/A
3170FD	RACCOON LAKE (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170F1 in order to properly assess it.	N/A	N/A	3170FD	N/A	N/A	Y	N	N/A
3170FE	LAKE BRITT		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170F1 in order to properly assess it.	N/A	N/A	3170FE	N/A	N/A	Y	N	N/A
3170G	LAKE HANCOCK DRAIN (ORANGE COUNTY)		Kissimmee River	Group 4	3F			1		Reseg.	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. Boundary line was modified to better represent Lake Hancock Drain. In cycle 1 this WBID contained mixed waterbody types; therefore, it was necessary to significantly alter WBID. Additionally, numerous lakes were cut from WBID area in order to properly assess them.	N/A	3170G	3170J4 & 3170G & 3170F3	N/A	3170G1 & 3170G2 & 3170G3 & 3170G4 & 3170G5 & 3170G6 & 3170G7	Y	Y	N/A
3170G1	LAKE HANCOCK (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170G in order to properly assess it.	N/A	N/A	3170G1	N/A	N/A	Y	N	N/A
3170G2	LAKE SPEER		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170G in order to properly assess it.	N/A	N/A	3170G2	N/A	N/A	Y	N	N/A
3170G3	SAWGRASS LAKE (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170G in order to properly assess it.	N/A	N/A	3170G3	N/A	N/A	Y	N	N/A
3170G4	TUB LAKE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170G in order to properly assess it.	N/A	N/A	3170G4	N/A	N/A	Y	N	N/A
3170G5	LITTLE LAKE SAWYER		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170G in order to properly assess it.	N/A	N/A	3170G5	N/A	N/A	Y	N	N/A
3170G6	LAKE REAMS		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170G in order to properly assess it.	N/A	N/A	3170G6	N/A	N/A	Y	N	N/A
3170G7	LAKE SHARPE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170G in order to properly assess it.	N/A	N/A	3170G7	N/A	N/A	Y	N	N/A
3170I1	LAKE HICKORYNUT DRAIN		Kissimmee River	Group 4	3F			1		Reseg.	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. Lake WBID 3170I2 was cut out from WBID 3170I1 in order to properly assess it.	N/A	N/A	N/A	N/A	N/A	N	N	N/A
3170I2	PANTHER LAKE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170I1 in order to properly assess it.	N/A	N/A	3170I2	N/A	3170I1	Y	N	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3170J	CYPRESS CREEK		Kissimmee River	Group 4	3F			1		Reseg.	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID boundary was modified to better represent Cypress Creek. Area from original WBID 3170J was combined with areas from WBID 3170E & 3170G. Additionally, lake WBID 3170J2 was cut out from WBID 3170J in order to properly assess it.	N/A	3170J	3170J	N/A	N/A	Y	N	N/A
3170J1	LAKE BUTLER DRAIN		Kissimmee River	Group 4	3F			25		New	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID was created using area of WBID 3170G. Lake WBIDs 3170J3 & 3170J4 were cut out from WBID 3170J1 in order to properly assess them.	N/A	N/A	N/A	N/A	3170J4 & 3170J3	N	N	N/A
3170J2	BLACK LAKE/LAKE BUENA VISTA		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170J in order to properly assess it.	N/A	N/A	3170J2	N/A	N/A	Y	N	N/A
3170J3	CYPRESS LAKE (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170J1 in order to properly assess it.	N/A	N/A	3170J3	N/A	N/A	Y	N	N/A
3170J4	OPEN POND (LAKE BURDEN)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170J1 in order to properly assess it.	N/A	N/A	3170J4	N/A	N/A	Y	N	N/A
3170K	DAVENPORT CREEK		Kissimmee River	Group 4	3F			1		Reseg.	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. WBID boundary was modified to better represent Davenport Creek by adding portion of original WBID 3170E.	N/A	N/A	3170K	N/A	N/A	Y	Y	N/A
3170O1	LAKE MABEL SOUTH DRAIN		Kissimmee River	Group 4	3F			25		New	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. Lake Mabel drain area was split from WBID 3170G. No stations are located in this land area.	N/A	N/A	N/A	N/A	N/A	N	N	N/A
3170S1	DOWN LAKE SUB		Kissimmee River	Group 4	3F			25		New	Entire Reedy Creek area was dramatically revised to allow for better assessment in November 2005. Western Lobe of Lake Down (3170S) was made into its own WBID (3170S1).	N/A	N/A	3170S1	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3170V	LAKE CHASE		Kissimmee River	Group 4	3F			1	41	Retired	Although this WBID was named Lake Chase it actually contained the land drainage area surrounding Lake Tibet. Since the WBID contained no stations (there were some incorrectly assigned to it in Cycle 1) it was retired and the area was combined with the adjoining lake drain WBID 3170Y1.	N/A	3170V	N/A	N/A	N/A	N	N/A	N/A
3170Y1	LAKE TIBET BUTLER OUTLET		Kissimmee River	Group 4	3F			1		Reseg.	Added area from adjacent lake drain WBID 3170V.	N/A	N/A	N/A	N/A	N/A	N	N	N/A
3170Z	POCKET LAKE DRAIN		Kissimmee River	Group 4	3F			1		Reseg.	Lake WBID 3170Z1 was cut out from WBID 3170Z in order to properly assess it. WBID does not actually represent Pocket Lake which is connected to and assessed together with Lake Sheen (WBID 3170H).	N/A	3170Z	3170Z	N/A	3170Z1	Y	Y	N/A
3170Z1	LITTLE FISH LAKE		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3170Z in order to properly assess it.	N/A	N/A	3170Z1	N/A	N/A	Y	Y	N/A
3171E	HART BRANCH		Kissimmee River	Group 4	3F			1		Reseg.	Lake WBID 3171G was cut out from WBID 3171E in order to properly assess it.	N/A	3171E	3171E	N/A	3171G	Y	N	N/A
3171G	BUCK LAKE (ORANGE COUNTY)		Kissimmee River	Group 4	3F			41		New	Lake was cut from WBID 3171E in order to properly assess it.	N/A	N/A	3171G	N/A	N/A	Y	N	N/A
3172	EAST LAKE TOHOPEKALIGA	EAST LAKE TOHOPEKALIGA	Kissimmee River	Group 4	3F	Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue)	1		Reseg.	WBID boundary was modified to only include the lake. The original area (now WBID 3172C) and the current lake area of WBID 3172 are hydrologically connected.	3172	3172	3172	Y	3172C	Y	Y	N/A
3172C	East Lake Tohopekaliga Drain		Kissimmee River	Group 4	3F	Mercury (Based on Fish Consumption Advisory)		9		Reseg.	WBID 3172 boundary was modified to only include the lake. The original area (now WBID 3172C) and the current lake area of WBID 3172 are hydrologically connected. WBID 3172C is on the Planning List in cycle 2.	N/A	3172C	3172C	N	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3173A	LAKE TOHOPEKALIGA	LAKE TOHOPEKALIGA NORTH	Kissimmee River	Group 4	3F	Un-ionized Ammonia, Nutrients, Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue)	1		Reseg.	WBID boundary was modified to only include the lake. LAKE TOHOPEKALIGA was originally split between WBID 3173A and 3173C. When the boundary was redrawn the entire lake was modified into one WBID (3173A) and the lower drainage area is now WBID 3173C. The original area (now WBID 3173A1, 3173A2 and 3173) and the current lake area of WBID 3173A are hydrologically connected; however, the original intent of the CD listing was WBID 3174, because the 1996 stations are located on WBID 3174 and this WBID will remain as the CD listed WBID.	3173A	3173A	3173A	Y	-	Y	Y	N/A
3173C	LAKE TOHOPEKALIGA (SOUTH SEGMENT)	LAKE TOHOPEKALIGA SOUTH	Kissimmee River	Group 4	3F	Un-ionized Ammonia, Nutrients, Mercury (Based on Fish Consumption Advisory)		1		Reseg.	WBID boundary was modified to only include the lake. The original WBID included the lake and the drainage area around it. LAKE TOHOPEKALIGA was originally split between WBID 3173A and 3173C. When the boundary was redrawn the entire lake was modified into one WBID (3173A) and the lower drainage area is now WBID 3173C. Both 3173A and 3173C are hydrologically connected. However, the original intent of the CD listing was WBID 3173A because the 1996 stations are located on WBID 3173A; therefore, the lake will retain the consent decree listing and WBID 3173C will be administratively delisted.	3173A	3173A	3173A	N	3173A	Y	Y	N/A
3174	LAKE CENTER	LAKE CENTER	Kissimmee River	Group 4	3F	Dissolved Oxygen, Nutrients		1		Reseg.	WBID boundary was modified to only include the lake. The original area (now WBID 3174F and 3174E) and the current lake area of WBID 3174 are hydrologically connected; however, the original intent of the CD listing was WBID 3174, because the 1996 stations are located on WBID 3174 and this WBID will remain as the CD listed WBID.	3174	3174	3174	Y	-	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3180A	LAKE CYPRESS	LAKE CYPRESS	Kissimmee River	Group 4	3F	Nutrients, Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue); Nutrients (TSI)	1		Reseg.	WBID line was modified to only include the lake. The original area (now WBID 3180) and the current lake area of WBID 3180A are hydrologically connected; however, the original intent of the CD listing was WBID 3180A, because the 1996 stations are located on WBID 3180A and this WBID will remain as the CD listed WBID.	3180A	3180A	3180A	Y	-	Y	Y	N/A
3183A	LAKE KISSIMMEE NORTH	LAKE KISSIMMEE NORTH	Kissimmee River	Group 4	3F	Nutrients, Turbidity, Mercury (Based on Fish Consumption Advisory)		1	8	Retired	WBID was retired to form WBID 3183A1, 3183A2 and a part of 3183B. All WBIDs are hydrologically connected. The original area (now WBID 3183A, 3183B and 3183E) and the current lake area of WBID 3183B are hydrologically connected. However, the original intent of the CD listing was WBID 3183B, because the 1996 stations are located on WBID 3183B; therefore, the lake will retain the consent decree listing and WBID 3183A will be administratively delisted.	3183B	3183B	3183B	N	3183B	N	N/A	N/A
3183B	LAKE KISSIMMEE	LAKE KISSIMMEE MID	Kissimmee River	Group 4	3F	Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue); Nutrients (TSI)	1		Reseg.	WBID boundary was modified to only include the lake. The original WBID included the lake and the drainage area around it. The lake (now 3183B) was split between three WBIDs 3183A, 3183B and 3183E. When the boundary was redrawn the entire lake was modified into WBID 3183B, to retain the correct intent of the consent decree, and the middle drainage area is now WBID 3183B1 and 3183B2. Both 3183B1, 3183B2 and 3183B are hydrologically connected. However, the original intent of the consent decree listing was the lake (3183B) as all of the 1996 stations are located within the lake; therefore, the lake will retain the consent decree listing.	3183B	3183B	3183B	Y	-	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3183E	LAKE KISSIMMEE SOUTH	LAKE KISSIMMEE SOUTH	Kissimmee River	Group 4	3F	Dissolved Oxygen, Lead, Cadmium, Mercury (Based on Fish Consumption Advisory)		1	8	Retired	WBID 3183E was retired to form WBID 3183E1, 3183E2 and a part of 3183B. All WBIDs are hydrologically connected. The original area (now WBID 3183A, 3183B and 3183E) and the current lake area of WBID 3183B are hydrologically connected. However, the original intent of the CD listing was WBID 3183B, because the 1996 stations are located on WBID 3183B; therefore, the WBID 3183B will retain the consent decree listing and WBID 3183E will be administratively delisted.	3183B	3183B	3183B	N	3183B	N	N/A	N/A
3184	LAKE MARIAN	LAKE MARIAN	Kissimmee River	Group 4	3F	Nutrients	Nutrients (TSI)	1		Reseg.	WBID boundary was modified to only include the lake. The original area (now WBID 3184A) and the current lake area of WBID 3184 are hydrologically connected; however, the original intent of the CD listing was WBID 3184 because the 1996 stations are located on WBID 3184 and this WBID will remain as the CD listed WBID.	3184	3184	3184	Y	-	Y	Y	N/A
3186B	KISSIMMEE RIVER	KISSIMMEE RIVER	Kissimmee River	Group 4	3F	Dissolved Oxygen, Biochemical Oxygen Demand		1	40	Retired	WBID 3186B was retired to form WBID 3186E and 3186F. WBIDs are hydrologically connected and consent decree data came from both; therefore, both will be consent decree listed.	3186E & 3186F	3186B	3186E & 3186F	N	3186E & 3186F	N	N/A	N/A
3186C	BLANKET BAY SLOUGH	BLANKET BAY SLOUGH	Kissimmee River	Group 4	3F	Dissolved Oxygen, Nutrients	Dissolved Oxygen; Nutrients (Chlorophyll-a)	1	40	Retired	WBID 3186C was retired to form WBID 3186G. 3186G now included more area that once belonged to 3186E. 3186G will be consent decree listed.	3186G	3186C	3186G	N	3186G	N	N/A	N/A
3186E	PACKINGHAM SLOUGH		Kissimmee River	Group 4	3F	Dissolved Oxygen, Biochemical Oxygen Demand		41		New	Small portion of area was added to Indian Reservation WBID. No stations were contained in area that was changed.	N/A	N/A	3186E	N	N/A	Y	Y	N/A
3186F	SKEETER SLOUGH		Kissimmee River	Group 4	3F	Dissolved Oxygen, Biochemical Oxygen Demand		41		New	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. WBID was created from retired WBID 3186B.	N/A	N/A	3186F	N	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3186G	BLANKET BAY SLOUGH		Kissimmee River	Group 4	3F	Dissolved Oxygen, Nutrients		41		New	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. WBID was created from retired WBID 3186C and a small portion of 3186B. Dissolved Oxygen and Nutrients (Chlorophyll-a) are impaired in cycle 2.	N/A	N/A	3186G	N	N/A	Y	Y	N/A
3187A	KISSIMMEE RIVER		Kissimmee River	Group 4	3F			1	40	Retired	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. WBID was retired.	N/A	3187A	N/A	N/A	3187D & 3192E	N	N/A	N/A
3187C	DUCK SLOUGH		Kissimmee River	Group 4	3F			1	40	Retired	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas.	N/A	3187C	N/A	N/A	3187E & 3192E	N	N/A	N/A
3187D	KISSIMMEE RIVER BELOW S-65A		Kissimmee River	Group 4	3F			41		New	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. WBID was created from retired WBID 3187A.	N/A	N/A	3187D	N/A	N/A	Y	Y	N/A
3187E	DUCK SLOUGH		Kissimmee River	Group 4	3F			41		New	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. WBID was created from retired WBID 3187C and a small part of 3187A.	N/A	N/A	N/A	N/A	N/A	N	Y	N/A
3188	FARM AREA	S-65D	Kissimmee River	Group 4	3F	Dissolved Oxygen, Nutrients	Dissolved Oxygen	1	40	Retired	WBID 3188 was retired to form WBID 3188B and 3188C. Both WBIDs are hydrologically connected; however, the 1996 station that was used to place it on the consent decree listing should not have been assigned to the WBID. This station plots and matches the name in WBID 3188A.	3188A	3188	3188B & 3188C	N	3188B & 3188C	N	N/A	N/A
3188B	FARM AREA		Kissimmee River	Group 4	3F	Dissolved Oxygen, Nutrients		41		New	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. This WBID was created from retired WBID 3188.	N/A	N/A	3188B	N	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3188C	KISSIMMEE RIVER above S-65D		Kissimmee River	Group 4	3F	Dissolved Oxygen, Nutrients		41		New	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. This WBID was created from a portion of retired WBID 3188.	N/A	N/A	3188C	N	N/A	Y	Y	N/A
3192A	KISSIMMEE RIVER		Kissimmee River	Group 4	3F			1	40	Retired	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. This WBID was retired.	N/A	3192A	3192E	N/A	3192D & 3192E	N	N/A	N/A
3192D	HICKORY HAMMOCK		Kissimmee River	Group 4	3F			41		New	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. This WBID was created from retired WBID 3192A.	N/A	N/A	3192D	N/A	N/A	Y	Y	N/A
3192E	KISSIMMEE RIVER RESTORED SECTION		Kissimmee River	Group 4	3F			41		New	Entire portion of the Kissimmee River from Lake Kissimmee to control structure S-65D was redrawn to reflect restoration activities and to allow better assessment of existing areas. This WBID was made from area of retired WBIDs 3187A, 3187C, and 3192A.	N/A	N/A	3192E	N/A	N/A	Y	Y	N/A
3214	L-48		Kissimmee River	Group 4	3F			1		Reseg.	Small portion of WBID was added Indian reservation lands (IND01). There were no stations contained within this area. The water within IND01 is not assessed by FDEP.	N/A	N/A	N/A	N/A	N/A	N	N	N/A
2097A	ST MARYS RIVER ABOVE ICWW	ST. MARYS RIVER ABOVE INTERCOASTAL WATER	Nassau - St. Marys	Group 4	3M	Nutrients, Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue)	1		Reseg.	A beach WBID (8129D) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (2097A). This change does not affect the consent decree listing. WBID 2097A is still assessed as it was.	2097A	2097A	2097A	Y	-	Y	Y	N/A
2097B	ST MARYS RIVER	ST. MARYS RIVER	Nassau - St. Marys	Group 4	3M	Nutrients, Mercury (Based on Fish Consumption Advisory)		1		Reseg.	Original WBID area included an area outside the state of Florida boundary. The WBID boundary was modified in order to remove this portion. This does not affect the consent decree listing.	2097B	2097B	2097B	Y	-	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
2097C	ST MARYS RIVER	ST. MARYS RIVER	Nassau - St. Marys	Group 4	3M	Dissolved Oxygen, Nutrients, Total Suspended Solids, Coliforms		1		Reseg.	Original WBID area included an area outside the state of Florida boundary. The WBID boundary was modified in order to remove this portion. This does not affect the consent decree listing.	2097C	2097C	2097C	Y	-	Y	Y	N/A
2097F	ST MARYS RIVER	ST MARYS RIVER	Nassau - St. Marys	Group 4	3F	Biochemical Oxygen Demand	Mercury (in fish tissue)	1		Reseg.	Original WBID area included an area outside the state of Florida boundary. The WBID boundary was modified in order to remove this portion. This does not affect the consent decree listing.	This WBID does not contain any 1996 stations.	2097F	2097F	Y	-	Y	Y	N/A
2097I	ST MARYS RIVER	ST MARYS RIVER	Nassau - St. Marys	Group 4	3F	Nutrients, Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue)	1		Reseg.	Original WBID area included an area outside the state of Florida boundary. The WBID boundary was modified in order to remove this portion. This does not affect the consent decree listing.	2097I	2097I	2097I	Y	-	Y	Y	N/A
2097J	ST MARYS RIVER	ST MARYS RIVER	Nassau - St. Marys	Group 4	3F	Biochemical Oxygen Demand	Mercury (in fish tissue)	1		Reseg.	Original WBID area included an area outside the state of Florida boundary. The WBID boundary was modified in order to remove this portion. This does not affect the consent decree listing.	This WBID does not contain any 1996 stations.	2097J	2097J	Y	-	Y	Y	N/A
2097K	ST MARYS RIVER (NORTH PRONG)	ST. MARYS RIVER NORTH PRONG	Nassau - St. Marys	Group 4	3F	Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue)	1		Reseg.	Original WBID area included an area outside the state of Florida boundary. The WBID boundary was modified in order to remove this portion. This does not affect the consent decree listing.	2097K	2097K	2097K	Y	-	Y	Y	N/A
2105B	HAMPTON LAKE OUTLET		Nassau - St. Marys	Group 4	3F			1		Reseg.	WBID boundary was modified to better represent HAMPTON LAKE OUTLET.	N/A	N/A	2105B	N/A	N/A	Y	N	N/A
2129	LOFTON CREEK		Nassau - St. Marys	Group 4	3M			1		Reseg.	This WBID was split because it originally contained a freshwater portion and an estuarine portion, both (WBID 2129 and 2129A) are hydrologically connected.	N/A	2129	2129	N/A	N/A	Y	Y	N/A
2129A	LOFTON CREEK UPPER SEGMENT		Nassau - St. Marys	Group 4	3F			41		New	WBID 2129A was split because it originally contained a freshwater portion and an estuarine portion, both (WBID 2129 and 2129A) are hydrologically connected.	N/A	2129	2129A	N/A	N/A	Y	Y	N/A
2148A	NASSAU RIVER		Nassau - St. Marys	Group 4	3M			1		Reseg.	WBID boundary was modified to include a small tributary. This tributary has never contained stations.	N/A	2148A	2148A	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
2170	PUMPKIN HILL CREEK		Nassau - St. Marys	Group 4	2			1		Reseg.	WBID boundary was modified to exclude tributaries that are now in WBID 2179. These tributaries had some stations from cycle 1 that was assigned to WBID 2170 has been modified in cycle 2 to WBID 2179.	N/A	2170	2170	N/A	N/A	Y	Y	N/A
2179	EDWARDS CREEK		Nassau - St. Marys	Group 4	3M			1		Reseg.	WBID boundary was modified to include tributaries that were in WBID 2170. These tributaries had some stations from cycle 1 that was assigned to WBID 2170 has been modified in cycle 2 to WBID 2179.	N/A	2179 & 2170	2179	N/A	N/A	Y	Y	N/A
2198A	MARINA BAY AT FORT GEORGE		Nassau - St. Marys	Group 4	2		Bacteria (in shellfish)	1		Reseg.	WBID boundary was modified to better represent Marina Bay at Fort George.	N/A	2198A	2198A	N/A	N/A	Y	Y	N/A
2247	ST MARYS RIVER (SOUTH PRONG)		Nassau - St. Marys	Group 4	3F			1		Reseg.	St. Mary's River (South Prong)(2247) was split near Highway 90 to agree with area determined for the DO SSAC for Turkey Creek and the South Prong of the St. Marys River; 2247 St Marys River (South Prong) will define the southern portion of the split and uses SSAC criteria. 2247A defines the northern portion of the split and maintains all previous categories and classifications as the original 2247.	N/A	2247	2247	N/A	N/A	Y	Y	N/A
2247A	ST MARYS RIVER (SOUTH PRONG)		Nassau - St. Marys	Group 4	3F			40		New	St. Mary's River (South Prong)(2247) was split near Highway 90 to agree with area determined for the DO SSAC for Turkey Creek and the South Prong of the St. Marys River; 2247 St Marys River (South Prong) will define the southern portion of the split and uses SSAC criteria. 2247A defines the northern portion of the split and maintains all previous categories and classifications as the original 2247.	N/A	N/A	2247A	N/A	N/A	Y	Y	N/A
8127B	LITTLE TALBOT ISLAND (SOUTH)		Nassau - St. Marys	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach WBID, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8127).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
8128	ATLANTIC OCEAN (NASSAU COUNTY)		Nassau - St. Marys	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	A beach WBID boundary (8128E) was slightly modified, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8128A and 8129).	N/A	8128	8128	N/A	N/A	Y	Y	N/A
8128A	PIPER DUNES		Nassau - St. Marys	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8128A).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
8128E	SIMMONS ROAD		Nassau - St. Marys	Group 4	3M			32		New	This WBID boundary was slightly modified and is a beach, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8128A and 8129).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
8129	ATLANTIC OCEAN (ST MARY'S RIVER; NASSAU COUNTY)		Nassau - St. Marys	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	A beach WBID boundary (8128E) was slightly modified and a beach WBID (8129E) was added to the master WBID list, which means the beaches are being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8128A and 8129).	N/A	N/A	8129	N/A	N/A	Y	Y	N/A
8129A	SADLER ROAD		Nassau - St. Marys	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8129).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
8129B	MAIN BEACH		Nassau - St. Marys	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8129).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
8129C	OCEAN STREET		Nassau - St. Marys	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8129).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
8129E	JASMINE STREET		Nassau - St. Marys	Group 4	3M			32		New	A beach WBID (8129E) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8129).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
10	BIG ESCAMBIA CREEK	BIG ESCAMBIA CREEK	Pensacola	Group 4	3F	Coliforms, Total Suspended Solids, Turbidity		1		Reseg.	WBID boundary was modified to exclude a stream that was not hydrologically connected. This does not affect the consent decree listing.	10	10	10	Y	-	Y	N	N/A
101	PINE LOG CREEK		Pensacola	Group 4	3F			1		Reseg.	WBID boundary was modified to include water that once belonged to WBID 76 and is hydrologically connected to WBID 101. The added area has never had stations assigned to it.	N/A	101	101	N/A	N/A	Y	Y	N/A
10AA	MILL CREEK		Pensacola	Group 4	3F			39		New	A portion of an area from WBID 10 and 10C was transferred to this WBID.	N/A	N/A	10AA	N/A	N/A	Y	Y	N/A
10C	ESCAMBIA RIVER	ESCAMBIA RIVER	Pensacola	Group 4	3F	Coliforms, Total Suspended Solids, Turbidity, Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue)	1		Reseg.	WBID boundary was modified to allow Mill Creek's area to be better represented. The original intent of the CD listing was WBID 10C because the 1996 stations are located on WBID 10C and this WBID will remain as the CD listed WBID.	10C	10C	10C	Y	-	Y	Y	N/A
10E	ESCAMBIA RIVER	ESCAMBIA RIVER	Pensacola	Group 4	3F	Coliforms, Dissolved Oxygen, Turbidity, Mercury (Based on Fish Consumption Advisory)	Mercury (in fish tissue)	1		Reseg.	Woodbine Spring Lake was remodified from the original area of 10E. The original intent of the CD listing was WBID 10E, because the 1996 stations are located on WBID 10E and this WBID will remain as the CD listed WBID.	10E	10E	10E	Y	-	Y	Y	N/A
10EA	WOODBINE SPRINGS LAKE		Pensacola	Group 4	3F			40		New	This is a new WBID in cycle 2, which was previously part of WBID 10E. Some of the stations were previously assigned to WBID 10E in cycle 1 and now are assigned to WBID 10EA in cycle 2.	N/A	10E	10EA	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
24A	BLACKWATER RIVER	BLACKWATER RIVER	Pensacola	Group 4	3F	Total Suspended Solids, Coliforms, Mercury (Based on Fish Consumption Advisory)	Fecal Coliform; Mercury (in fish tissue)	1	38	Retired	WBID 24A was retired to form two new WBIDs: 24AA and 24AB. This WBID originally contained a freshwater portion and an estuarine portion, both (WBID 24AA and 24AB) retain the consent decree parameters. WBID 24AA is upstream and hydrologically connected to 24AB.	24AB	24A	24AA & 24AB	N	24AA & 24AB	N	N/A	N/A
24AA	BLACKWATER RIVER (FRESHWATER SEGMENT)		Pensacola	Group 4	3F	Total Suspended Solids, Coliforms, Mercury (Based on Fish Consumption Advisory)		39		New	This WBID has been retired to form two new WBIDs: a freshwater portion WBID (24AA) and a marine WBID (24AB). Both (WBID 24AA and 24AB) retain the consent decree parameters. WBID 24AA is upstream and hydrologically connected to WBID 24AB.	N/A	N/A	24AB	N	N/A	Y	Y	N/A
24AB	BLACKWATER RIVER (TIDAL)		Pensacola	Group 4	3M	Total Suspended Solids, Coliforms, Mercury (Based on Fish Consumption Advisory)		39		New	This WBID has been retired to form two new WBIDs: a freshwater portion WBID (24AA) and a marine WBID (24AB). Both (WBID 24AA and 24AB) retain the consent decree parameters. WBID 24AA is upstream and hydrologically connected to WBID 24AB.	24AB	N/A	24AB	N	N/A	Y	Y	N/A
30	YELLOW RIVER	YELLOW RIVER	Pensacola	Group 4	3F	Coliforms, Turbidity, Mercury (Based on Fish Consumption Advisory)	Fecal Coliform; Mercury (in fish tissue)	1		Reseg.	This WBID boundary was modified to include more area of the river and tributaries (some of the tributaries were previously located in two WBIDs). Two small tributaries, which were part of the original area of WBID 30, were cut in half in the original area leaving part in WBID 30D. These tributaries were not hydrologically connected to the rest of WBID 30D; therefore, the line was refined to properly include them in WBID 30.	30	30	30	Y	-	Y	Y	N/A
30D	YELLOW RIVER		Pensacola	Group 4	3F		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was modified to exclude tributaries that flowed into WBID 30. The excluded area has never had stations assigned to it. Mercury (in fish tissue) is still impaired for WBID 30D.	N/A	30D	30D	N/A	N/A	Y	N	N/A
30E	YELLOW RIVER		Pensacola	Group 4	3F		Mercury (in fish tissue)	1	39	Retired	This WBID was retired and the area was added to WBID 30. WBID 30 is impaired for Mercury (in fish tissue).	N/A	N/A	30	N/A	30	N	N/A	N/A
420	PACE MILL CREEK	PACE MILL CREEK (Escambia River)	Pensacola	Group 4	3F	Coliforms, Dissolved Oxygen, Total Suspended Solids, Turbidity		1		Reseg.	This WBID boundary was modified to add more of the land drainage area to the WBID.	420	420	420	Y	-	Y	N	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
443	LOST BOY POND OUTLET		Pensacola	Group 4	3F			1		Reseg.	This WBID boundary was modified to allow a better representation of the Lost Boy Pond (443A).	N/A	N/A	N/A	N/A	N/A	N	Y	N/A
443A	LOST BOY POND		Pensacola	Group 4	3F			1		Reseg.	This WBID boundary was modified to better represent Lost Boy Pond (443A)	N/A	N/A	N/A	N/A	N/A	N	Y	N/A
481	PELICAN BAYOU (FRESHWATER PORTION)		Pensacola	Group 4	3F			1		Reseg.	This WBID boundary was split into a freshwater (WBID 481) and marine (24AB).	N/A	481	N/A	N/A	N/A	Y	Y	N/A
493	JUDGES BAYOU	JUDGES BAYOU	Pensacola	Group 4	3M	Dissolved Oxygen, Nutrients		1	40	Retired	This WBID 493 was retired to form two new WBIDs: a freshwater WBID (493A) and a marine WBID (493B). Both (WBID 493A and 493B) retain the consent decree parameters.	493B	493	493A & 493B	N	493A & 493B	N	N/A	N/A
493A	JUDGES BAYOU		Pensacola	Group 4	3F	Dissolved Oxygen, Nutrients		41		New	This WBID 493 was retired to form two new WBIDs: a freshwater WBID (493A) and a marine WBID (493B). Both (WBID 493A and 493B) retain the consent decree parameters.	N/A	N/A	493A	N	N/A	Y	Y	N/A
493B	JUDGES BAYOU (TIDAL SEGMENT)		Pensacola	Group 4	3M	Dissolved Oxygen, Nutrients		41		New	This WBID 493 was retired to form two new WBIDs: a freshwater WBID (493A) and a marine WBID (493B). Both (WBID 493A and 493B) retain the consent decree parameters.	493B	N/A	493B	N	N/A	Y	Y	N/A
502	HICKORY HAMMOCK CREEK		Pensacola	Group 4	3F		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was modified to better represent the freshwater system of Hickory Hammock Creek and not the Blackwater Bay (548GA). Mercury (in fish tissue) is still impaired for WBID 548GA.	N/A	502	N/A	N/A	N/A	Y	Y	N/A
525	DIRECT RUNOFF TO BAY		Pensacola	Group 4	3M			1	39	Retired	This WBID was retired based on the fact that the WBID contained no stations and the original area has been placed in WBID 420 and 548AA.	N/A	N/A	N/A	N/A	420 & 548AA	N	N/A	N/A
537	JAKES BAYOU (MARINE PORTION)		Pensacola	Group 4	3M			1		Reseg.	WBID 537 was split into a freshwater WBID (537A) and a marine WBID (537).	N/A	537	537	N/A	N/A	N/A	Y	N/A
537A	JAKES BAYOU (FRESH PORTION)		Pensacola	Group 4	3F			41		New	WBID 537 was split into a freshwater WBID (537A) and a marine WBID (537).	N/A	N/A	537A	N/A	N/A	Y	Y	N/A
539	MULATTO BAYOU	MULATTO BAYOU	Pensacola	Group 4	3M	Coliforms, Dissolved Oxygen, Nutrients		1		Reseg.	WBID 539 was split into a freshwater WBID (539A) and a marine WBID (539). Both (WBID 539 and 539A) are hydrologically connected; however, the original intent of the CD listing was WBID 539 because the 1996 stations are located on WBID 539 and this WBID will remain as the CD listed WBID.	539	539	539	Y	-	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
539A	TRUDY BRANCH		Pensacola	Group 4	3F			41		New	WBID 539 was split into a freshwater WBID (539A) and a marine WBID (539).	N/A	N/A	539A	N/A	N/A	Y	Y	N/A
543	DIRECT RUNOFF TO BAY		Pensacola	Group 4	3F			1	39	Retired	This WBID was retired because the WBID contained no stations or water and the original area has been placed in WBID 420.	N/A	N/A	N/A	N/A	420	N	N/A	N/A
548A	ESCAMBIA BAY (NORTH SEGMENT)	ESCAMBIA BAY	Pensacola	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity	Mercury (in fish tissue); Nutrients (Historic Chlorophyll-a)	1	38	Retired	WBID 548A was retired to form two new WBIDs (548AA and 548AC), because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III. Both (WBID 548AA and 548AC) retain the consent decree parameters.	548AA & 548AC	548A	548AA & 548AC	N	548AA & 548AC	N	N/A	N/A
548AA	ESCAMBIA BAY (NORTH SEGMENT)		Pensacola	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity		39		New	WBID 548A was retired to form two new WBIDs (548AA and 548AC), because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III. Both (WBID 548AA and 548AC) retain the consent decree parameters.	548AA	N/A	548AA	N	N/A	Y	Y	N/A
548AB	FLORIDATOWN PARK		Pensacola	Group 4	3M		Mercury (in fish tissue); Nutrients (Chlorophyll-a)	1		Reseg.	This WBID boundary was slightly modified and Mercury (in fish tissue) and Nutrients (Chlorophyll-a) have been delisted from the 303(d) based on a flaw in cycle 2.	N/A	548AB	548AA	N/A	N/A	N	Y	N/A
548AC	ESCAMBIA BAY NORTH (SHELLFISH)		Pensacola	Group 4	2	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity		39		New	WBID 548A was retired to form two new WBIDs (548AA and 548AC), because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III. Both (WBID 548AA and 548AC) retain the consent decree parameters.	548AC	N/A	548AC	N	N/A	Y	Y	N/A
548B	ESCAMBIA BAY (SOUTH SEGMENT)	ESCAMBIA BAY (S)	Pensacola	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity	Mercury (in fish tissue)	1		Reseg.	Two beach WBID (548BB and 548CB) were added to the master WBID list, which means the beaches are being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (548B). This change does not affect the consent decree listing. WBID 548B is still assessed as is was.	548B	548B	548B	Y	-	Y	Y	N/A
548C	PENSACOLA BAY (NORTH SEGMENT)	PENSACOLA BAY	Pensacola	Group 4	2	Coliforms	Mercury (in fish tissue)	1		Reseg.	This WBID boundary was modified to add the Class II portions.	548C	548C	548C	Y	-	Y	Y	N/A
548D	PENSACOLA BAY (MIDDLE SEGMENT)		Pensacola	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	The WBID boundary was adjusted to exclude all of the Class II designated area. Mercury (in fish tissue) is still impaired for WBID 548D.	N/A	548D	548D & 548C	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
548FB	NAVY POINT		Pensacola	Group 4	3M		Bacteria (Beach Advisories); Fecal Coliform; Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and Fecal Coliform and Mercury (in fish tissue) have been delisted from the 303(d) based on a flaw in cycle 2.	N/A	548FB	548F	N/A	N/A	N	Y	N/A
548G	BLACKWATER BAY		Pensacola	Group 4	3M		Mercury (in fish tissue)	1	38	Retired	This WBID has been retired to form two new WBIDs (548AA and 548AC), because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III. Both WBID 548GA and 548GB are impaired for Mercury (in fish tissue) in cycle 2.	N/A	548G	548GA & 548GB	N/A	548GA & 548GB	N	N/A	N/A
548GA	BLACKWATER BAY (NORTH SEGMENT)		Pensacola	Group 4	3M			39		New	WBID 548G was retired to form two new WBIDs (548GA and 548GB), because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III.	N/A	548G	548GA	N/A	N/A	Y	Y	N/A
548GB	BLACKWATER BAY (SOUTH SEGMENT)		Pensacola	Group 4	2			39		New	WBID 548G was retired to form two new WBIDs (548GA and 548GB), because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III.	N/A	548G	58GA	N/A	N/A	Y	Y	N/A
560	DIRECT RUNOFF TO BAY		Pensacola	Group 4	3F			1	39	Retired	This WBID was retired because the WBID contained no stations and the original area has been placed in WBID 548AA.	N/A	N/A	N/A	N/A	548AA	N	N/A	N/A
639	DIRECT RUNOFF TO BAY	DIRECT RUNOFF TO BAY (Escambia Bay, Mula)	Pensacola	Group 4	3F	NPS		1		Reseg.	A beach WBID (548BB) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (548B). This change does not affect the consent decree listing. WBID 639 is still assessed as is was.	This WBID does not contain any 1996 stations.	639	639	Y	-	Y	N	N/A
701	EAST RIVER BAY	EAST RIVER BAY (East River Bay)	Pensacola	Group 4	3F	Coliforms, Turbidity		1	38	Retired	This WBID has been retired to form two new WBIDs (701A and 701B) because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III. WBID 701B contains the areas that are Class III, while WBID 701A contains the Class II waters. Both (WBID 701A and 701B) retain the consent decree parameters.	701A	701	701A & 701B	N	701A & 701B	N	N/A	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
701A	EAST BAY RIVER (MARINE PORTION)		Pensacola	Group 4	2	Coliforms, Turbidity		39		New	This WBID has been retired to form two new WBIDs (701A and 701B) because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III. WBID 701B contains the areas that are Class III, while WBID 701A contains the Class II waters. Both (WBID 701A and 701B) retain the consent decree parameters.	701A	N/A	701A	N	-	Y	Y	N/A
701B	EAST BAY RIVER (FRESHWATER PORTION)		Pensacola	Group 4	3F	Coliforms, Turbidity		39		New	This WBID has been retired to form two new WBIDs (701A and 701B) because portions of the original WBID are Class II (shellfish harvesting) and portions are Class III. WBID 701B contains the areas that are Class III, while WBID 701A contains the Class II waters. Both (WBID 701A and 701B) retain the consent decree parameters.	N/A	N/A	701B	N	-	Y	Y	N/A
738	TEXAR BAYOU	TEXAR BAYOU	Pensacola	Group 4	3M	Coliforms	Fecal Coliform; Mercury (in fish tissue)	1		Reseg.	A beach WBID (738AB) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (738). This change does not affect the consent decree listing. WBID 738 is still assessed as is was.	738	738	738	Y	-	Y	Y	N/A
76	LONG CREEK		Pensacola	Group 4	3F			1		Reseg.	This WBID boundary was modified to exclude water that was part of WBID 76 and is hydrologically connected to WBID 101. The excluded area has never had stations assigned to it.	N/A	76	76	N/A	N/A	Y	N	N/A
8003	GULF OF MEXICO (ESCAMBIA COUNTY; SANTA ROSA ISLAND)		Pensacola	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was modified to exclude the area that are Beach WBIDs (8003C), which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8003). Mercury (in fish tissue) is still impaired for WBID 8003.	N/A	8003	8003	N/A	N/A	Y	Y	N/A
8003C	COUNTY PARK WEST		Pensacola	Group 4	3M			32		New	A beach WBID (8003C) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8003).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
8005	GULF OF MEXICO (SANTA ROSA COUNTY; SANTA ROSA ISLAND)		Pensacola	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was modified to exclude the area that are Beach WBIDs (8005A), which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8005). Mercury (in fish tissue) is still impaired for WBID 8005.	N/A	8005	8005	N/A	N/A	Y	Y	N/A
8005A	PENSACOLA BAY (GULF 4)		Pensacola	Group 4	3M			32		New	A beach WBID (8005A) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8005).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
83	HURRICANE CREEK		Pensacola	Group 4	3F			1		Reseg.	This WBID boundary was modified to include the area of Kennedy Branch (WBID 83).	N/A	83	83	N/A	N/A	Y	Y	N/A
833	TOM KING BAYOU		Pensacola	Group 4	2		Mercury (in fish tissue)	1		Reseg.	This WBID was split to form two new WBIDs (833 and 833A), because portions of the original WBID are Class II (shellfish harvesting) (WBID 833A) and portions are Class III (833). WBID 833A is impaired for Mercury (in fish tissue) in cycle 2.	N/A	833	833	N/A	N/A	Y	Y	N/A
833A	TOM KING CREEK		Pensacola	Group 4	3F			41		New	This WBID was split to form two new WBIDs (833 and 833A), because portions of the original WBID are Class II (shellfish harvesting) (WBID 833A) and portions are Class III (833).	N/A	833	833A	N/A	N/A	Y	Y	N/A
83A	HURRICANE LAKE		Pensacola	Group 4	3F			1		Reseg.	This WBID boundary was modified to better represent the Lake.	N/A	83A & 83	83A	N/A	N/A	Y	Y	N/A
83B	HURRICANE LAKE DRAIN		Pensacola	Group 4	3F			1		Reseg.	This WBID boundary was modified to exclude the area of Kennedy Branch (WBID 83) and the area of the Hurricane Lake (83B).	N/A	N/A	N/A	N/A	N/A	N	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
846	BAYOU CHICO	BAYOU CHICO	Pensacola	Group 4	3M	Coliforms, Dissolved Oxygen, Nutrients	Fecal Coliform; Mercury (in fish tissue); Total Coliform	1		Reseg.	A beach WBID (846CB) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (846). This change does not affect the consent decree listing. WBID 846 is still assessed as is was. WBID boundary between 846 and 846A was modified because of marine and fresh water types. Also, a drain WBID (846C) was created from the original shape of the WBID (846 and 846B). WBID 846C will be listed as consent decree because of WBID 846B changes.	846 & 846C	846	846	Y	-	Y	Y	N/A
846A	JONES CREEK	JONES CREEK	Pensacola	Group 4	3F	Coliforms, Dissolved Oxygen, Nutrients, Turbidity	Fecal Coliform; Total Coliform	1		Reseg.	The WBID boundary between 846 and 846A was modified because of marine (WBID 846) and freshwater (WBID 846A) types. This does not affect the consent decree listing.	846A	846A	846A	Y	-	Y	Y	N/A
846B	JACKSON CREEK	JACKSON CREEK	Pensacola	Group 4	3F	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity	Dissolved Oxygen; Fecal Coliform; Total Coliform	1		Reseg.	This WBID was split into a freshwater WBID (846B) and a marine WBID (846C). Both (WBID 846B and 846C) retain the consent decree parameters.	846B	846B	846B	Y	846C	Y	Y	N/A
846C	BAYOU CHICO DRAIN		Pensacola	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients, Total Suspended Solids, Turbidity		1		Reseg.	This WBID was split into a freshwater WBID (846B) and a marine WBID (846C). Both (WBID 846B and 846C) retain the consent decree parameters.	846C	846C	846C	N	-	Y	Y	N/A
848DA	SANDERS BEACH		Pensacola	Group 4	3M		Bacteria (Beach Advisories); Fecal Coliform; Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach WBID, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (548D). Fecal Coliform and Mercury (in fish tissue) have been delisted from the 303(d) based on a flaw in cycle 2.	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
864	WILLIAMS BAYOU		Pensacola	Group 4	3M			1		Reseg.	This WBID was split into a freshwater WBID (864A) and a marine WBID (864).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
864A	WILLIAMS CREEK		Pensacola	Group 4	3F			41		New	WBID 864 was split into a freshwater WBID (864A) and a marine WBID (864).	N/A	N/A	864A	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
915	SANTA ROSA SOUND		Pensacola	Group 4	2		Bacteria (in shellfish); Mercury (in fish tissue)	1		Reseg.	This WBID boundary was modified to exclude the area that are Beaches WBIDs (915G and 915H), which means the beaches are being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (915). Mercury (in fish tissue) has been delisted from the 303(d) based on a flaw in cycle 2.	N/A	915	915	N/A	N/A	Y	Y	N/A
915B	NAVARRE PARK HIGHWAY 98		Pensacola	Group 4	3M		Bacteria (Beach Advisories); Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach WBID, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (915). Mercury (in fish tissue) has been delisted from the 303(d) based on a flaw in cycle 2.	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
915G	HOMEPORT		Pensacola	Group 4	3M			32		New	A beach WBID (915G) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (915).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
915H	JUANA'S BEACH		Pensacola	Group 4	3M			32		New	A beach WBID (915H) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (915).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
3226G	ICCW AB DADE CO.	INTERCOASTAL WATERWAY ABOVE DADE CO.	Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients		1	21	Retired	This WBID was retired to form 9 new WBIDs (3226I, 3283, 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1). WBIDs 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1 are Hydro connected. 3226I has a 1996 station that was originally assigned to 3226G and is hydrologically connected to 3226G3. 226G3, 3277E, 3226G2, 3277A, 3266G4, 3274, 3226G1 and 3226I will be consent decree listed.	3226G3 & 3277E & 3226G2 & 3277A & 3226G4 & 3274 & 3226G1 & 3226I	3226G3 & 3277E & 3226G2 & 3277A & 3226G4 & 3274 & 3226G1 & 3226I	3226G3 & 3277E & 3226G2 & 3277A & 3226G4 & 3274 & 3226G1 & 3226I	N	3226G3 & 3277E & 3226G2 & 3277A & 3226G4 & 3274 & 3226G1 & 3226I	N	N/A	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3226G1	ICWW (Broward County Northern Segment)		Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients		1		Reseg.	This WBID was retired to form 9 new WBIDs (3226J, 3283, 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1). WBIDs 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1 are Hydro connected. 3226I has a 1996 station that was originally assigned to 3226G and is hydrologically connected to 3226G3. 226G3, 3277E, 3226G2, 3277A, 3266G4, 3274, 3226G1 and 3226I will be consent decree listed.	3226G1	3226G1	3226G1	N/A	N/A	Y	Y	N/A
3226G2	ICWW (BROWARD COUNTY CENTRAL SEGMENT)		Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients	Mercury (in fish tissue)	1		Reseg.	This WBID 3226G was retired to form 9 new WBIDs (3226J, 3283, 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1). WBIDs 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1 are Hydro connected. 3226I has a 1996 station that was originally assigned to 3226G and is hydrologically connected to 3226G3. 226G3, 3277E, 3226G2, 3277A, 3266G4, 3274, 3226G1 and 3226I will be consent decree listed.	3226G2	3226G2	3226G2	N/A	N/A	Y	Y	N/A
3226G3	ICWW (BROWARD COUNTY SOUTHERN SEGMENT)		Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients	Mercury (in fish tissue)	1		Reseg.	This WBID 3226G was retired to form 9 new WBIDs (3226J, 3283, 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1). WBIDs 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1 are Hydro connected. 3226I has a 1996 station that was originally assigned to 3226G and is hydrologically connected to 3226G3. 226G3, 3277E, 3226G2, 3277A, 3266G4, 3274, 3226G1 and 3226I will be consent decree listed.	3226G3	3226G3	3226G3	N/A	N/A	Y	Y	N/A
3226G4	LAS OLAS ISLES FINGER CANAL SYSTEM		Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients	Fecal Coliform; Mercury (in fish tissue)	1		Reseg.	This WBID 3226G was retired to form 9 new WBIDs (3226J, 3283, 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1). WBIDs 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1 are Hydro connected. 3226I has a 1996 station that was originally assigned to 3226G and is hydrologically connected to 3226G3. 226G3, 3277E, 3226G2, 3277A, 3266G4, 3274, 3226G1 and 3226I will be consent decree listed.	3226G4	3226G4	3226G4	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3226I	Culvert in West Lake Village		Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients		1		Reseg.	This WBID 3226G was retired to form 9 new WBIDs (3226J, 3283, 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1). WBIDs 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1 are Hydro connected. 3226I has a 1996 station that was originally assigned to 3226G and is hydrologically connected to 3226G3. 226G3, 3277E, 3226G2, 3277A, 3266G4, 3274, 3226G1 and 3226I will be consent decree listed.	3226I	3226I	3226I	N/A	N/A	Y	Y	N/A
3226J	HIGHLANDS LAKE		Southeast Coast - Biscayne Bay	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Highlands Lake.	N/A	3226J	3226J	N/A	N/A	Y	Y	N/A
3226K	SKY LAKE		Southeast Coast - Biscayne Bay	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Sky Lake.	N/A	3226K	3226K	N/A	N/A	Y	Y	N/A
3270	C-14 (CYPRESS CREEK CANAL/POMPANO CANAL)	PPOMPANO CANAL/CYPRESS CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Coliforms		1		Reseg.	This WBID boundary was modified to include more land and canal areas. WBID boundary was also modified to exclude some of the area that is now in WBID 3226G1. These two WBIDs (3270 and 3226G1) are hydrologically connected and will be consent decree listed.	3270	3270	3270	Y	3226G1	Y	Y	N/A
3271	POMPANO CANAL	POMPANO CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Nutrients	Dissolved Oxygen; Nutrients (Chlorophyll-a)	1		Reseg.	This WBID was split to exclude canals that are flowing to the east, which is currently WBID 3226G1. WBIDs are not hydrologically connected.	3271	3271	3271	Y	-	Y	N	N/A
3274	C-13 East (Middle River Canal)		Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients		1		Reseg.	This WBID was retired to form 9 new WBIDs (3226I, 3283, 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1). WBIDs 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1 are Hydro connected. 3226I has a 1996 station that was originally assigned to 3226G and is hydrologically connected to 3226G3. 226G3, 3277E, 3226G2, 3277A, 3266G4, 3274, 3226G1 and 3226I will be consent decree listed.	3274	3274	3274	N/A	N/A	Y	Y	N/A
3276	C-12	C-12	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Coliforms		1		Reseg.	This WBID was split to form WBIDs 3276, 3277B and 3276A. All are hydrologically connected and will be consent decree listed.	3276 & 3277B & 3276A	3276	3276	Y	3277B & 3276A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3277	NORTH NEW RIVER CANAL	NORTH NEW RIVER CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Coliforms, Nutrients		1		Reseg.	This WBID boundary was modified to include more land and canal area; however, WBID numbers were switched and the original area is represented by 3277C. 3277C will be consent decree listed and 3277 will be administratively delisted.	3277C	3277	3277C	N	3277C	Y	Y	N/A
3277A	NEW RIVER CANAL (SOUTH)	SOUTH NEW RIVER CANAL	Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients	Fecal Coliform; Nutrients (Historic Chlorophyll-a)	1		Reseg.	WBID 3277A was split to form WBID 3277A and 3277E. The reason for the split was that the original WBID included two systems. 3277E might flow into 3277A but all the 1996 Stations are located in 3277A (on station has a bad lat/long but should be in 3277A). of the consent decree listing was the WBID 3277A because all of the 1996 stations are located within the lake; therefore, the lake will retain the consent decree listing.	3277A	3277A	3277A	Y	-	Y	Y	N/A
3277B	HOLLOWAY CANAL (EAST)	EAST HOLLOWAY CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Nutrients, Dissolved Oxygen, Total Suspended Solids, Biochemical Oxygen Demand, Coliforms		1		Reseg.	WBID 3277B was broken into 3 WBIDs: 3277B, part of 3277A, and part of 3277C. All are hydrologically connected and will be consent decree listed.	3277B & 3277C	3277B	3277B	Y	3277A & 3277C	Y	Y	N/A
3277E	Dania Cutoff Canal		Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients		1		Reseg.	This WBID was retired to form 9 new WBIDs (3226I, 3283, 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1). WBIDs 3226G3, 3277E, 3226G2, 3277A, 3266G4, 3274 and 3226G1 are Hydro connected. 3226I has a 1996 station that was originally assigned to 3226G and is hydrologically connected to 3226G3, 226G3, 3277E, 3226G2, 3277A, 3266G4, 3274, 3226G1 and 3226I will be consent decree listed. WBID boundary was also modified to remodified the area that is part of IND04. The water within IND04 is not assessed by FDEP.	3277E	3277E	3277E	N/A	N/A	Y	Y	N/A
3279	NEW RIVER CANAL (SOUTH)	SOUTH NEW RIVER CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Nutrients, Coliforms		1		Reseg.	This WBID boundary was modified to remodified land drainage are and canals that are not hydrologically connected. The original intent of the CD listing was WBIDs 3279 and 3279A, because the 1996 stations are located on WBIDs 3279 and 3279A and both WBIDs will remain as the CD listed WBID.	3279 & 3279A	3279	3279	Y	3279A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3280C	NORTH NEW RIVER CANAL	NORTH NEW RIVER CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Nutrients, Coliforms		1	12	Retired	This WBID 3280C was retired and the original area was added to 3281. The original intent of the CD listing was WBIDs 3277A and 3277C, because the 1996 stations are located on WBIDs 3277A and 3277C and both WBIDs will remain as the CD listed WBID and WBID 3280C will need to be admin delisted.	3277A & 3277C	3277A & 3277C	3277A & 3277C	N	3277A & 3277C	N	N/A	N/A
3281	C-11 (EAST)	C-11 EAST	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Coliforms, Nutrients		1		Reseg.	This WBID boundary was modified to include the area of 3280C and to remove an area of Indian reservation (IND04). The water within IND04 is not assessed by FDEP. 3281 will be consent decree listed for its original consent decree listing and that of 3280C.	3281	3281	3281	Y	-	Y	Y	N/A
3282	HOLLYWOOD CANAL	HOLLYWOOD CANAL	Southeast Coast - Biscayne Bay	Group 4	3M	Nutrients		1		Reseg.	This WBID boundary was modified to remodified the area that is part of IND04 and to remodified a small area to the south that contains retention ponds (now in WBID 3283). The water within IND04 is not assessed by FDEP. This change does not affect the consent decree listing because they are not hydrologically connected. The 1996 station that plots in 3277A is unknown if it has a bad lat/long.	3282 & 3277A	3282	3282	Y	-	Y	N	N/A
3283A	DESOTO LAKE		Southeast Coast - Biscayne Bay	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Desoto Lake.	N/A	3283A	3283A	N/A	N/A	Y	Y	N/A
3284	SNAKE CREEK CANAL (WEST)	SNAKE CREEK CANAL WEST	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Nutrients, Mercury (Based on Fish Consumption Advisory)		1		Reseg.	This WBID was split into WBID 3284 and 3283. Both are hydrologically connected and will be consent decree listed.	3284 & 3283	3284	3284	Y	3283	Y	Y	N/A
3285	C-8/BISCAYNE CANAL	C-8/BISCAYNE CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Coliforms, Nutrients	Fecal Coliform; Total Coliform	1		Reseg.	This WBID boundary was modified to include more of the land drainage area. This does not affect the consent decree listing.	3285	3285	3285	Y	-	Y	N	N/A
3286B	C-4/TAMIAMI CANAL (WEST)	AREA B TAMIAMI CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Nutrients		1		Reseg.	This WBID was split into five WBIDs (3286A, 3286, 3286B, 3293 and 3297). All the WBIDs appears to be hydrologically connected; however, 3293 was not the original intended waterbody and will not be consent decree listed.	3286A & 3286 & 3297	3286B	3286B	Y	3286A & 3286 & 3297	Y	Y	N/A
3286C	C-5/COMFORT CANAL		Southeast Coast - Biscayne Bay	Group 4	3F			1		Reseg.	WBID boundary was slightly modified to include the portion of C-5/Comfort Canal that was in WBID 3286D.	N/A	3286C	3286C	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3286D	C-5/COMFORT CANAL		Southeast Coast - Biscayne Bay	Group 4	3F			12	39	Retired	This WBID was retired, the area was added to WBID 3286C and 3288.	N/A	3286D	N/A	N/A	3286C & 3288	N	N/A	N/A
3288	C-6/MIAMI RIVER	C-6/MIAMI RIVER	Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms	Copper; Fecal Coliform; Total Coliform	1		Reseg.	WBID 3288 does not have any water located in the original area. WBID was redrawn to cover a portion of the intended water (Miami River). 1996 Stations are located in 3288, 3290 & 3288B and contains the C6 canal and Miami River. 6001 Was added because of the parentheses.	3288& 3290 & 3288B	3288	3288	Y	3290 & 3288B & 6001	Y	Y	N/A
3288A	WAGNER CREEK	WAGNER CREEK	Southeast Coast - Biscayne Bay	Group 4	3M	Dissolved Oxygen, Coliforms, Nutrients	Dioxin; Fecal Coliform; Total Coliform	1		Reseg.	This WBID was split into 3 different WBIDs (3288, 3288A and 3288B). All WBID are hydrologically connected and will be consent decree listed.	3288A	3288A	3288A	Y	3288B	Y	Y	N/A
3288B	C-6/MIAMI RIVER (LOWER SEGMENT)		Southeast Coast - Biscayne Bay	Group 4	3M		Fecal Coliform; Total Coliform	1		Reseg.	This WBID boundary was slightly modified by adding and removing small amounts of land drainage area from the WBID.	N/A	3288B	3288B	N/A	N/A	Y	N	N/A
3293A	HAMMOCK LAKE (WEST)		Southeast Coast - Biscayne Bay	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent HAMMOCK LAKE (WEST).	N/A	3293A	3293A	N/A	N/A	Y	Y	N/A
3293A1	HAMMOCK LAKE (EAST)		Southeast Coast - Biscayne Bay	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent HAMMOCK LAKE (EAST).	N/A	3293A1	3293A1	N/A	N/A	Y	Y	N/A
3295A	CROSSING LAKE		Southeast Coast - Biscayne Bay	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Crossing Lake.	N/A	3295A	3295A	N/A	N/A	Y	Y	N/A
3298A	GOULDS CANAL		Southeast Coast - Biscayne Bay	Group 4	3F			1		Reseg.	This WBID boundary was modified to remodified land drainage area and part of Biscayne Bay from the WBID. The area that was remodified did not contain stations.	N/A	3298A	3298A	N/A	N/A	Y	Y	N/A
3298B1	HOMESTEAD AIRPORT OUTFALL		Southeast Coast - Biscayne Bay	Group 4	3M			1		Reseg.	This WBID boundary was modified to add land drainage area to the WBID.	N/A	3298B1	3298B1	N/A	N/A	Y	Y	N/A
3298B2	MOWREY CANAL OUTFALL		Southeast Coast - Biscayne Bay	Group 4	3M			1		Reseg.	This WBID boundary was modified to add land drainage area to the WBID.	N/A	3298B2	3298B2	N/A	N/A	Y	Y	N/A
3303	C-111 (SOUTH)	C-111	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Mercury (Based on Fish Consumption Advisory)	Nutrients (Historic Chlorophyll-a)	1		Reseg.	This WBID boundary was modified to include more area (including WBID 3303C a Group 5 WBID). This does not affect the consent decree listing.	3303	3303	3303	Y	-	Y	Y	N/A
3303A	C-113	C-113	Southeast Coast - Biscayne Bay	Group 4	3F	Dissolved Oxygen, Nutrients		1		Reseg.	This WBID boundary was modified to include more land area and get a better representation of the canal. This change does not affect the consent decree listing.	3303A	3303A	3303A	Y	-	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
3304	MILITARY CANAL	MILITARY CANAL	Southeast Coast - Biscayne Bay	Group 4	3F	Lead, Cadmium, Copper		1		Reseg.	This WBID boundary was move to include more land drainage area and canal work. It also excluded a small portion of canal that is not hydrologically connected to the other canals in the WBID. This change does not affect the consent decree listing.	This WBID does not contain any 1996 stations.	3304	3304	Y	-	Y	Y	N/A
8094	ATLANTIC OCEAN (BROWARD COUNTY; PORT EVERGLADES)		Southeast Coast - Biscayne Bay	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	Three beach WBIDs (8094G, 8094H and 8094I) were added to the master WBID list, which means the new beaches are being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8094).	N/A	8094	8094	N/A	N/A	Y	Y	N/A
8094A	VAN BUREN STREET		Southeast Coast - Biscayne Bay	Group 4	3M		Mercury (in fish tissue)	5	41	Retired	This WBID was retired and the area was added to WBID 3226G3. Mercury (in fish tissue) is impaired for WBID 3226G3.	N/A	8094A	N/A	N/A	N/A	N	N/A	N/A
8094B	HARRISON STREET		Southeast Coast - Biscayne Bay	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach WBID, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8094).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
8094C	MINNESOTA STREET		Southeast Coast - Biscayne Bay	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	This WBID boundary was slightly modified and is a beach WBID, which means a beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8094).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
8094D	NORTH BEACH PARK INTRACOASTAL		Southeast Coast - Biscayne Bay	Group 4	3M		Mercury (in fish tissue)	5	41	Retired	This WBID was retired and the area was added to WBID 3226G3.	N/A	8094D	N/A	N/A	N/A	N	N/A	N/A
8094G	SEBASTION STREET		Southeast Coast - Biscayne Bay	Group 4	3M			32		New	A beach WBID (8094G) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8094 and 8095).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly	
8094H	DANIA BEACH		Southeast Coast - Biscayne Bay	Group 4	3M			32		New	A beach WBID (8094H) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8094).	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A	
8094I	CUSTER STREET BEACH		Southeast Coast - Biscayne Bay	Group 4	3M			32		New	A beach WBID (8094I) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8094).	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A
8095	ATLANTIC OCEAN (BROWARD COUNTY)		Southeast Coast - Biscayne Bay	Group 4	3M		Mercury (in fish tissue)	1		Reseg.	A beach WBID (8094G) was added to the master WBID list, which means a new beach is being monitored by FDOH and will be assessed based on their advisories. All stations located within the beach WBID are assigned to the outside WBID (8094).	N/A	8095	8095	N/A	N/A	Y	Y	N/A	
IND04	HOLLYWOOD INDIAN RESERVATION		Southeast Coast - Biscayne Bay	Group 4	NA			26		New	This WBID was created in Run 26 because it an Indian reservation lands (IND04). The water within IND04 is not assessed by FDEP.	N/A	N/A	N/A	N/A	N/A	N	Y	N/A	
1320	BLUE RUN		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was modified to exclude Rainbow Spring Run(1320C) and Indian Creek Spring.	N/A	1320	1320 & 1320B	N/A	1320B & 1320C	Y	Y	N/A	
1320A	RAINBOW SPRINGS GROUP	RAINBOW RIVER	Withlacoochee	Group 4	3F	Nutrients		1		Reseg.	This WBID boundary was modified to better represent the spring head. Even though the original name was "Rainbow river", based on the original WBID boundary the spring appears to be the intended consent decree WBID, since the one 1996 station is located in the spring boil. Therefore 1320A will retain the consent decree listing.	1320A	1320A	1320A	Y	-	Y	Y	N/A	
1320B	RAINBOW SPRINGS GROUP RUN		Withlacoochee	Group 4	3F			36		New	This WBID was created in Run 36.2 to include the Rainbow Springs Group Run.	N/A	1320	1320B	N/A	N/A	Y	Y	N/A	
1320C	INDIAN CREEK SPRINGS GROUP		Withlacoochee	Group 4	3F			41		New	This WBID was created in Run 41 to include the Indian Springs Group.	N/A	N/A	1320C	N/A	N/A	Y	Y	N/A	
1324A	LAKE LILLIAN		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Lake Lillian.	N/A	1324A	N/A	N/A	N/A	N	Y	N/A	

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
1329B	LAKE ROUSSEAU	LAKE ROUSSEAU	Withlacoochee	Group 4	3F	Dissolved Oxygen, Coliforms, Nutrients		1		Reseg.	This WBID boundary was modified to better represent the lake. WBID1329B is hydrologically connected to 1329B1; however, the original intent of the CD listing was WBID 1329B because the 1996 stations are located on WBID 3129B and this WBID will remain as the CD listed WBID.	1329B	1329B	1329B	Y	-	Y	Y	N/A
1329F	WITHLACOOCH EE RIVER		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was modified to exclude the land area around Neff Lake (1329X) and Mountain Lake (1329Y). This area is now apart of WBID 1329I. The station that is located in that area was assigned to 1329F in cycle 1 and in cycle 2 is assigned to 1329I. The WBID boundary was also modified to exclude the area around Nicks Lake (1329F1).	N/A	1329F	1329F & 1329I	N/A	N/A	Y	N	N/A
1329F1	NICKS LAKE		Withlacoochee	Group 4	3F			39		New	This WBID was created in Run 39 to include the area of Nicks Lake.	N/A	N/A	1329F1	N/A	N/A	Y	N	N/A
1329H	LAKE LINDSEY	LAKE LINDSEY	Withlacoochee	Group 4	3F	Dissolved Oxygen, Coliforms		1		Reseg.	This WBID boundary was modified to better represent the lake. WBID 1329E is not hydrologically connected to 1329H and will not be consent decree listed.	1329H	1329H	1329H	Y	-	Y	N	N/A
1329I	SPARKMAN LAKE (GOLD LAKE) DRAIN		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was modified to include the area around Neff Lake (1329X) and Mountain Lake (1329Y). The station that is located in that area was assigned to 1329F in cycle 1 and in cycle 2 is assigned to 1329I.	N/A	1329F	1329I	N/A	N/A	Y	N	N/A
1329J	RUSH LAKE - OPEN WATER		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Rush Lake.	N/A	1329J	1329J	N/A	N/A	Y	Y	N/A
1329K	LAKE OTTING		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Lake Otting.	N/A	1329K	1329K	N/A	N/A	Y	Y	N/A
1329L	TANK LAKE - OPEN WATER		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Tank Lake.	N/A	1329L	1329L	N/A	N/A	Y	Y	N/A
1329M	IRVIN LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Irvin Lake.	N/A	1329M	1329M	N/A	N/A	Y	Y	N/A
1329N	SPARKMAN LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Sparkman Lake.	N/A	1329N	1329N	N/A	N/A	Y	Y	N/A
1329P	DOWLING LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Dowling Lake.	N/A	1329P	1329P	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
1329Q	ROCK POND - OPEN WATER		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Rock Pond.	N/A	1329Q	1329Q	N/A	N/A	Y	Y	N/A
1329R	WILSON HEAD SPRING		Withlacoochee	Group 4	3F			41		New	This WBID was created to better represent Wilson Head Spring. The original area was part of WBID 1329C.	N/A	N/A	1329R	N/A	N/A	Y	Y	N/A
1329S	CITRUS BLUE SPRING		Withlacoochee	Group 4	3F			41		New	This WBID was created to better represent Citrus Blue Spring. The original area was part of WBID 1329C.	N/A	N/A	1329S	N/A	N/A	Y	Y	N/A
1329V	LAKE BLUE COVE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Lake Blue Cove.	N/A	1329V	1329V	N/A	N/A	Y	Y	N/A
1329X	SPRING LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Spring Lake.	N/A	1329X	1329X	N/A	N/A	Y	Y	N/A
1334A	LITTLE BREAM LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Little Bream Lake.	N/A	1334A	1334A	N/A	N/A	Y	Y	N/A
1337	WITHLACOOCHEE RIVER		Withlacoochee	Group 4	3F			1		Reseg.	Small area was modified from the Bypass Channel (WBID 1337A) and placed into Withlacoochee River (WBID 1337). This modification will give a better representation of the Withlacoochee River.	N/A	1337	1337	N/A	N/A	Y	Y	N/A
1337A	BYPASS CHANNEL		Withlacoochee	Group 4	3F			1		Reseg.	Small area was remodified from the Bypass Channel(WBID 1337A) and placed into Withlacoochee River (WBID 1337). This modification will give a better representation of the Bypass Channel.	N/A	1337A	1337A	N/A	N/A	Y	Y	N/A
1338A	GUM SPRINGS (ALLIGATOR SPRINGS)		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was modified to give a better representation of Gum Springs.	N/A	1338A	1338A	N/A	N/A	Y	Y	N/A
1338B	GUM SLOUGH		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was modified to exclude the area around Gum Springs (1338B).	N/A	1338B	1338B	N/A	N/A	Y	Y	N/A
1340	TSALA APOPKA OUTLET		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was modified to exclude the area around TSALA APOPKA LAKE (NEAR CABBAGE ISLAND) (WBID 1340U). Several smaller WBID boundary movements also removed or added area to the WBID. They are WBID 1340G, 1340I, 1340L and 1340P.	N/A	1340	1340 & 1340U	N/A	N/A	Y	N	N/A
1340E	LITTLE LAKE CONSUELLA		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Little Lake Consuella.	N/A	1340E	1340E	N/A	N/A	Y	Y	N/A
1340G	BELLAMY LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Bellamy Lake.	N/A	1340G	1340G	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
1340I	HOG POND (LAKE NINA)		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Hog Pond (Lake Nina).	N/A	1340I	1340I	N/A	N/A	Y	Y	N/A
1340L	COOTER LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Cooter Lake.	N/A	1340L	1340L	N/A	N/A	Y	Y	N/A
1340P	SPIVEY LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Spivey Lake.	N/A	1340P	1340P	N/A	N/A	Y	Y	N/A
1340U	TSALA APOPKA LAKE (NEAR CABBAGE ISLAND)		Withlacoochee	Group 4	3F			39		New	This WBID was created to include the area around Tsala Apopka Lake (Near Cabbage Island).	N/A	1340	1340U	N/A	N/A	Y	N	N/A
1342B	LAKE SUNSHINE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Lake Sunshine.	N/A	1342B	1342B	N/A	N/A	Y	Y	N/A
1342D	BLACK LAKE OUTLET		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified; however, the WBID only contains small ponds.	N/A	N/A	N/A	N/A	N/A	N	N	N/A
1350	MYRTLE LAKE OUTLET		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to exclude WBID 1350A; also, this WBID contains small Ponds and canals.	N/A	N/A	N/A	N/A	N/A	N	N	N/A
1350A	LAKE MYRTLE		Withlacoochee	Group 4	3F			39		New	This WBID was created to include the area around Lake Myrtle.	N/A	N/A	1350A	N/A	N/A	Y	N	N/A
1351B	LAKE PANASOFFKEE		Withlacoochee	Group 4	3F		Dissolved Oxygen; Nutrients (TSI and Historic TSI)	1		Reseg.	This WBID boundary was slightly modified to better represent Lake Panasoffkee.	N/A	1351B	1351B	N/A	N/A	Y	Y	N/A
1351B1	LAKE PANASOFFKEE DRAIN		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to exclude WBID 1351B2.	N/A	1351B1	1351B1	N/A	N/A	Y	N	N/A
1351B2	CANAL 485A SPRINGS GROUP		Withlacoochee	Group 4	3F			41		New	This WBID was created to include the area around Canal 485A Springs Group.	N/A	N/A	1351B2	N/A	N/A	Y	Y	N/A
1352A	ROBINSON LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Robinson Lake.	N/A	N/A	N/A	N/A	N/A	N	Y	N/A
1356	SHADY BROOK		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to exclude WBID 1356B and 1356C.	N/A	1356	1356	N/A	N/A	Y	Y	N/A
1356A	FENNEY SPRING		Withlacoochee	Group 4	3F			41		New	This WBID was created to include the area around Fenney Spring.	N/A	N/A	1356A	N/A	N/A	Y	Y	N/A
1356B	SUMTER BLUE SPRING GROUP		Withlacoochee	Group 4	3F			41		New	This WBID was created to include the area around Sumter Blue Spring Group.	N/A	1356	1356B	N/A	N/A	Y	Y	N/A
1356C	SHADY BROOK #3 SPRING		Withlacoochee	Group 4	3F			41		New	This WBID was created to include the area around Shady Brook #3 Spring.	N/A	N/A	1356C	N/A	N/A	Y	Y	N/A

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
1371A	MCKITHEN LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Mckithen Lake.	N/A	1371A	1371A	N/A	N/A	Y	Y	N/A
1377A	AKINS POND		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Akins Pond.	N/A	N/A	N/A	N/A	N/A	N	Y	N/A
1381	LITTLE WITHLACOOCH EE	LITTLE WITHLACOOCHER	Withlacoochee	Group 4	3F	Dissolved Oxygen, Coliforms		1		Reseg.	This WBID boundary was modified to include more area around WBID 1381X and 1381A (lakes) to include the "lake drain" areas in this WBID, since the lake WBID boundaries were refined to match the lake shore. This does not affect the consent decree listing.	1381	1381	1381	Y	-	Y	Y	N/A
1403A	SUMNER LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Sumner Lake.	N/A	1403A	1403A	N/A	N/A	Y	Y	N/A
1466A	LAKE AGNES OUTLET		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to exclude WBID 1466A1.	N/A	1466	N/A	N/A	N/A	N	N	N/A
1466A1	LITTLE LAKE AGNES		Withlacoochee	Group 4	3F			39		New	This WBID was created to include the area around Little Lake Agnes.	N/A	1466A	1466A1	N/A	N/A	Y	N	N/A
1467A	CLEARWATER LAKE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Clearwater Lake.	N/A	1467A	1467A	N/A	N/A	Y	Y	N/A
1468A	LAKE HELENE		Withlacoochee	Group 4	3F			1		Reseg.	This WBID boundary was slightly modified to better represent Lake Helene.	N/A	1468A	1468A	N/A	N/A	Y	Y	N/A
1476	LAKE MATTIE	LAKE MATTIE OUTLET	Withlacoochee	Group 4	3F	Nutrients		1		Reseg.	This WBID boundary was modified to better represent the lake. WBID 1476 is hydrologically connected to 1476A; however, the 1996 stations are only located in 1476. The original name for the waterbody has outlet in it. It is believed the original intent of the listing was to be the lake (1476) and not the outlet (1476A). 1476 will keep the consent decree listed parameters. Although the original 98 area was named "outlet" there are no sampleable water features outside of the lake.	1476	1476	1476	Y	-	Y	Y	N/A
<p>¹ The original consent decree waterbody name can be different from the current waterbody name.</p> <p>² The parameters that were on the 1998 303(d) list.</p> <p>³ The parameters that were on the cycle 1 verified list.</p> <p>⁴ The IWR Run that the WBID was created (when it first appeared in a Run).</p> <p>⁵ The IWR Run in which the WBID was retired (last run in which WBID appeared)</p> <p>⁶ Flag to indicate whether WBID is: a) new since Cycle 1 assessment; b) retired since Cycle 1 assessment; c) resegmented since Cycle 1 assessment</p> <p>⁷ Current WBID that contains the 1996 305(b) stations.</p> <p>⁸ WBID that all assessment stations were assigned to in cycle 1.</p>																			

WBID	Waterbody Name	Consent Decree Waterbody Name ¹	Group Name	Group #	Class	Consent Decree Parameters ²	Impaired parameters in Cycle 1 (Verified List) ³	First IWR Run in which WBID was created ⁴	Retirement IWR Run ⁵	FLAG (New, Retired, Reseg.) ⁶	Comments	WBID with 1996 Stations ⁷	What WBID were the stations assigned to in C1 ⁸	Which WBIDs are the stations assigned to in C2 ⁹	Is the Original consent decree WBID Retained? (Y/N) ¹⁰	New WBID(s) ¹¹	Contains Stations Used in Current Assessment ¹²	Hydrologic Connection (Y/N) ¹³	New WBID retains original WBID pollutants. Modify 303(d) List accordingly
⁹ WBID that all assessment stations were assigned to in cycle 2.																			
¹⁰ If the original WBID is still consent decree.																			
¹¹ If the original WBID was retired or modified the WBIDs that replaced the original area (what the area is being assigned to currently).																			
¹² Does the WBID contain stations used in the current group assessment (i.e. POR, PL and VL).																			
¹³ Whether the modified area of the WBID is hydrologically connected to the original area.																			

Appendix F

FDEP's Rotating Basin Approach

In May 1999, the Florida Legislature enacted the Florida Watershed Restoration Act (FWRA) to clarify FDEP's statutory authority for TMDL development and to establish the processes for listing impaired waters and developing TMDLs. FDEP uses a watershed management approach, which is a program for managing the state's water resources on the basis of hydrologic units, as the framework for implementing the FWRA. The approach utilizes a process that rotates through the state's 52 basins over the following five-year phased cycle:

Phase 1: Initial Basin Assessment

Conduct preliminary assessments of water body health; develop a Planning List of potentially impaired waters using the methodology in Part II of Chapter 62-303, FAC; identify sources of pollution; develop a coordinated monitoring plan, focusing on waters on the Planning List; and produce a Basin Status Report.

Phase 2: Strategic Monitoring

Supplement existing data to further characterize basin conditions by: obtaining from monitoring entities existing data that are not currently in STORET and entering it into the Florida STORET database; monitoring waters on the 1998 303(d) list for which insufficient data are available to analyze the waters using the methods in Chapter 62-303, FAC; monitoring waters on the Planning List to verify potential impairment; conducting intensive survey monitoring to obtain data needed for TMDL development; producing a Basin Assessment Report that assesses all waters using the methodology in EPA's 2002 Integrated Water Quality Monitoring and Assessment Report Guidance; preparing a revised Planning List of potentially impaired waters; and adopting, using a public participation process, a Verified List of impaired waters that is submitted to EPA as a basin-specific 303(d) list that will update the state's 303(d) list.

Phase 3: Data Analysis and TMDL Development

Develop TMDLs for waters on the basin-specific Verified List of impaired waters in accordance with the schedule agreed to by EPA and FDEP; conduct a more detailed assessment of major pollutant sources, including the quantification of nonpoint source loadings; and, begin the development of the Basin Management Action Plan that will specify load reduction allocations and activities that will be undertaken to reduce loadings in order to meet the TMDL.

Phase 4: Basin Management Action Plan Development

Work with local stakeholders to develop a Basin Management Action Plan that specifies how established goals will be achieved by recommending management activities, establishing who is responsible for implementation, establishing a schedule for implementation, and noting how effectiveness of the plan will be assessed. While the

plan will focus on implementation of TMDLs developed in the basin, it may also address more general watershed goals.

Phase 5: Basin Management Action Plan Implementation

Begin implementation of the Basin Management Action Plan and associated water resource protection and restoration efforts, including implementation of Best Management Practices, habitat protection and restoration activities, environmental infrastructure improvements, and issuance of NPDES permits.

At the conclusion of this cycle, the process begins anew so that all basins in the state are assessed every five years.

FDEP organized the state’s 52 basins into 30 groups for assessment purposes. The groups were then organized as follows for the basin rotation cycle:

Group 1	Group 2	Group 3	Group 4	Group 5
St. Marks	Apalachicola/Chipola	Choctawhatchee/St. Andrews	Pensacola	Perdido
Suwannee	Hillsborough/Alafia/Manatee	Peace/Myakka/Sarasota Bay	South Withlacoochee	Crystal River
Ocklawaha	Charlotte Harbor	Caloosahatchee	Southeast Coast - Biscayne Bay	Everglades
Tampa Bay	St. Lucie - Loxahatchee	Lake Worth Lagoon - Palm Beach Coast	Kissimmee River	Florida Keys
Everglades/ West Coast	Lower St. Johns	Lower St. Johns	Fisheating Creek	Upper East Coast
Lake Okeechobee	Upper St. Johns	Upper St. Johns	Nassau/St. Mary’s	Middle East Coast/Indian River

The first basin rotation cycle began in July 2000 and is proceeding in accordance with the following schedule:

Group	July 2000	July 2001	July 2002	July 2003	July 2004	July 2005	July 2006	July 2007	July 2008
1	Phase 1	Phase 2	Phase 3	Phase 4	Phase 5	Phase 1	Phase 2	Phase 3	Phase 4
2		Phase 1	Phase 2	Phase 3	Phase 4	Phase 5	Phase 1	Phase 2	Phase 3
3			Phase 1	Phase 2	Phase 3	Phase 4	Phase 5	Phase 1	Phase 2
4				Phase 1	Phase 2	Phase 3	Phase 4	Phase 5	Phase 1
5					Phase 1	Phase 2	Phase 3	Phase 4	Phase 5

Appendix G

Assessing Ambient Data for Naturally Variable Parameters Against Numeric Water Quality Criteria

Water quality criteria for aquatic life are typically established for two intended levels of protection. The first level provides for survival over short periods of time and the second allows for organisms to live, grow, and reproduce in a given area over a longer period of time. Florida's water quality criteria provide the latter level of protection for their aquatic life uses.

EPA recognizes that all numeric water quality criteria have three elements: magnitude (e.g., how much), duration (e.g., how long at the specified magnitude), and frequency of exceedance (e.g., how often for the specified duration period), regardless of whether they are explicitly described in state water quality standards. A characterization of these three elements is essential to perform tasks such as the development of wasteload allocation for deriving permit limits. Often this is accomplished by identifying a "design flow" (e.g., the 7Q10 - lowest seven day average flow with a recurrence interval of ten years) to match an expression of criterion magnitude (e.g., a concentration) that accounts for allowable duration and frequency. Florida's water quality standards include numeric water quality criteria that are typically expressed as concentration values "not to be exceeded". As stated by Florida, this expression relates to their intended use for wasteload allocation purposes. Indeed, it is Florida's typical practice to establish permit limits that simply reflect the criterion magnitude (with or without an allowable mixing zone, where exceeding criteria for short periods of time and space is consistent with Florida water quality standards under certain circumstances).

In addition to serving as the basis for water quality-based pollutant source controls, water quality standards also function as the basis for assessing ambient water quality to determine if waters are impaired. Because the technical capability and resources for continuous monitoring are extremely rare, assessors typically rely on analytical chemistry measures of "grab samples" of surface waters taken at infrequent intervals of time over a period of years to serve as the data base for these determinations. These data do not allow a direct characterization of duration and frequency as typically expressed in water quality standards for purposes of wasteload allocation. These assessment data can be grouped and presented as data distributions that can subsequently be statistically compared to criteria magnitude values. The closest approximation of duration and frequency from this type of analysis is the percent of samples above a criterion magnitude. This could be further characterized as the "percent of time" a criterion magnitude is exceeded, provided the data are considered representative of ambient conditions over the assessment period.

Many State water quality standards, including Florida's, do not explicitly specify an allowable percent of ambient measurement samples above numeric criteria magnitude values for determining impairment. The Florida statute that authorizes state development of water quality standards, however, directs Florida to establish and apply criteria in water quality standards recognizing the inherent natural and statistical variability (F.S. 403.021(11)). EPA believes that Florida has correctly interpreted its own statute to recognize natural and statistical variability when making determinations of impairment.

Statistical variability relates to an accounting for sampling and analytical error and other factors that confer uncertainty in the accuracy, precision, and representativeness of sample data to represent "true" conditions. Generally, the smaller the sample size, the greater the uncertainty that "true" conditions are accurately represented. Statistical variability can be mathematically expressed as a confidence level, and the desired confidence level is generally a risk management decision left to the discretion of the state in interpreting its available data for purposes of determining impairment. However, overwhelming evidence of gross impairment should not be masked by unreasonable expectations for statistical certainty.

Natural variability relates to the degree that conditions in nature vary as a function of time and space based on physical, chemical, biological, hydrological, and geomorphological factors. Pollutants and pollutant parameters can be placed into three distinct groups for considering the effects of natural variability. Some pollutants, such as chlorine and pesticides, are introduced solely as a function of anthropogenic activity and, although natural factors can mitigate or augment their effects, their presence cannot be attributed to natural conditions. The second group of pollutants usually occur naturally in the environment at low levels, such as copper and cadmium, but protective water quality criteria for these pollutants lie well above the typical range of solely natural occurrence. For this group, the natural contribution is likely negligible at measured levels above or near the water quality criterion. Natural variability is generally not a factor for consideration in evaluating ambient measurement samples that exceed water quality criterion magnitude values for these first two groups of pollutants. In contrast, the third group of pollutants or pollutant parameters have protective water quality criteria that lie within or near the range of naturally occurring conditions. This "naturally variable" group include pollutants or pollutant parameters such as dissolved oxygen, turbidity, bacteria, conductivity, and alkalinity. Natural variability is an appropriate and reasonable factor to consider in evaluating ambient data for this group of pollutants or pollutant parameters.

Dissolved oxygen (DO) is perhaps the best example of a naturally variable pollutant parameter. DO refers to the volume of oxygen that is contained in water, and is measured and expressed as a concentration (typically in mg/L). Oxygen arrives in surface water as a by-product of photosynthesis by aquatic plants and from transfer from the overlying air. DO solubility and, as a result, the

expected ambient measured levels, are affected by temperature (colder water holds more oxygen), salinity (fresher water holds more oxygen), and altitude (lower pressure reduces solubility). DO levels are also affected by flow and stream channel or lake morphology (more turbulent or well-mixed water transfers more oxygen from the air at the water surface), degree of biological activity (plant and animal respiration deplete oxygen, especially at night), and the amount of naturally occurring organic matter (aerobic decomposition depletes oxygen). As a result, DO can change and vary in a single water body according to time of day, season, weather, temperature, depth and location of sampling, and flow. The variability across different waters is augmented by many of the factors described above. DO can range from 0-18 mg/L in natural water systems, with long-term levels set generally within 5-6 mg/L to support a diverse aquatic community in most warmwater systems, as reflected by Florida's water quality standards. Specific information concerning dissolved oxygen and other naturally variable pollutants can be found in textbooks such as *Water Quality: Prevention, Identification and Management of Diffuse Pollution* by Novotny and Olem (published by Van Nostrand Reinhold, 1994), *Limnology in (second edition)* by Wetzel (published by Saunders College Publishing, 1983), and *Water Quality: Characteristics, Modeling, and Modification* by Tchobanoglous and Schroeder (published by Addison-Wesley Publishing Company, 1985). Information summaries and general information can be found at University web sites, including excellent ones on DO from North Carolina State University (<http://h2osparc.wg.ncsu.edu/info/do.html> and <http://www.ncsu.edu/sciencejunction/depot/experiments/water/lessons/do/>)

Although States have discretion in selecting a target for determining impairment of water quality standards, the State would need to justify why the target for an allowable number of ambient measurement samples to exceed a criterion magnitude for a naturally variable pollutant parameter is appropriate and reasonable and results in an acceptable 303(d) listing decision. Florida's choice of 10% is consistent with EPA's general recommendations for pollutant parameters of this type, and represents a reasonable choice for this application with respect to naturally variable pollutants and pollutant parameters, such as DO. Waters that are not listed as impaired, or are removed from the list of impaired waters, on this basis can reasonably be expected to achieve the intended level of protection expressed in Florida's water quality standards.

Appendix H

FDEP Data Exclusion Screens

Removal of results reported in Florida STORET that did not include units, or included units that were inappropriate for the particular analyte: These were excluded as the results could not accurately be quantified, or relied upon for assessment purposes under the IWR.

Results reported as negative values: It was concluded that any results reporting a negative value for the substance analyzed represent reporting errors: Credible data could not have any values less than the detection limit (in all cases a positive value) reported. Therefore, results reported as negative values could not be relied upon for assessment purposes under the IWR.

Results reported as any of "888" "8888" "88888" "888888" "8888888" and "999" "9999" "99999" "999999" "9999999": Upon investigation, all data reported using these values were found to be provided by a particular Water Management District. The District intentionally coded the values in this manner to flag the fact that they should not be used, as the values reported from the lab were suspect. The data coded in this manner was generally older.

Removal of J-qualified Results: J-qualified results from this same Water Management District were excluded from the assessments after the District brought to the attention of FDEP that their use of the J-qualifier was not consistent with FDEP's use of the FDEP J-qualifier.

Removal of extremely old USGS data (beginning of the previous century): This data did not have complete date information available. Accurate date information is required to be able to assess results under the IWR. USGS data using USGS parameter codes of 32230 or 32231 were also excluded from assessments performed under the IWR, based on information in a memo that was sent from USGS.

Removal of results for iron which were confirmed to be entered into dbHydro using the wrong legacy STORET parameter codes: These results were found to be reported by a particular Water Management District. They were excluded from the assessment under the IWR.

Removal of results reported using "K", "U", "W", and "T" qualifier codes (all of which suggest that the result was below method detection limits) when the reported value of the mdl was greater than the criterion, or the mdl was not provided: In order to be able to compare a non-detect result to a criterion value, it is necessary to know that it was possible to measure as low as the numeric value of the criterion.

Removal of certain results reported using an “I” qualifier code (meaning that the result value was between the method detection limit and the practical quantification limit):

These results were excluded from assessments performed under the IWR, where the mdl was not provided, or where the mdls and pqls were inconsistent with the rest of the data record.,.

Removal of certain results reported for metals using an “I” qualifier code: Where the criteria is expressed as a function of hardness, and the numeric value of the metal criteria corresponding to the reported hardness value was between the mdl and the pql, these data were excluded from the assessments performed under the IWR.

Removal of results reported using an “L” qualifier code (meaning that the actual value is known to be greater than the reported value) where the reported value for the upper quantification limit was less than the criterion: The reasoning for excluding these data follows a logic somewhat similar to the reasoning to the cases discussed above for results reported as below the method detection limits.

Removal of results reported with a “Z” qualifier code (which indicates that the results were too numerous to count): These results were excluded because there was no consistency among data providers in how data using this qualifier code were reported: Some data providers entered numeric estimates of bacteria counts, while other data providers entered the dilution factor. As a result, meaningful interpretation of data reported using this qualifier was not uniformly possible.

Removal of results reported with an “F” qualifier code (which indicates female species): Since the IWR does not assess any analytes for which this qualifier code would be appropriate, the intended meaning of the use of this qualifier code is unknown. The reported result is therefore rendered uninterpretable (although there are very few instances of the use of this qualifier code in the IWR dataset, and it is possible that some agencies use this to indicate a field measurement).

Results reported with an “O” qualifier code (which indicates that the sample was collected but that the analysis was lost or not performed): Exclusion of results reported using this qualifier code is self-explanatory.

Removal of results reported with an “N” qualifier code (which indicates presumption of evidence of the presence of the analyte). Comparing concentrations of analytes to criteria from the Florida Standards requires a numeric result value: Presence or absence, for the purposes of assessments performed under the IWR, is not sufficient information upon which to base an impairment decision.

Removal of results reported with a "V" or "Y" qualifier code (which indicate the presence of analyte in both the environmental sample and the blank, or a laboratory analysis that was from an unpreserved or improperly preserved sample): Such data may not be accurate. Use of these codes indicates that the reported result is not sufficiently reliable to be used in IWR assessments.

Removal of certain results reported with a “Q” qualifier code (which indicates that the holding time was exceeded): These data were reviewed to determine if the holding time that was exceeded. When appropriate, such data were excluded from the assessments. These reviews were performed manually, not as part of the automated processing of the IWR data.

Removal of results reported for mercury not collected and analyzed using Clean techniques: The use of clean techniques removes the chance for contamination of mercury samples from the atmosphere, which significantly biases the results upward, and ultimately does not represent in stream water quality. It is therefore reasonable for the State not to rely upon data entries based on non-clean techniques as evidence for instream water quality assessment.

Removal of result values based on recommendations from FDEP’s Environmental Assessment Section as a result of lab audits performed on behalf of the TMDL program: The data excluded based on lab audits were generally analyte-specific and referred to a specific time frame. While the data issues encountered are variable, lack of acceptable, or verifiable, records is a common issue.

Removal of certain dissolved oxygen measurements collected for Group 2, Cycle 2 Assessments: Results reported for dissolved oxygen which were collected using a field kit (as opposed to a meter) were excluded from assessment under the IWR.